



REMUS NEXT

with EC approval or racing



Convex shape

Dimensions: L x W x H = 337/437 x 102 x 134 mm

Sleeve material: stainless steel matt, stainless steel black

Outlet unit: stainless steel Weight: 2.31/2.87 kg



REMUS 8

with EC approval or racing





Octagonal shape

Dimensions: L x W x H = $485 \times 110 \times 180 \text{ mm}$

Sleeve materials: stainless steel matt, stainless steel black

Inlet cap: stainless steel

End cap: carbon Weight: from 3,20 kg



REMUS SPORT FLOW

with EC approval or racing





REMUS HYPERCONE

with EC approval or racing



Sleeve length: 250 - 400 mm (depending on vehicle)

Sleeve materials: stainless steel, stainless steel black, titanium

Inlet cap: stainless steel

End cap: carbon Weight: from 1.28 kg



Honda CB 1000 REMUS Hypercone, stainless steel black

REMUS HEXACONE

with EC approval or racing





REMUS OKAMI

with EC approval or racing



Dimensions: W x H ~ 105 x 137 mm

Sleeve length: 250 - 420 mm (depending on vehicle)

Sleeve materials: stainless steel, stainless steel black, titanium

Inlet cap: stainless steel

End cap: plastic Weight: from 1.54 kg



REMUS BLACK HAWK

with EC approval or racing



Dimensions: W x H ~ 105 x 137 mm

Sleeve length: 350 - 420 mm (depending on vehicle) Sleeve materials: stainless steel black, matt stainless steel

Inlet cap: stainless steel End cap: carbon Weight: from 1.96 kg



REMUS VERTICAL

with EC approval



Dimensions: 2 x Ø 120 mm / Ø 75 mm

Sleeve materials: stainless steel, stainless steel black

End cap: stainless steel Weight: from 3.20 kg



Indian FTR 1200/ FTR 1200 S REMUS Vertical, stainless steel black

REMUS CLASSIC SPORT

with EC approval





24 months warranty on all systems with EC approval. No warranty on racing products. Technical changes and errors are subject to change!





REMUS Innovation GmbH

Dr.-Niederdorfer-Straße 25, A-8572 Bärnbach Tel.: 0043 (0)3142 / 69 00-0, Fax: DW - 291 office@remus.at, www.remus.eu







