

Application guide 2016

Stand per 09.09.2016. All prices without VAT!

REMUS sport exhausts only fit in combination with the original rear skirt if nothing else is mentioned!

Errors & omissions excepted!

2016
empf. VK €
RRP €

ABARTH

Art.Nr.	Description	€ excl. VAT
500 Abarth, type 312, 2007=>		
1.4i 99 kW		
500 Abarth Esseesse, type 312, 2007=>		
1.4i 118 kW (312A1000)		
500 Abarth, type 312, 2013=>		
1.4i 132 kW (312A3000) (without homologation)		
NW	182510 0500	
Sport exhaust system L/R consisting of:		
Sport exhaust centered for L/R system (without tail pipes), REMUS tube Ø 60 mm		327,00
Choose from following tail pipe package:		
NW	0026 70SG	140,00
NW	0026 70S	160,00
NW	0026 70CS	370,00
NW	0026 98C	196,00
NW	0026 98CB	220,00

Punto Evo Abarth, type 199, 2011=>

1.4i 120 kW		
		Axle-back-system: 184011 0500 + tail pipe set! Cat-back-system: 184011 0000 + 184011 0500 + tail pipe set! No vehicle modifications required!
NW	184011 0000	RACING tube without homologation, instead of front silencer Sport exhaust system consisting of: Sport exhaust for left-system (without tail pipes) Choose from following tail pipe package:
NW	184011 0500	
NW	0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection
NW	0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection
NW	0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection
NW	0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection
NW	0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection

ALFA ROMEO

Art.Nr.	Description	€ excl. VAT
Giulietta, type 940, 2010=>2015 (not Facelift)		
1.4i TB 88 kW (198A4000); 1.4i TB Multiair 125 kW (940A2000)		
Axle-back-system: 025110 0000 + 025110 1598C! For mounting the L/R sport exhaust, the original rear skirt (part no. 156090485) & original bracket (part no. 51820445) must be used!		
NW	025110 0000	135,00
NW	025110 1598C	538,00
Connection tube for mounting on 1.4i model		
Sport exhaust centered with L/R each 1 tail pipe Ø 98 mm Street Race		

Giulietta, type 940, 2010=>2015 (not Facelift)

1.8i Tbi 173 kW (940A1000)			
		Cat-back-system: 025110 0000 (Racing) resp. 025010 0300 + 025110 1598C!	
NW	025110 0000	RACING tube without homologation, instead of front silencer	135,00
NW	025010 0300	Resonated front section	222,00
NW	025110 1598C	Sport exhaust centered with L/R each 1 tail pipe Ø 98 mm Street Race	538,00

145, Type 930, 1995=>

1.9i TD 66 kW (AR33601), 1995=>; 2.0i TD 66 kW (AR33601), 1998=>			
2)	025096 0501	Sport exhaust with 1 tail pipe 92x78 mm	294,00

147, Type 937, 2001=>

1.6i 77 kW (AR37203); 1.6i 88 kW (AR32104); 2.0i 110 kW (AR31310); 1.9i JTD 85 kW (937A200); 1.9i JTD 103 kW (192A500)		
147 Facelift, Type 937, 2005=>		
1.6i 77 kW (AR37203); 1.6i 88 kW (AR32104); 1.9i JTD 74 kW (182B9000); 1.9i JTD 85 kW (937A200); 1.9i JTD 110 kW (937A500)		
Axle-back-system: 025105 0500 + tail pipe set! Sport exhaust for left-system (without tail pipes), REMUS tube Ø 54 mm <u>Choose from following tail pipe package:</u> 1 tail pipe Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection 1 tail pipe Ø 102 mm angled, chromed, with adjustable spherical clamp connection 1 Carbon tail pipe Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection 1 tail pipe Ø 98 mm Street Race, with adjustable spherical clamp connection 1 tail pipe Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection		
NW	025105 0500	300,00
NW	0006 70SG	70,00
NW	0006 70S	80,00
NW	0006 70CS	185,00
NW	0006 98C	98,00
NW	0006 98CB	110,00

155, Type 167, 1995=>

1.9i TD 66 kW (67501)			
2)	026096 0509	Sport exhaust with 1 tail pipe 135x75 mm	360,00

155, Typ 167, 1995=>

2.5i TD 92 kW (VM07B/VM318)			
2)	027095 0562	Sport exhaust with 2 tail pipes Ø 70 mm Racing Look	406,00

156 Sedan / Sportwagon, Type 932, 1997=>

1.9i JTD 77 kW (AR32302), 1998=>; 1.9i JTD 85 kW (937A2000), 2004=>; 2.4i JTD 100 kW (AR32501), 1998=>; 2.0i JTS 122 kW (937A1000), 2002=>; 2.5i V6 24V 140 kW (AR32401), OCT1997=>			
o	027098 0509	Sport exhaust with 1 tail pipe 135x75 mm	393.00

AUDI

Art.Nr.	Description	€ excl. VAT
A1, type 8X, 2010=>		
1.2i TFSI 63 kW (CBZA); 1.2i TFSI 77 kW (CBZB); 1.4i TFSI 90 kW (CAX); 1.6i TDI 55 kW (CAYA); 1.6i TDI 66 kW (CAYBB); 1.6i TDI 77 kW (CAYC)		
	Axle-back-system: 044108 0584C. When mounting on Diesel models the original hanger (part no 6Q0 253 144F) & the 2 original bolts (part no N0195269) must be used! When mounting on 1.2i TFSI & Diesel models, the rear skirt must be trimmed as per the supplied template!	
NW 044108 0584C	Sport exhaust with 2 tail pipes Ø 84 mm Street Race	428.00

S1 Quattro, type 8X, 2015=>
S1 Sportback Quattro, type 8X, 2015=>
2.0l TFSI 170 kW (CXZA)

Axle-back-system: 045015 1500 + tail pipe set! The original exhaust will need to be cut! No rear skirt modifications required!

Cat-back-system: 045015 0300 + 045015 1500 + tail pipe set! No vehicle modifications required!
front resonated section
Original tube Ø 65 mm, REMUS tube Ø 70 mm

NW 045015 0300

241,00

NW " 045015 1500

Sport exhaust centered for L/R system (without tail pipes)
with 2 integrated valves, incl. EEC homologation
Original tube Ø 65 mm, REMUS tube Ø 70 mm
The supplied actuator activates the valve to factory preset positions via the vehicle onboard electronics.

920,00

NW 0046 70SG

Choose from following tail pipe package:
Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection

280,00

NW 0046 70S

Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection

320,00

NW 0046 70CS

Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection

740,00

A2, type 8Z (only for cars with 34l tank), 2000=>

1.4l 55 kW; 1.4l TDI 55 kW

2) 043000 0502

Sport exhaust with 2 tail pipes 92x78 mm

399,00

A3, type 8L, SEP1996=>

1.6l 74/75 kW; 1.6l 81 kW; 1.8l 92 kW; 1.8l Turbo 110/132 kW; 1.9l TDI 66 kW; 1.9l TDI 74/81/96 kW

Axle-back-system: (AD0016) + 046397 099 + tail pipe set! When mounting on 1.6l models, the VW bracket (part no 1J0253144) must be used!

Cat-back-system: (AD0016) + 045096 0300 bzw 045096 0300 bzw 046097 0000 + 046397 099 + tail pipe set! When mounting on 1.6l models, the VW bracket (part no 1J0253144) must be used!

NW AD0016

22,00

° 045096 0000

Distance tube H for mounting on 1.6l model
RACING tube without homologation, instead of front silencer, only for 1.6l 74/75 kW and 1.8l 92 kW

91,00

045096 0300

Vorschalldämpfer, nur für 1.6l 74/75/77 kW

140,00

046097 0000

RACING tube without homologation, instead of front silencer, only for 1.6l 81 kW and 1.8l Turbo 110/132 kW

91,00

PowerSound Sport exhaust system consisting of:

PowerSound sport exhaust with manual valve control system (without tail pipes)

339,00

Choose from following tail pipe package:

NW 1) 046397 099

2 tail pipes 92x78 mm

150,00

NW 0000 02

2 tail pipes Ø 76 mm straight

128,00

NW 0007 04G

1 tail pipe Ø 90 mm straight

73,00

NW 0007 05G

1 tail pipe 142x72 mm

93,00

NW 0007 14M

2 tail pipes Ø 84 mm

139,00

NW 0007 78

1 tail pipe Ø 84 mm Street Race

82,00

NW 0007 83C

1 tail pipe Ø 84 mm Carbon Race

88,00

NW 0007 83CS

1 tail pipe Ø 84 mm Street Race Black Chrome

94,00

NW 0007 83CB

2 tail pipes Ø 84 mm Street Race

145,00

NW 0007 84C

2 tail pipes Ø 84 mm Carbon Race

154,00

NW 0007 84CS

2 tail pipes Ø 84 mm Street Race Black Chrome

170,00

A3, type 8P, 2003=>

2.0l FSI 110 kW; 2.0l TFSI 147 kW; 1.9l TDI 77 kW; 2.0l TDI 100 / 103 / 125 kW

AD0032

Distance tube C1 for mounting on 2.0l TDI 125 kW with connection Ø 60 mm

25,00

AD0079

Distance tube T5 for mounting on 1.9l TDI 77 kW model

22,00

AD0080

Distance tube U5 for mounting on 2.0l FSI 110 kW and 2.0l TDI 100/103/125 kW models

22,00

Sport exhaust system consisting of:

Sport exhaust left (without tail pipes)

337,00

Choose from following tail pipe package:

NW 796105 098

2 tail pipes Ø 76 mm straight

128,00

NW 0007 04G

1 tail pipe Ø 90 mm straight

73,00

NW 0007 05G

1 tail pipe 142x72 mm

93,00

NW 0007 14M

1 tail pipe Ø 102 mm

80,00

NW 0007 70

2 tail pipes Ø 84 mm

139,00

NW 0007 78

1 tail pipe Ø 84 mm Street Race

82,00

NW 0007 83C

1 tail pipe Ø 84 mm Carbon Race

88,00

NW 0007 83CS

1 tail pipe Ø 84 mm Street Race Black Chrome

94,00

NW 0007 83CB

2 tail pipes Ø 84 mm Street Race

145,00

NW 0007 84C

2 tail pipes Ø 84 mm Carbon Race

154,00

NW 0007 84CS

2 tail pipes Ø 84 mm Street Race Black Chrome

170,00

NW 0007 84CB

1 tail pipe Ø 98 mm Street Race

88,00

NW 0007 98C

1 tail pipe Ø 98 mm Street Race Black Chrome

99,00

A3, type 8V, 2012=>

A3 Sportback, type 8V, 2013=>

1.4l TFSI 90/92 kW (CMBA/CPVA); 1.4l TFSI 92 kW (CXSB/CZCA); 1.4l TFSI 103 kW (CHPA/CPTA); 1.4l TFSI 110 kW (CZEA); 1.8l TFSI 125 kW (CNSB); 1.8l TFSI 132 kW (CJSA)

Axle-back-system L/R: 954112 0000 bzw 955112 0000 + 044112 0500 + tail pipe set!

Cat-back-system L/R: 954112 0000 bzw 955112 0000 + 954312 0000 + 044112 0500 + tail pipe set! Only for 1.4l TFSI!

Axle-back-system L/R: 954112 0000 bzw 955112 0000 + 045112 1500 + tail pipe set + optional 041401 HES! The rear diffusers are only mountable together with the L/R systems. Alternatively also the original rear diffuser can be used but it has to be trimmed according to enclosed instructions!

Cat-back-system L/R: 954112 0000 bzw 955112 0000 + 954312 0000 + 045112 1500 + tail pipe set + optional 041401 HES! The rear diffusers are only mountable together with the L/R systems. Alternatively also the original rear diffuser can be used but it has to be trimmed according to enclosed instructions! Only for 1.4l TFSI!

NW 954312 0000

RACING tube without homologation, instead of front silencer, only for 1.4l TFSI, only fits as a complete system with the REMUS sport exhaust

158,00

NW 954112 0000

Connection tube (multi-link axle) for mounting on 1.4l TFSI

56,00

NW 955112 0000

Connection tube (multi-link axle) for mounting on 1.8l TFSI

56,00

Sport exhaust system consisting of:

Sport exhaust for left-system (without tail pipes)

245,00

Choose from following tail pipe package:

NW 044112 0500

Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection

170,00

NW 0026 83C

Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection

180,00

NW 0026 83CS

Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection

194,00

NW 0026 83CB

Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection

150,00

Alternative: Sport exhaust system L/R consisting of:

Sport exhaust centered for L/R system (without tail pipes)

286,00

NW " 041401 HES

ABS rear diffuser left/right, carbon optic (not for S-Line)

191,00

Choose from following tail pipe package:

NW 0046 83C

Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection

340,00

NW 0046 83CS

Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection

360,00

NW 0046 83CB

Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection

388,00

NW 0046 55S

Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection

300,00

A3 Quattro, type 8V, 2014=>

A3 Sportback Quattro, type 8V, 2014=>

1.8l TFSI 132 kW (CJS)

Axle-back-system L/R: 045214 0000 + 044112 0500 + tail pipe set! Also for S-Line models!

Cat-back-system L/R: AD0187 + 046513 0300 bzw 046513 0000 + 045214 0000 + 044112 0500 + tail pipe set! Also for S-Line models!

Turbo-back-system: 956014 1100 + 046513 0300 bzw 046513 0000 + 045214 0000 + 044112 0500 + tail pipe set! Also for S-Line models!

Axle-back-system L/R: 045214 0000 + 045112 1500 + tail pipe set + optional 041401 HES! The rear diffusers are only mountable together with the L/R systems. Alternatively also the original rear diffuser can be used but it has to be trimmed according to enclosed instructions! Not for S-Line models!				
Cat-back-system L/R: AD0187 + 046513 0300 resp. 046513 0000 + 045214 0000 + 045112 1500 + tail pipe set + optional 041401 HES! The rear diffusers are only mountable together with the L/R systems. Alternatively also the original rear diffuser can be used but it has to be trimmed according to enclosed instructions! Not for S-Line models!				
Turbo-back-system L/R: 956014 1100 + 046513 0300 resp. 046513 0000 + 045214 0000 + 045112 1500 + tail pipe set + optional 041401 HES! The rear diffusers are only mountable together with the L/R systems. Alternatively also the original rear diffuser can be used but it has to be trimmed according to enclosed instructions! Not for S-Line models!				
NW	4)	956014 1100	RACING downpipe with sport catalytic convertor (200 CPSI), pipe Ø 76 mm, without homologation (only mountable together with REMUS front silencer respectively RACING tube)	937,00
NW		AD0187	Distance tube X7 for mounting of 046513 0300 / 046513 0000 onto original downpipe of 1.8l TFSI 132 kW Quattro	17,00
NW		046513 0300	RACING front silencer, without homologation	241,00
NW		046513 0000	RACING tube without homologation, instead of front silencer (Original tube Ø 70 mm, REMUS tube Ø 76 mm)	87,00
NW		045214 0000	Connection tube for mounting on 1.8l TFSI 132 kW	74,00
<u>Sport exhaust system consisting of:</u>				
NW		044112 0500	Sport exhaust for left-system (without tail pipes)	245,00
<u>Choose from following tail pipe package:</u>				
NW		0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	170,00
NW		0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	180,00
NW		0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	194,00
NW		0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	150,00
<u>Alternative: Sport exhaust system L/R consisting of:</u>				
NW		045112 1500	Sport exhaust centered for L/R system (without tail pipes) (not for S-Line)	286,00
	"	041401 HES	ABS rear diffuser left/right, carbon optic (not for S-Line)	191,00
<u>Choose from following tail pipe package:</u>				
NW		0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	340,00
NW		0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	360,00
NW		0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	388,00
NW		0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	300,00

A3, type 8V, 2012=>

A3 Sportback, type 8V, 2013=>

1.6l TDI 77 kW (CLHA); 1.6l TDI 81kW (CRRB); 2.0l TDI 105 kW (CRFC); 2.0l TDI 110 kW (CRBC); 2.0l TDI 110kW (CRUA)

		Axle-back-system L: 045214 0000 + 044112 0500 + tail pipe set! Also for S-Line models!		
		Axle-back-system L/R: 045214 0000 + 045112 1500 + tail pipe set + optional 041401 HES! The rear diffusers are only mountable together with the L/R systems. Alternatively also the original rear diffuser can be used but it has to be trimmed according to enclosed instructions! Not for S-Line models!		
NW	954112 0000	Connection tube (multi-link axle) for mounting on 2.0l TDI 105/110 kW		56,00
NW	953612 0000	Connection tube (twist beam axle) for mounting on 1.6l TDI 77/81 kW		56,00
	045212 0584CS	Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race, only for Audi A3 8V Sportback		408,00
	045012 0584CS	Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race, only for Audi A3 8V		408,00
		<u>Alternative: Sport exhaust system L/R consisting of:</u>		
NW	045112 1500	Sport exhaust centered for L/R system (without tail pipes)		286,00
"	041401 HES	ABS rear diffuser left/right, carbon optic (not for S-Line)		191,00
		<u>Choose from following tail pipe package:</u>		
NW	0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection		340,00
NW	0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection		360,00
NW	0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection		388,00
NW	0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection		300,00

A3 Sedan, type 8V, 2012=>

1.4l TFSI 90 (CMPA/CPVA/CXSA); 1.4l TFSI 92 kW (CXSB/CZCA); 1.4l TFSI 103 kW (CHPA/CPTA); 1.4l TFSI 110 kW (CZFA/CUKB); 1.8l TFSI 125 kW (CSNB); 1.8l TFSI 132 kW (CJSA); 2.0l TFSI 162 kW (ohne Genehmigung); 1.6l TDI

		Axle-back-system: connection tube + 045013 1500 + tail pipe set! Not for S-Line models! The skirt outlet must be trimmed as per the enclosed template!	
		Racing-cat-back-system for 1.4l TSI: 954312 0000 + 954112 0000 + 045013 1500 + tail pipe set! Not for S-Line models! The skirt outlet must be trimmed as per the enclosed template!	
NW	954312 0000	RACING tube without homologation, instead of front silencer, only for 1.4l TSI, only fits as a complete system with the REMUS sport exhaust	158,00
NW	954112 0000	Connection tube (multi-link axle) for mounting on 1.4l TFSI 90/92/103/110 kW, 2.0l TDI 81/105/110 kW	56,00
NW	955112 0000	Connection tube (multi-link axle) for mounting on 1.8l TFSI 125/132 kW	56,00
NW	953612 0000	Connection tube (twist beam axle) for mounting on 1.6l TDI 77 kW	56,00
NW	955213 0000	Connection tube for mounting on 2.0l TFSI 162 kW	56,00
		<u>Sport exhaust system L/R consisting of:</u>	
NW	045013 1500	Sport exhaust centered for L/R system (without tail pipes) (no homologation for 2.0l TFSI 162 kW)	286,00
		<u>Choose from following tail pipe package:</u>	
NW	0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	340,00
NW	0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	360,00
NW	0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	388,00
NW	0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	300,00

A3 Sedan Quattro, type 8V, 2014=>

1.8l TFSI 132 kW (CJS); 2.0l TFSI 162 kW (without homologation)

			Axle-back-system: 045214 0000 + 045013 1500 + tail pipe set! Not for S-Line models! The skirt outlet must be trimmed as per the enclosed template!	
			Racing-cat-back-system: AD0187 (for 1.8l TFSI) + 046513 0300 resp. 046513 0000 + 045214 0000 + 045013 1500 + tail pipe set! Not for S-Line models! The skirt outlet must be trimmed as per the enclosed template!	
			Racing-turbo-back-system: 956014 1100 + 046513 0300 resp. 046513 0000 + 045214 0000 + 045013 1500 + tail pipe set! Not for S-Line models! The skirt outlet must be trimmed as per the enclosed template!	
NW	4)	956014 1100	RACING downpipe with sport catalytic convertor (200 CPSI), pipe Ø 76 mm, without homologation (only mountable together with REMUS front silencer respectively RACING tube)	937,00
NW		AD0187	Distance tube X7 for mounting of 046513 0300 / 046513 0000 onto original downpipe of 1.8l TFSI 132 kW Quattro	17,00
NW		046513 0300	RACING front silencer, without homologation	241,00
NW		046513 0000	RACING tube without homologation, instead of front silencer (Original tube Ø 70 mm, REMUS tube Ø 76 mm)	87,00
NW		045214 0000	Connection tube for mounting on 1.8l TFSI 132 kW and 2.0l TFSI 162 kW	74,00
			<u>Sport exhaust system L/R consisting of:</u>	
NW		045013 1500	Sport exhaust centered for L/R system (without tail pipes) (no homologation for 2.0l TFSI 162 kW)	286,00
			<u>Choose from following tail pipe package:</u>	
NW		0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	340,00
NW		0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	360,00
NW		0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	388,00
NW		0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	300,00

A3 Cabrio, type 8V, 2012=>

1.4l TFSI 92 kW; 1.4l TFSI 110 kW; 1.8l TFSI 132 kW

		Axle-back-system: connectino tube + 045013 1500 + tail pipe set! Not for S-Line models! The skirt outlet must be trimmed as per the enclosed template!	
		Racing-cat-back-system for 1.4l TSI: 954312 0000 + 954112 0000 + 045013 1500 + tail pipe set! Not for S-Line models! The skirt outlet must be trimmed as per the enclosed template!	
NW	954312 0000	RACING tube without homologation, instead of front silencer, only for 1.4l TSI, only fits as a complete system with the REMUS sport exhaust	158,00
NW	954112 0000	Connection tube (multi-link axle) for mounting on 1.4l TFSI 92/110 kW	56,00
NW	955112 0000	Connection tube (multi-link axle) for mounting on 1.8l TFSI 132 kW	56,00
		<u>Sport exhaust system L/R consisting of:</u>	
NW	045013 1500	Sport exhaust centered for L/R system (without tail pipes)	286,00
		<u>Choose from following tail pipe package:</u>	
NW	0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	340,00
NW	0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	360,00
NW	0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	388,00
NW	0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	300,00

S3 Quattro, type 8V, 2013=> S3 Sportback Quattro, type 8V, 2013=> 2.0l TFSI 221 kW (CJXC)			
		Axle-back-system: 046813 1500 + tail pipe set! Racing-cat-back-system: 046513 0000 resp. 046513 0300 + 046813 1500 + tail pipe set! Racing-turbo-back-system: 956014 1100 + 046513 0000 resp. 046513 0300 + 046813 1500 + tail pipe set! RACING downpipe with sport catalytic convertor (200 CPSI), pipe Ø 76 mm, without homologation only mountable together with REMUS front silencer respectively RACING tube Front silencer RACING tube without homologation, instead of front silencer Original tube Ø 70 mm, REMUS tube Ø 76 mm	
NW	4)	956014 1100	937,00
NW		046513 0300	241,00
NW		046513 0000	87,00
NW		046813 1500	787,00
NW		0046 83C	340,00
NW		0046 83CS	360,00
NW		0046 83CB	388,00
NW		0046 83CTS	680,00
NW		0046 55S	300,00
NW		0046 05	300,00

S3 Sedan Quattro, type 8V, 2013=> 2.0l TFSI 221 kW (CJXC)			
		Axle-back-system: 047014 1500 + tail pipe set! Cat-back-system: 046513 0000 bzw 046513 0300 + 047014 1500 + tail pipe set! Turbo-back-system: 956014 1100 + 046513 0000 bzw 046513 0300 + 047014 1500 + tail pipe set! RACING downpipe with sport catalytic convertor (200 CPSI), pipe Ø 76 mm, without homologation only mountable together with REMUS front silencer respectively RACING tube Front silencer RACING tube without homologation, instead of front silencer Original tube Ø 70 mm, REMUS tube Ø 76 mm	
NW	4)	956014 1100	937,00
NW		046513 0300	241,00
NW		046513 0000	87,00
NW		047014 1500	787,00
NW		0046 83C	340,00
NW		0046 83CS	360,00
NW		0046 83CB	388,00
NW		0046 83CTS	680,00
NW		0046 55S	300,00
NW		0046 05	300,00

80 B3 Sedan / Avant, / Coupé / Cabrio type 89 1.4l 48 kW, JUL1986=>; 1.6l 55 kW, JUL1986=>; 1.6l 51 kW, JUN1987=>; 1.8l 55 kW with & without cat., JUL1986=>; 1.8l 65 kW with & without cat., JUL1986=>; 1.8l 66 kW, JUL1986=>; 1.8l 66 kW with & without cat., JUN1989=>; 1.8l 82 kW, JUL1986=>; 1.9l 83 kW with & without cat., JUL1986=>; 2.0l 85 kW, FEB1987=>; 2.0l 83 kW, JUN1988 80 B3 Coupé / Cabrio type 89 & 90 Coupé / Cabrio type 89 2.0l 85 kW; 2.2l 100 kW; 2.3l 98 / 100 kW			
NW		045187 0504	339,00

RS4 B5 Avant Quattro, type 8D, 2001=> 2.7l 280 kW			
	°	047501 0576R	473,00

A4 B6 Sedan & Avant, type 8E, 2005=> 1.6l FSI 75 kW			
	°	044004 0570F	350,00

A4 B8 Sedan & Avant, type 8K, 2008=> 1.8l TFSI 88 kW; 1.8l TFSI 118 kW; 2.0l TDI 105 kW A4 B8 Quattro Sedan & Avant, type 8K, 2010=> 2.0l TFSI 155 kW (CDNC) A5 Coupé, type 8T, 2007=> JUL2011 1.8l TFSI 118 kW (CAB); 1.8l TFSI 125 kW (CAB) <=JUL2011, Audi A5 1.8l TFSI 125 kW (CAB) only from 2007 until July 2011 (after that changing of the connection!) When mounting the L/R-system on models with only a single sided system, the rear skirt of the Audi A4 6 Cylinder respectively Audi A5 6 Cylinder model & the additional exhaust hanger must be purchased separately!			
--	--	--	--

NW		046108 0500	333,00
NW		0026 83C	170,00
NW		0026 83CS	180,00
NW		0026 83CB	194,00
NW		0026 83CTS	340,00
NW		0026 55S	150,00
NW		0026 05	150,00
NW		048308 0000	137,00
NW		048208 0500LR	558,00
NW		0026 70SS	160,00
NW		0026 70CSS	370,00
NW		0026 98C	196,00
NW		0026 98CB	220,00

A4 B8 Quattro Sedan & Avant, type 8K, 2008=> A5 Quattro Coupé, type 8T, 2007=> 3.2l V6 FSI 195 kW (CAL) A5 Coupé, type 8T, 2011=> 2.0l TFSI 132 kW (CDNB); 2.0l TFSI 155 kW (CDNC) A5 Cabrio, type 8T, 2011 2.0l TFSI 132 kW			
NW		048208 0500LR	558,00
NW		0026 70SS	160,00
NW		0026 70CSS	370,00
NW		0026 98C	196,00
NW		0026 98CB	220,00

S5 Quattro Coupé, type 8T, 2007=> 4.2l FSI V8 260 kW (CAU) S5 Quattro Coupé, type 8T, 2011=> S5 Quattro Sportback & Cabrio, type 8T, 2009=> 3.0l TFSI 245 kW S4 B8 Quattro Avant, type 8K, 2010=> 3.0l TFSI 245 kW (CAKA)			
NW	4)	049114 1200	242,00

NW	049314 0300	RACING front silencer, without homologation	363,00
NW	049114 0000	RACING tube without homologation, instead of front silencer	222,00
NW	049208 0556L	Sport exhaust left with 2 tail pipes Ø 84 mm angled	480,00
NW	049208 0556R	Sport exhaust right with 2 tail pipes Ø 84 mm angled (Sport exhaust L/R only fits as a complete system!)	480,00
		Alternative: REMUS Titanium2 sport exhaust L/R	
	049108 0584LRTI	Titanium2 sport exhaust left and right with each 2 tail pipes Ø 84 mm	2.470,00

RS5 Quattro Coupé & Cabrio, type 8T, 2010=>

4.2i 331 kW (CFS)

		Axle-back-system: 049010 0500LR! Axle-back-system: 049010 0100 + 049010 0000 resp. 049010 0400 + 049010 0500LR!	
NW	049010 0100	RACING tube without homologation, instead of front silencer	235,00
NW	049010 0400	RACING secondary silencer, without homologation	393,00
NW	049010 0000	RACING tube without homologation, instead of secondary silencer	266,00
		RACING sport exhaust left and RACING sport exhaust right (without tail pipes)	
NW	049010 0500LR	with vacuum operated valves, without homologation fits into the original skirt using integrated tail pipes The valve position is vacuum controlled via the onboard electronics.	1.278,00

A6 C5 Quattro Sedan & Avant, type 4B, 2001=>

2.5i TDI V6 132 kW

		Axle-back-system: 047101 0505L + 047101 0505R!	
	047101 0505L	Sport exhaust left with 1 tail pipe Ø 90 mm	292,00
	047101 0505R	Sport exhaust right with 1 tail pipe Ø 90 mm	292,00

A6 C7 Sedan & Avant Quattro, type 4G, 2011=>

3.0i TDI 150 kW (CLAA/CLAB), 3.0i TDI 180 kW (CDUC), 3.0i TFSI 220/228 kW (not homologated for 3.0i TFSI)

A7 Sportback Quattro, type 4G, 2011=>

3.0i TDI 180 kW (CDUC), 3.0i TFSI 228 kW (not homologated for 3.0i TFSI)

NW	048011 0500LR	Sport exhaust system L/R consisting of: Sport exhaust left and sport exhaust right (without tail pipes)	579,00
NW		Choose from following tail pipe package:	
NW	0026 70SS	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	160,00
NW	0026 70CSS	Tail pipe set L/R consisting of 2 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	370,00
NW	0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	196,00
NW	0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00

TT, type 8N, NOV. 1998=>

1.8i Turbo 110 kW; 1.8i Turbo 5V 132 kW

When mounting the L/R-system, the rear skirt of the Audi TT Quattro (part no 8NO 807 421A GRU unpainted) must be used.

NW	045199 1570S	Sport exhaust with L/R each 1 tail pipe Ø 102 mm angled	761,00
----	--------------	---	--------

TT Quattro, type 8N, 1999=>

1.8i Turbo 165 kW; 1.8i Turbo 132 kW

NW	045399 0000	RACING tube without homologation, instead of front silencer	112,00
----	-------------	---	--------

TT, type 8J, 2007=>

1.8i TFSI 118 kW (CDA); 2.0i TFSI 147 kW (BWA)

When mounting the L/R-system, the rear skirt must be trimmed as per the supplied template!

	2) 4) 046006 1100	Downpipe with RACING cat to original front silencer, without homologation, (catpipe with RACING cat, up from header, front silencer applied)	1.207,00
NW	046106 1584C	Sport exhaust centered with L/R each 2 tail pipes Ø 84 mm Street Race	784,00

TT, Coupe & Cabrio, Typ 8S, FWD & Quattro, type 8S, 2014=>

2.0i TFSI 169 kW

Also for S-Line models!

		Axle-back-system: 045014 0000 resp. 045114 0000 + 045014 1500 + tail pipe set! Racing-cat-back-system: 045014 1300 + 045014 0000 resp. 045114 0000 + 045014 1500 + tail pipe set!	
NW	045014 1300	RACING tube without homologation, instead of front silencer, only for 2.0i TFSI 169 kW Quattro (Original tube Ø 65 mm, REMUS tube Ø 70 mm)	85,00
NW	045014 0000	Connection tube for mounting on 2.0i TFSI 169 kW FWD	63,00
NW	045114 0000	Connection tube for mounting on 2.0i TFSI 169 kW Quattro	84,00
		Sport exhaust system L/R consisting of:	
NW	045014 1500	Sport exhaust centered for L/R system (without tail pipes) (Original tube Ø 65 mm, REMUS tube Ø 70 mm)	448,00
		Choose from following tail pipe package:	
NW	0026 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	140,00
NW	0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	160,00
NW	0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	370,00
NW	0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	196,00
NW	0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00

TTS Quattro, Coupe & Cabrio, type 8S, 2014=>

2.0i TFSI 228 kW (CJX)

		Axle-back-system: 045114 0000 + 046014 1500 + tail pipe set! The original exhaust will need to be cut at the manufacturer marked cutting point! No rear skirt modifications required!	
		Cat-back-system: 046014 0400 resp. 046014 0000 (Racing) + 045114 0000 + 046014 1500 + tail pipe set! No vehicle modifications required!	
NW	046014 0000	non-resonated RACING middle section, without homologation, only fits as a complete system with the REMUS sport exhaust (Original tube Ø 70 mm, REMUS tube Ø 70 mm)	85,00
NW	046014 0400	resonated middle section, only fits as a complete system with the REMUS sport exhaust (Original tube Ø 70 mm, REMUS tube Ø 70 mm)	240,00
NW	045114 0000	Connection tube for mounting on of the sport exhaust	84,00
		Sport exhaust system L/R consisting of:	
NW	046014 1500	Sport exhaust centered for L/R system (without tail pipes) (Original tube Ø 65 mm, REMUS tube Ø 70 mm) with 2 integrated valves, incl. EEC homologation Original tube Ø 70 mm, REMUS tube Ø 70 mm The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	448,00
		Choose from following tail pipe package:	
NW	0046 70SS	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	320,00
NW	0046 70CSS	Tail pipe set L/R consisting of 4 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	740,00

Q3, type U8, 2011=>

2.0i TFSI 125 kW (CCZC), 2.0i TFSI 155 kW (CPSA); 2.0i TDI 103 kW (CFFB); 2.0i TDI 130 kW

NW	955007 0000	Connection tube for mounting on 2.0i TFSI 125/155 kW, 2.0i TDI 130 kW	60,00
		Sport exhaust system consisting of:	
NW	045011 0500	Sport exhaust for left-system (without tail pipes)	368,00
		Choose from following tail pipe package:	
NW	0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	170,00
NW	0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	180,00
NW	0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	194,00
NW	0026 83CTS	Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	340,00
NW	0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	150,00
NW	0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	150,00

Q5, type 8R, 2008=>

2.0i TFSI 155 kW (CDN)

NW	046009 0500LR	Sport exhaust system L/R consisting of: Sport exhaust left and sport exhaust right (without tail pipes)	526,00
		Choose from following tail pipe package:	
NW	0026 70SS	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	160,00
NW	0026 70CSS	Tail pipe set L/R consisting of 2 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	370,00
NW	0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	196,00

NW	0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
----	-----------	---	--------

Q7, type 4L, 2006=>

4.2l 257 kW; 3.0l TDI 171 kW			
NW	049207 0000	Y-tube for mounting on 3.0l TDI models	150,00
NW	049207 1598C	Sport exhaust centered with L/R each 1 tail pipe Ø 98 mm Street Race	722,00

BMW	Art.Nr.	Description	€ exkl. MwSt. € excl. VAT
-----	---------	-------------	------------------------------

1 Series E87, (without aerodynamic package)
116i 1.6l 85 kW (N45B), 2004=> <=FEB2007; 120i 2.0l 110 kW (N46B), 2004=> <=FEB2007
For M sport option!!
Fits only on models with N45B/N46B engine <=FEB2007!
The rear skirt must be trimmed acc. to the enclosed template when fitting tail pipes 0407 70 and 0407 98C!

NW	086304 099	PowerSound sport exhaust system consisting of: PowerSound sport exhaust with manual valve control system (without tail pipes) Choose from following tail pipe package:	346,00
NW	0407 05G	1 tail pipe Ø 90 mm straight	73,00
NW	0407 70	1 tail pipe Ø 102 mm	80,00
NW	0407 98C	1 tail pipe Ø 98 mm Street Race	85,00

1 Series E82 Coupé / E88 Cabrio
135i 3.0l 225 kW (N54B30A), 2008=>
Not for M sport option!
When mounting the L/R-system, the rear skirt must be trimmed as per the supplied template!

2)	088108 0504G	Sport exhaust with 2 tail pipes Ø 76 mm straight cut	474,00
NW	088908 1584C	Alternative: RACING sport exhaust system L/R without homologation RACING sport exhaust system with L/R each 2 tail pipes Ø 84 mm Street Race, without homologation	747,00

1 Series F20 5 door / F21 3 door, 2011=>
114i 1.6l 75 kW; 116i 1.6l 100 kW (N13B16); 118i 1.6l 125 kW (N13B16)

1 Series F20 5 door / F21 3 door, type 1K4, 2015=>
118i LCI 1.6l 100 kW (N13B16) – only for 4 cylinder engines!

Axle-back-system: 084111 1583C resp. 084111 1583CS! The original exhaust will need to be cut at the manufacturer marked cutting point! Suitable for standard bumper and M sport option! The right side skirt outlet must be trimmed as per the enclosed template! Cat-back-system: 084111 0300 + 084111 1583C resp. 084111 1583CS! No cutting of the original exhaust system required! Suitable for standard bumper and M sport option! The right side skirt outlet must be trimmed as per the enclosed template!			
NW	084111 0300	Resonated cat-back front section Original tube Ø 60 mm, REMUS tube Ø 65 mm	263,00
NW	084111 1583C	Sport exhaust centered with L/R each 1 tail pipe Ø 84 mm Street Race Original tube Ø 52 mm, REMUS tube Ø 65 mm	562,00
NW	084111 1583CS	Sport exhaust centered with L/R each 1 tail pipe Ø 84 mm Carbon Race Original tube Ø 52 mm, REMUS tube Ø 65 mm	572,00

1 Series F20 5 door / F21 3 door, 2011=>
116d(x) 2.0l 85 kW (N47D20C); 118d(x) 2.0l 100 kW (N47D20C); 118d(x) 2.0l 105 kW (N47D20C); 120d(x) 2.0l 120 kW (N47D20C); 120d(x) 2.0l 130 kW (N47D20C); 120d(x) 2.0l 135 kW (N47D20C)
Suitable for standard bumper and M sport option!

When mounting the L/R-system, the right side skirt outlet must be trimmed as per the enclosed template!			
NW	085111 1583CS	Sport exhaust centered with L/R each 1 tail pipe Ø 84 mm Carbon Race	529,00

1 Series F20 5 door / F21 3 door, 2011=>
M135i(x) 3.0l 235 kW (N55B30)

Axle-back-system: 088014 0500 resp. 088914 0500 + tail pipe set! Cat-back-system: 088014 0300 + 088014 0500 resp. 088914 0500 + tail pipe set! Turbo-back-system: 088014 1100 + 088014 0300 + 088014 0500 resp. 088914 0500 + tail pipe set! RACING downpipe with sport catalytic convertor (200 CPSI), without homologation, fits only on models up from 7/2013 Catback front section two-part (Original tube Ø 80 mm, REMUS tube Ø 84 mm)			
NW	4)	088014 1100	961,00
NW		088014 0300	509,00
NW		088014 0500	360,00
NW		088914 0500	360,00
Choose from following tail pipe package: Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race with integrated valve, incl. EEC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.			
NW		087011 1683C	385,00
NW		087011 1683CB	410,00

1 Series F20 5 door / F21 3 door, type 1K4, 2015=>
118i LCI 1.6l 100 kW (N13B16) – only for 4 cylinder engines!

Axle-back-system: 084111 1583C resp. 084111 1583CS! The original exhaust will need to be cut at the manufacturer marked cutting point! Suitable for standard bumper and M sport option! The right side skirt outlet must be trimmed as per the enclosed template! Cat-back-system: 084111 0300 + 084111 1583C resp. 084111 1583CS! No cutting of the original exhaust system required! Suitable for standard bumper and M sport option! The right side skirt outlet must be trimmed as per the enclosed template!			
NW	084111 0300	Resonated cat-back front section Original tube Ø 60 mm, REMUS tube Ø 65 mm	263,00
NW	084111 1583C	Sport exhaust centered with L/R each 1 tail pipe Ø 84 mm Street Race Original tube Ø 52 mm, REMUS tube Ø 65 mm	562,00
NW	084111 1583CS	Sport exhaust centered with L/R each 1 tail pipe Ø 84 mm Carbon Race Original tube Ø 52 mm, REMUS tube Ø 65 mm	572,00

2 Series F22 Coupe / F23 Cabrio, 2015=>
220i 2.0l 135 kW

When mounting the L/R-system, the right side skirt outlet must be trimmed as per the enclosed template! Not for M sport option!			
NW	085015 1300	RACING cat-back section, replaces front silencer, without homologation	190,00
NW	085015 1500	Sport exhaust centered for L/R system (without tail pipes)	280,00
Choose from following tail pipe package: Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm, chromed, with slip connection			
NW	0025 05	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race, with slip connection	200,00
NW	0025 83C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race, with slip connection	220,00
NW	0025 83CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome, with slip connection	244,00

2 Series F22 Coupe, 2014=>
M235i 3.0l 240 kW

Axle-back-system: 088014 0500 resp. 088914 0500 + tail pipe set! Cat-back-system: 088014 0300 + 088014 0500 resp. 088914 0500 + tail pipe set! Turbo-back-system: 088014 1100 + 088014 0300 + 088014 0500 resp. 088914 0500 + tail pipe set! RACING downpipe with sport catalytic convertor (200 CPSI), without homologation Catback front section two-part (Original tube Ø 80 mm, REMUS tube Ø 84 mm)			
NW	4)	088014 1100	961,00
NW		088014 0300	509,00
NW		088014 0500	360,00
NW		088914 0500	360,00
Choose from following tail pipe package: Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race, with integrated valve, incl. EEC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.			
NW		088014 1683C	385,00

NW	088014 1683CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome, with integrated valve, incl. EEC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	410,00
----	---------------	---	--------

3 Series E30 Sedan / Touring / Coupe 316i E30 73 kW with & without cat, JUL1988=>; 318i E30 75 kW with & without cat, MAR1985=>; 318i E30 83 kW, SEP1987=>; 318i E30 85 kW with & without cat, SEP1988=> Not for M sport option!			
NW	084188 0000	Connection tube for mounting on models until 9/88 Sport exhaust system consisting of:	46,00
NW	084188 0500	Sport exhaust for left-system (without tail pipes) Choose from following tail pipe package:	305,00
NW	0006 05	1 tail pipe Ø 90 mm, chromed, with adjustable spherical clamp connection	75,00
NW	0006 55S	1 tail pipe Ø 84 mm angled, chromed, with adjustable spherical clamp connection	75,00
NW	0006 83C	1 tail pipe Ø 84 mm Street Race, with adjustable spherical clamp connection	85,00
NW	0006 83CS	1 tail pipe Ø 84 mm Carbon Race, with adjustable spherical clamp connection	90,00
NW	0006 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	97,00
NW	0006 83CTS	1 Carbon tail pipe Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	170,00

3 Series E30, 3/1, Sedan / Touring / Coupé 320i E30 2.0l 95 kW with cat (206 KA), JUL1985=>; 325i E30 2.5l 125 kW (256 K1) with cat, FEB1987=> Not for M sport option! 3 Series E30, 3/R, Cabrio 320i 2.0l 95 kW (206 KA) with cat, SEP1990=>; 325i 2.5l 125 kW (256 K1) with cat, MAR1987=> Not for M sport option! 3 Series E30, 3/1, Sedan / Touring / Coupé (following engines without homologation!) 320ix E30 95 kW with cat, JUL1985=>; 320i/320ix E30 95 kW with cat, NOV1988=>; 325i/325ix E30 125 kW with cat, NOV1986=> Not for M sport option! 3 Series E30, 3/R, Cabrio (following engines without homologation!) 320ix 95 kW with cat, DEZ1986=>; 325i/325ix 125 kW with cat, DEZ1988=> Not for M sport option!			
--	--	--	--

NW	087087 0500	Sport exhaust system consisting of: Sport exhaust for left-system (without tail pipes) Choose from following tail pipe package:	408,00
NW	0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	170,00
NW	0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	180,00
NW	0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	194,00
NW	0026 83CTS	Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	340,00
NW	0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	150,00
NW	0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	150,00

3 Series E30 Sedan / Touring / Coupe / Cabrio 325i/325ix E30 125 kW with cat, NOV1986=>; 325i/325ix E30 126 kW without cat, NOV1986=>; 325i/325ix E30 125 kW with cat, NOV1988=>; 325i/325ix E30 125 kW with cat, DEZ1986=>; 325i/325ix E30 126 kW without cat, DEZ1986=> Not for M sport option!			
	089987 9584P-SET	Stainless steel "High Performance" RACING System consisting of: RACING header, X-pipe, RACING exhaust with 2 tail pipes Ø 84 mm angled matt polished	auf Anfrage
	089987 9584P-KAT-SET	Stainless steel "High Performance" RACING System consisting of: RACING header, X-pipe, RACING exhaust with 2 tail pipes Ø 84 mm angled matt polished, incl. 2 insertion cats	auf Anfrage

3 Series E36 Coupé 318iS 1.8l 103 kW, SEP1991=> Not for M sport option!			
	085092 0504	Sport exhaust with 2 tail pipes Ø 76 mm	510,00

3 Series E46 Compact 316Ti 1.8l 85 kW, 2001=> Not for M sport option!			
NW	085101 0501	Sport exhaust with 1 tail pipe 92x78 mm	420,00

3 Series E46 Compact 320td 2.0l td 110 kW, 2002=> Not for M sport option!			
	086002 0501	Sport exhaust with 1 tail pipe 92x78 mm	420,00

3 Series E46 Sedan / Touring / Coupé 316i 1.9l 77 kW (164E3), 1999=>; 316i 1.8l 85 kW (N40B16A), 2001=>; 318i 1.9l 87 kW (194E1), 1998=>; 318i 2.0l 100/105 kW (N42B20A), 2002=>; 318Ci 1.9l 87 kW (194E1), 2000=> When mounting on models with M sport option, the outlet must be trimmed along the original contour!			
NW	086201 0586P	Sport exhaust with 2 tail pipes Ø 84 mm angled mat polished Alternative: PowerSound Sport exhaust system L/R consisting of:	382,00
	1) 2) 086101 199	PowerSound sport exhaust with manual valve control system (without tail pipes) Choose from following tail pipe package:	513,00
	0010 02	Tail pipe set L/R consisting of 4 tail pipes 92x78 mm	300,00
NW	0010 04G	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm straight	256,00
NW	0010 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	146,00
NW	0010 14M	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm	186,00
NW	0010 78	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm	278,00
NW	0010 83C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race	164,00
NW	0010 83CS	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Carbon Race	176,00
NW	0010 83CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome	188,00
NW	0010 84C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race	290,00
NW	0010 84CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race	308,00
NW	0010 84CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome	340,00

3 Series E46 Sedan / Touring / Ci Coupé / Ci Cabrio 320i 2.2l 125 kW, 2000=>; 325i 2.5l 141 kW, 2000=>; 330i/330ix 3.0l 170 kW, 2000=> Not for M sport option!			
NW	089000 0500	Sport exhaust system consisting of: Sport exhaust for left-system (without tail pipes) Choose from following tail pipe package:	336,00
NW	0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	170,00
NW	0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	180,00
NW	0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	194,00
NW	0026 83CTS	Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	340,00
NW	0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	150,00
NW	0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	150,00

3 Series E46 Sedan / Touring 330d/330xd 3.0l Diesel 135 kW, 1999=>; 330d/330xd 3.0l Diesel 150 kW, 2003=> Not for M sport option! 3 Series E46 Coupé 330Cd/330Cdx 3.0l Diesel 150 kW, 2003=> Not for M sport option!			
	087099 0504	Sport exhaust with 2 tail pipes Ø 76 mm	420,00

3 Series E90 Sedan / E91 Touring 318i 2.0l 95 kW (N46), 2005=>; 320i 2.0l 110 kW (N46), 2005=> Not for M sport option! When mounting the L/R-system, the rear skirt must be cut! Only for models with N46 engine!			
NW	1) 082105 099	PowerSound sport exhaust system consisting of: PowerSound sport exhaust with manual valve control system (without tail pipes) Choose from following tail pipe package:	393,00
NW	0008 04	2 tail pipes Ø 76 mm	125,00

NW	0008 84C	2 tail pipes Ø 84 mm Street Race	159,00
NW	0008 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	184,00
NW	082105 199	PowerSound sport exhaust with manual valve control system (without tail pipes)	405,00
NW	0152 24	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm angled	342,00

3 Series E90 Sedan / E91 Touring

325i 2.5l 160 kW (N52), 2005=> (Anschluß innen Ø 70 mm); 330i 3.0l 190 kW (N52), 2005=>

Not for M sport option!

Only for models with N52 engine!

When mounting the L/R-system, the rear skirt must be cut!

NW	1)	088205 099	<u>PowerSound sport exhaust system consisting of:</u> PowerSound sport exhaust with manual valve control system (without tail pipes) <u>Choose from following tail pipe package:</u>	405,00
NW		0008 04	2 tail pipes Ø 76 mm	125,00
NW		0008 84C	2 tail pipes Ø 84 mm Street Race	159,00
NW		0008 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	184,00
NW	1) °	088205 199	<u>Alternative: PowerSound Sport exhaust system L/R consisting of:</u> PowerSound sport exhaust with manual valve control system (without tail pipes)	415,00
NW		0152 24	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm angled	342,00

3 Series E90 Sedan / E91 Touring / E92 Coupé / E93 Cabrio

318i 2.0l 105 kW (N43B20A); 320i 2.0l 125 kW (N43B20A); 325i 2.5l 160 kW (N52), <=SEP2007 (connection inner Ø 65 mm); 330i 3.0l 200 kW (N52), <=SEP2007

325i/330i Suitable for standard bumper and M sport option! 318i/320i not for M sport option! Only for models with N43B20A & N52 engines!

When mounting left or left/right sport exhaust the skirt must be trimmed as per the supplied template!

NW		085107 0000	Connection tube for mounting on 318i/320i models <u>Sport exhaust system consisting of:</u>	47,00
NW		085107 098	Sport exhaust left (without tail pipes) <u>Choose from following tail pipe package:</u>	399,00
NW		0008 04	2 tail pipes Ø 76 mm	125,00
NW		0008 84C	2 tail pipes Ø 84 mm Street Race	159,00
NW		0008 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	184,00
NW		085107 198	<u>Alternative: Sport exhaust system L/R consisting of:</u> Sport exhaust for L/R system (without tail pipes)	406,00
NW		0152 24	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm angled	342,00

3 Series E90 Sedan / E91 Touring

330d 3.0l Diesel 170 kW, 2005=>; 330xd 3.0l Diesel 170 kW, 2005=>

Not for M sport option!

	2)	087005 098	<u>Sport exhaust system consisting of:</u> Sport exhaust left (without tail pipes) <u>Choose from following tail pipe package:</u>	306,00
		0000 02	2 tail pipes 92x78 mm	150,00
NW		0007 04G	2 tail pipes Ø 76 mm straight	128,00
NW		0007 14M	1 tail pipe 142x72 mm	93,00
NW		0007 78	2 tail pipes Ø 84 mm	139,00
NW		0007 83C	1 tail pipe Ø 84 mm Street Race	82,00
NW		0007 83CS	1 tail pipe Ø 84 mm Carbon Race	88,00
NW		0007 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome	94,00
NW		0007 84C	2 tail pipes Ø 84 mm Street Race	145,00
NW		0007 84CS	2 tail pipes Ø 84 mm Carbon Race	154,00
NW		0007 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	170,00

3 Series E92 Coupé

330xd 3.0l Diesel 170 kW, 2006=>

Not for M sport option!

	2)	087005 098	<u>Sport exhaust system consisting of:</u> Sport exhaust left (without tail pipes)	306,00
		0500 04	2 tail pipes Ø 76 mm	128,00

3 Series E92 Coupé / E93 Cabrio / E90 Sedan

335i / 335ix 3.0l 225 kW, 2006=>

Not for M sport option!

The rear skirt must be trimmed as per the supplied template!

NW		088206 0500LR	<u>Sport exhaust system L/R consisting of:</u> Sport exhaust left and sport exhaust right (without tail pipes)	579,00
NW		088906 0500LR	RACING sport exhaust left and RACING sport exhaust right (without tail pipes) <u>Choose from following tail pipe package:</u>	579,00
NW		0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	340,00
NW		0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	360,00
NW		0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	388,00
NW		0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	680,00
NW		0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	300,00
NW		0046 05	Tail pipe set L/R consisting of 4 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	300,00

3 Series F30 Sedan / F31 Touring, 2012=>

320i/320ix 2.0l 135 kW (N20B20B); 328i/328ix 2.0l 180 kW (N20B20A)

Axle-back-system: (AD0164 for F30/F31 320i) + 086112 0504 resp. L/R 086012 0500 + tail pipe set! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template! When mounting left/right sport exhaust on BMW F30/F31 328i(x) and BMW F32/F36 428i(x) the right side skirt must be trimmed as per the supplied template!

Cat-back-system: 086012 0300 + 086112 0504 resp. L/R 086012 0500 + tail pipe set! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template! When mounting left/right sport exhaust on BMW F30/F31 328i(x) and BMW F32/F36 428i(x) the right side skirt must be trimmed as per the supplied template!

Turbo-back-system: 086012 1100 (Racing) + 086012 0300 + 086112 0504 resp. L/R 086012 0500 + tail pipe set! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template! When mounting left/right sport exhaust on BMW F30/F31 328i(x) and BMW F32/F36 428i(x) the right side skirt must be trimmed as per the supplied template!

NW	4)	086012 1100	RACING downpipe with sport catalytic converter (200 CPSI), only for F30/F31 328i and F32/F36 428i, NOT for xDrive models, without homologation	1.020,00
NW		086012 0300	Catback front section, only for BMW F30/F31 328i and BMW F32/F36 428i, NOT for xDrive models	524,00
NW		AD0164	Distance tube K7 for mounting of the sport exhaust on the BMW F30/F31 320i(x) and BMW F32/F36 420i(x) models	22,00
NW		086112 0504	Sport exhaust with 2 tail pipes Ø 76 mm	515,00
NW		086012 0500	<u>Alternative: Sport exhaust system L/R consisting of:</u> Sport exhaust for L/R system (without tail pipes) <u>Choose from following tail pipe package:</u>	416,00
NW		086012 1604	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm	362,00
NW		086012 1604B	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm Black Chrome	412,00

3 Series F30 Sedan / F31 Touring, 2012=>

335i/335ix 3.0l 225 kW (N55B30)

Axle-back-system: 086512 0500 + tail pipe set! Suitable for standard bumper and M sport option!
Cat-back-system: 086512 0300 + 086512 0500 + tail pipe set! Suitable for standard bumper and M sport option!
Turbo-back-system: 086512 1100 + 086512 0300 + 086512 0500 + tail pipe set! Suitable for standard bumper and M sport option!

RACING downpipe with sport catalytic converter (200 CPSI), NOT for xDrive models, without homologation
Catback front section, NOT for xDrive models

Alternative: Sport exhaust system L/R consisting of:
Sport exhaust for L/R system (without tail pipes)
Choose from following tail pipe package:

Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race, with integrated valve, incl. EEC homologation
fits without trimming the original rear skirt
The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.

NW	4)	086512 1100		989,00
NW		086512 0300		524,00
NW		086512 0500		346,00
NW		086512 1683C		398,00

NW	086512 1683CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome, with integrated valve, incl. EEC homologation fits without trimming the original rear skirt	
NW	086512 1684C	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	422,00
NW	086512 1684CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with integrated valve, incl. EEC homologation The rear skirt must be trimmed according to the supplied template!	525,00
NW	086512 1684CB	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	
NW	086512 1684CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with integrated valve, incl. EEC homologation The rear skirt must be trimmed according to the supplied template!	576,00
NW	086512 1684CB	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	

3 Series F30 Sedan, type 3K / F31 Touring, type 3K, 2015=>

340i LCI 3.0l 240 kW; 340i xDrive LCI 3.0l 240 kW

Axle-back-system: 088015 1500 + tail pipe set! The original exhaust must be cut! No rear skirt modifications required! Suitable for standard bumper and M sport option!**Cat-back-system:** 088015 0300 + 088015 1500 + tail pipe set! No vehicle modifications required! Suitable for standard bumper and M sport option!

NW	088015 0300	resonated cat-back section	530,00
NW	088015 1500	Sport exhaust centered for L/R system (without tail pipes), with integrated valves, incl. EEC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	590,00
NW	0026 55S	Choose from following tail pipe package: Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	150,00
NW	0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	150,00
NW	0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	170,00
NW	0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	180,00
NW	0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	194,00
NW	0026 83CTS	Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	340,00

3 Series F30 Sedan / F31 Touring, 2012=>

316d 2.0l Diesel 85 kW (N47D20C); 318d/318xd 2.0l Diesel 105 kW (N47D20C); 320d/320xd 2.0l Diesel 135 kW (N47D20C)

Suitable for standard bumper and M sport option!

The rear skirt must be trimmed as per the supplied template!

NW	084512 0500	Sport exhaust system L/R consisting of: Sport exhaust for L/R system (without tail pipes)	388,00
NW	086012 1604	Choose from following tail pipe package: Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm	362,00
NW	086012 1604B	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm Black Chrome	412,00

3 Series F30 Sedan / F31 Touring, 2013=>

330d/330xd 3.0l Diesel 190 kW (N57D30A)

3 Series F30 Facelift Sedan / F31 Facelift Touring, 2015=>

320d/320xd 2.0l Diesel 140 kW (B47D20A)

Only for M sport option!

The rear skirt must be trimmed as per the supplied template!

AD0032	Distance tube C1 for mounting on 2F30/F31 Facelift 320d(x)	25,00
086312 1504	Sport exhaust with L/R each 2 tail pipes Ø 76 mm	777,00

4 Series F32 Coupe/ F36 Gran Coupe, 2013=>

420i/420ix 2.0l 135 kW (N20B20B); 428i/428ix 2.0l 180 kW (N20B20A)

Axle-back-system: (AD0164 for F30/F31 320i) + 086112 0504 resp. L/R 086012 0500 + tail pipe set! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template! When mounting left/right sport exhaust on BMW F30/F31 328i(x) and BMW F32/F36 428i(x) the right side skirt must be trimmed as per the supplied template!**Cat-back-system:** 086012 0300 + 086112 0504 resp. L/R 086012 0500 + tail pipe set! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template! When mounting left/right sport exhaust on BMW F30/F31 328i(x) and BMW F32/F36 428i(x) the right side skirt must be trimmed as per the supplied template!**Turbo-back-system:** 086012 1100 (Racing) + 086012 0300 + 086112 0504 resp. L/R 086012 0500 + tail pipe set! Suitable for standard bumper and M sport option! When mounting left or left/right sport exhaust on BMW F30/F31 320i(x) and BMW F32/F36 420i(x) the skirt must be trimmed as per the supplied template! When mounting left/right sport exhaust on BMW F30/F31 328i(x) and BMW F32/F36 428i(x) the right side skirt must be trimmed as per the supplied template!

NW	4)	086012 1100	RACING downpipe with sport catalytic converter (200 CPSI), only for F30/F31 328i and F32/F36 428i, NOT for xDrive models, without homologation	1.020,00
NW		086012 0300	Catback front section, only for BMW F30/F31 328i and BMW F32/F36 428i, NOT for xDrive models	524,00
NW		AD0164	Distance tube K7 for mounting of the sport exhaust on the BMW F30/F31 320i(x) and BMW F32/F36 420i(x) models	22,00
NW		086112 0504	Sport exhaust with 2 tail pipes Ø 76 mm	515,00
NW		086012 0500	Alternative: Sport exhaust system L/R consisting of: Sport exhaust for L/R system (without tail pipes)	416,00
NW		086012 1604	Choose from following tail pipe package: Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm	362,00
NW		086012 1604B	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm Black Chrome	412,00

4 Series F32 Coupe/ F36 Gran Coupe, 2013=>

435i/435ix 3.0l 225 kW (N55B30)

Axle-back-system: 086512 0500 + tail pipe set! Suitable for standard bumper and M sport option!**Cat-back-system:** 086512 0300 + 086512 0500 + tail pipe set! Suitable for standard bumper and M sport option!**Turbo-back-system:** 086512 1100 + 086512 0300 + 086512 0500 + tail pipe set! Suitable for standard bumper and M sport option!

NW	4)	086512 1100	RACING downpipe with sport catalytic converter (200 CPSI), NOT for xDrive models, without homologation	989,00
NW		086512 0300	Catback front section, NOT for xDrive models	524,00
NW		086512 0500	Alternative: Sport exhaust system L/R consisting of: Sport exhaust for L/R system (without tail pipes)	346,00
NW		086512 1683C	Choose from following tail pipe package: Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race, with integrated valve, incl. EEC homologation fits without trimming the original rear skirt	
NW		086512 1683CB	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	398,00
NW		086512 1683CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome, with integrated valve, incl. EEC homologation fits without trimming the original rear skirt	422,00
NW		086512 1684C	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	525,00
NW		086512 1684CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with integrated valve, incl. EEC homologation The rear skirt must be trimmed according to the supplied template!	576,00
NW		086512 1684CB	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	

4 Series F32 Coupe/ F36 Gran Coupe, 2013=>

420d/420xd 2.0l Diesel 135 kW (N47D20C)

Suitable for standard bumper and M sport option!

The rear skirt must be trimmed as per the supplied template!

NW	084512 0500	Sport exhaust system L/R consisting of: Sport exhaust for L/R system (without tail pipes)	388,00
NW	086012 1604	Choose from following tail pipe package: Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm	362,00
NW	086012 1604B	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm Black Chrome	412,00

5 Series E60 Sedan / E61 Touring

520i 2.2l 125 kW, 2003=>; 523i 2.5l 130 kW, 2006=>; 525i 2.5l 141 kW, 2003=>; 525i 2.5l 160 kW, 2006=>; 530i 3.0l 170 kW, 2003=>;

Not for M sport option!

L/R-system not for E61 Touring models!

When mounting the L/R-system, the right side skirt outlet must be trimmed as per the enclosed template!

NW	086103 0556	Sport exhaust with 2 tail pipes Ø 84 mm angled	542,00
NW	086103 198	Alternative: Sport exhaust system L/R consisting of (only for E60 Sedan): Sport exhaust for L/R system (without tail pipes)	542,00
	0010 02	Choose from following tail pipe package: Tail pipe set L/R consisting of 4 tail pipes 92x78 mm	300,00

NW	0010 04G	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm straight	256,00
NW	0010 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	146,00
NW	0010 14M	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm	186,00
NW	0010 78	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm	278,00
NW	0010 83C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race	164,00
NW	0010 83CS	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Carbon Race	176,00
NW	0010 83CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome	188,00
NW	0010 84C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race	290,00
NW	0010 84CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race	308,00
NW	0010 84CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome	340,00

5 Series E60 Sedan / E60 LCI Sedan 535d 3.0l 200 kW, 2004=> Not for M sport option!			
	2)	088005 0504	Sport exhaust with 2 tail pipes Ø 76 mm
			557,00
5 Series F10 Sedan / F11 Touring, 2010=> 520i 4 Zyl. 2.0l 135 kW (N20B20); 528i 4 Zyl. 2.0l 180 kW (N20B20A); 528ix 4 Zyl. 2.0l 180 kW (N20B20A); 523i 2.5l 6 Zyl. 150 kW (N52B30A); 523i 3.0l 6 Zyl. 150 kW (N53B30A); 528i 3.0l 6 Zyl. 190 kW (N53B30A) Suitable for standard bumper and M sport option! Also for models with panorama glass roof! When mounting the L/R-system, the right side skirt outlet must be trimmed as per the enclosed template! L/R-system also Original BMW electric retractable towbar!			
		AD0153	Distance tube Z6 for mounting of the sport exhaust on BMW 520i F10/F11 with the original front silencer
			22,00
	NW	087112 0000	RACING tube without homologation, instead of front silencer, only for 520i 4 Zyl. 2.0l 135 kW (N20B20); 528i(x) 4 Zyl. 2.0l 180 kW (N20B20A)
	NW	087112 0300	Front silencer, only for 520i 4 Zyl. 2.0l 135 kW (N20B20); 528i(x) 4 Zyl. 2.0l 180 kW (N20B20A)
	NW	087610 0000	Connection tube for mounting on BMW F10 523i 3.0l 6 Zyl. 150 kW und BMW F10 528i 3.0l 6 Zyl. 190 kW
	NW	087610 0584C	Sport exhaust with 2 tail pipes Ø 84 mm Street Race
			505,00
	NW	087112 1584C	<u>Alternative: Sport exhaust system L/R:</u> Sport exhaust with L/R each 2 tail pipes Ø 84 mm Street Race
	NW	087112 1584CS	Sport exhaust with L/R each 2 tail pipes Ø 84 mm Carbon Race
	NW	087112 1556	Sport exhaust with L/R each 2 tail pipes Ø 84 mm angled
			769,00
			790,00
			726,00
			Cat-back-system: Sport exhaust in connection with front silencer or RACING tube.
5 Series F10 Sedan / F11 Touring, 2010=> 520d 2.0l 4 Cyl. 120/135 kW (N47D20C); 525d/525d xDrive 2.0l 4 Cyl. 160 kW (N47D20); 525d 3.0l 6 Cyl.150 kW (N57D30A); 530d 3.0l 180 kW (N57D30A); 530d xDrive 3.0l 190 kW (N57D30A) Suitable for standard bumper and M sport option! Also for models with panorama glass roof! When mounting the L/R-system, the right side skirt outlet must be trimmed as per the enclosed template!			
		AD0153	Distance tube Z6 for mounting on BMW F10 Sedan/F11 Touring 520d models
			22,00
	NW	087610 0584C	Sport exhaust with 2 tail pipes Ø 84 mm Street Race
			505,00
	NW	087612 1584C	<u>Alternative: Sport exhaust system L/R (not for cars with AdBlue tank):</u> Sport exhaust with L/R each 2 tail pipes Ø 84 mm Street Race
			755,00
5 Series F10 Sedan / F11 Touring, 2010=> 535i 3.0l 225 kW (N55B30A); 535i xDrive 3.0l 225 kW (N55B30A) Suitable for standard bumper and M sport option! The rear skirt must be trimmed as per the supplied template!			
	NW	089010 0500LR	<u>Sport exhaust system L/R consisting of:</u> Sport exhaust left and sport exhaust right (without tail pipes)
			684,00
	NW	0046 83C	<u>Choose from following tail pipe package:</u> Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection
	NW	0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection
	NW	0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection
	NW	0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection
	NW	0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection
	NW	0046 05	Tail pipe set L/R consisting of 4 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection
			340,00
			360,00
			388,00
			680,00
			300,00
			300,00
6 Series E63 Coupé / E64 Cabrio 645Ci 4.4l 245 kW, 2004=>; 650Ci 4.8l 270 kW, 2006=> Not for M sport option!			
	NW	089204 0500LR	<u>Sport exhaust system L/R consisting of:</u> Sport exhaust left and sport exhaust right (without tail pipes)
			675,00
	NW	0026 70SG	<u>Choose from following tail pipe package:</u> Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection
	NW	0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection
	NW	0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection
	NW	0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection
	NW	0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection
			140,00
			160,00
			370,00
			196,00
			220,00
7 Series E65 Sedan 730d 3.0l Diesel 160 kW, 2003=> Not for M sport option!			
		089203 0534	Sport exhaust with 2 tail pipes 102x68 mm
			631,00
1 Series M Coupé E82, type M-V, 2011=> 3.0l 250 kW (AAU)			
	NW	4) 088611 0000	RACING replacement tube, pre-cat back, Main cat & front silencer omitted, without homologation
	NW	088611 1584C	Sport exhaust centered with L/R each 2 tail pipes Ø 84 mm Street Race
			483,00
			974,00
			<u>Alternative: REMUS Titanium2 sport exhaust</u>
	4)	088511 0000TI	Titanium2 RACING replacement tube, pre-cat back, main cat and front silencer omitted, without homologation
		088511 1584TI	Titanium2 sport exhaust centered with left/right each 2 tail pipes Ø 84 mm
			1,220,00
			2,150,00
			Cat-back-system: Sport exhaust in connection with RACING tube.
1 Series M135i F20 5 door / F21 3 door, 2011=> M135i(x) 3.0l 235 kW (N55B30)			
			Axle-back-system: 088014 0500 resp. 088914 0500 + tail pipe set! Cat-back-system: 088014 0300 + 088014 0500 resp. 088914 0500 + tail pipe set! Turbo-back-system: 088014 1100 + 088014 0300 + 088014 0500 resp. 088914 0500 + tail pipe set!
	NW	4) 088014 1100	RACING downpipe with sport catalytic converter (200 CPSI), without homologation, fits only on models up from 7/2013
	NW	088014 0300	Catback front section two-part Original tube Ø 80 mm, REMUS tube Ø 84 mm
			961,00
			509,00
	NW	088014 0500	<u>Sport exhaust system L/R consisting of:</u> Sport exhaust centered for L/R system (without tail pipes)
	NW	088914 0500	Original tube Ø 80 mm, REMUS tube Ø 84 mm RACING sport exhaust centered for L/R system (without tail pipes), without homologation
			360,00
			360,00
	NW	087011 1683C	Original tube Ø 80 mm, REMUS tube Ø 84 mm Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race, with integrated valve, incl. EEC homologation
	NW	087011 1683CB	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.
			385,00
			410,00
			The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.
2 Series M235i F22 Coupe, 2014=> M235i 3.0l 240 kW			
			Axle-back-system: 088014 0500 resp. 088914 0500 + tail pipe set! Cat-back-system: 088014 0300 + 088014 0500 resp. 088914 0500 + tail pipe set! Turbo-back-system: 088014 1100 + 088014 0300 + 088014 0500 resp. 088914 0500 + tail pipe set!
	NW	4) 088014 1100	RACING downpipe with sport catalytic converter (200 CPSI), without homologation
	NW	088014 0300	Catback front section two-part Original tube Ø 80 mm, REMUS tube Ø 84 mm
			961,00
			509,00
	NW	088014 0500	<u>Sport exhaust system L/R consisting of:</u> Sport exhaust centered for L/R system (without tail pipes)
	NW	088914 0500	Original tube Ø 80 mm, REMUS tube Ø 84 mm RACING sport exhaust centered for L/R system (without tail pipes), without homologation
			360,00
			360,00
	NW	088014 1683C	Original tube Ø 80 mm, REMUS tube Ø 84 mm Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race, with integrated valve, incl. EEC homologation
	NW	088014 1683CB	The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.
			385,00
			410,00
			The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.
M2 F87 Coupe, 2016=> 3.0l 272 kW			

Cat-back-system: 088016 1500 + tail pipe set ! No cutting of the original exhaust system required!				
NW	"	088016 1500	Cat-back-system L/R (without tail pipes) with integrated valves, incl. EEC homologation Original tube Ø 80 mm, REMUS tube 2 x Ø 65 mm The system includes an additional original BMW actuator and a Y-cable for connecting both actuators with the onboard electronics of the vehicle.	1.990,00
NW		0046 70SG	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	280,00
NW		0046 70S	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	320,00
NW		0046 70CS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	740,00
NW		0046 98C	Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	392,00
NW		0046 98CB	Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
M3 E46 Coupé				
3.2i 252 kW, 2001=>				
NW		088101 1584C	Sport exhaust with L/R each 2 tail pipes Ø 84 mm Street Race	736,00
M3 E90 Sedan / E92 Coupé / E93 Cabrio				
4.0i V8 309 kW (S65B40A), 2007=>				
Axle-back-system: (089207 0000) + 089107 0500LR resp. 089907 0500LR (Racing) + tail pipe set! Cat-back-system: 089207 1000 (Racing) + 089207 0000 + 089107 0500LR resp. 089907 0500LR (Racing) + tail pipe set! Turbo-back-system: 089207 1200 (Racing) + 089207 1000 (Racing) + 089207 0000 + 089107 0500LR resp. 089907 0500LR (Racing) + tail pipe set!				
NW	4)	089207 1200	RACING cat replacement tube left/right with flange connection, fits on original header, without homologation, only mountable together with 089207 1000	274,00
NW		089207 1000	RACING tube without homologation, instead of middle silencer, original pipe must be cut	392,00
NW		089207 0000	Connection tube for mounting of the sport exhaust L/R onto original middle silencer and RACING tube	290,00
Sport exhaust system L/R consisting of:				
NW		089107 0500LR	Sport exhaust left and sport exhaust right (without tail pipes)	684,00
NW		089907 0500LR	RACING sport exhaust left and RACING sport exhaust right (without tail pipes)	684,00
Choose from following tail pipe package:				
NW		0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	340,00
NW		0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	360,00
NW		0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	388,00
NW		0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	680,00
NW		0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	300,00
NW		0046 05	Tail pipe set L/R consisting of 4 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	300,00
Alternative: REMUS Titanium2 sport exhaust L/R (not for E90 Sedan)				
		089107 0584LTI	Titanium2 sport exhaust left with 2 tail pipes Ø 84 mm, fits on original middle silencer	1.540,00
		089107 0584RTI	Titanium2 sport exhaust right with 2 tail pipes Ø 84 mm, fits on original middle silencer (Sport exhaust L/R only fits as a complete system!)	1.540,00
M3 F80 Sedan, 2014=>				
M4 F82 Coupe, 2014=>				
3.0i 317 kW (S55B30)				
Axle-back-system: 089014 0500 + tail pipe set! The original exhaust will need to be cut at the manufacturer marked cutting point!				
RACING cat-back-system: 089014 0000 resp. 089014 0300 + 089014 0500 + tail pipe set! No cutting of the original exhaust system required!				
NW	4)	089014 0000	RACING X-pipe NON-resonated front section (eliminating front silencer and secondary catalytic convertors), without homologation	634,00
NW		089014 0300	Original tube Ø 65 mm, REMUS tube Ø 70 mm RACING X-pipe RESONATED front section (eliminating front silencer and secondary catalytic convertors), without homologation	745,00
NW		089014 0500	Original tube Ø 65 mm, REMUS tube Ø 70 mm Sport exhaust, L/R axle back-system (without tail pipes), with 2 integrated valves, incl. EEC homologation Original tube Ø 65 mm, REMUS tube Ø 70 mm The activation of the valve is carried out using the original actuator via the vehicle onboard electronics.	1.523,00
Choose from following tail pipe package:				
NW		0046 70SG	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	280,00
NW		0046 70S	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	320,00
NW		0046 70CS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	740,00
NW		0046 98C	Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	392,00
NW		0046 98CB	Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00
Z3 R/C Roadster / Coupé				
1.9i 103 kW, 1996=> <=SEP1998				
NW		085696 0549	Sport exhaust with 1 tail pipe 135x75 mm angled	525,00
Z3 R/C Roadster / Coupé				
1.8i 85 kW, 1996=> <=SEP1998				
NW	°	084696 0549	Sport exhaust with 1 tail pipe 135x75 mm angled	525,00
Z4 E85 Roadster				
2.5i 141 kW, 2003=> 3.0i 170 kW, 2003=>				
NW		088103 0584C	Sport exhaust with 2 tail pipes Ø 84 mm Street Race	649,00
Z4M Roadster / Coupé				
M85 3.2i 252 kW, 2006=>				
NW	°	089106 0504L	Sport exhaust left with 2 tail pipes Ø 76 mm	510,00
NW	°	089106 0504R	Sport exhaust right with 2 tail pipes Ø 76 mm (Sport exhaust L/R only fits as a complete system!)	510,00
Z4 E89 Cabrio				
sDrive 23i, 2.5i 150 kW (N52B25A), 2009=> sDrive 30i, 3.0i 190 kW (N52B30A), 2009=>				
NW		088109 0584C	Sport exhaust with 2 tail pipes Ø 84 mm Street Race	612,00
M5 F10 Sedan, 2011=>				
4.4i V8 412 kW (S63B44)				
NW		089211 0584CSL	Sport exhaust left with 2 tail pipe Ø 84 mm Carbon Race, with vacuum operated valve, incl. EEC homologation The valve position is vacuum controlled via the onboard electronics.	996,00
NW		089211 0584CSR	Sport exhaust right with 2 tail pipe Ø 84 mm Carbon Race, with vacuum operated valve, incl. EEC homologation The valve position is vacuum controlled via the onboard electronics. (Sport exhaust L/R only fits as a complete system!)	996,00
X3 F25, 2011=>				
X3 F25 Facelift, 2014=>				
X3 sDrive 20i 2.0i 135 kW (N20B20A); X3 sDrive 18d 2.0i 100/105/110 kW (B47D20C); X3 sDrive 20d 2.0i 100/110 kW (N57D30A); X3 xDrive 28i 2.0i 180 kW (N20B20A); X3 xDrive 35i 3.0i 225 kW (N55B30A); X3 xDrive 20d 2.0i 120/135/140/151 kW (B47D20A); X3 xDrive 30d 3.0i 155/190/210 kW (N57D30A); X3 xDrive 35d 3.0i 230 kW (N57D30B); Suitable for standard bumper and M sport option! When mounting the L/R-system, the right side skirt outlet must be trimmed as per the enclosed template! When mounting on xDrive 20i/28i models, order original BMW bracket part no 1830850966!				
NW		088111 0584C	Sport exhaust with 2 tail pipes Ø 84 mm Street Race (only for F25 xDrive 35i 3.0i 225 kW)	508,00
NW		086014 0500	Sport exhaust centered for L/R system (without tail pipes)	455,00
Choose from following tail pipe package:				
NW		0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	340,00
NW		0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	360,00
NW		0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	388,00

NW	0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	680,00
NW	0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	300,00
NW	0046 05	Tail pipe set L/R consisting of 4 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	300,00

X4 F26, 2014=>

X4 sDrive 20i 2.0l 135 kW (N20B20A)
X4 xDrive 28i 2.0l 180 kW (N20B20A); X4 xDrive 35i 3.0l 225 kW (N55B30A); X4 xDrive 20d 2.0l 120/135/140/151 kW (B47D20A); X4 xDrive 30d 3.0l 155/190/210 kW (N57D30A); X4 xDrive 35d 3.0l 230 kW (N57D30B);
Suitable for standard bumper and M sport option!
When mounting the L/R-system, the right side skirt outlet must be trimmed as per the enclosed template!
When mounting on xDrive 20i/28i models, order original BMW bracket part no 1830850966!

Sport exhaust system L/R consisting of:

NW	086014 0500	Sport exhaust centered for L/R system (without tail pipes)	455,00
NW	0046 55SS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled/angled, chromed, with adjustable spherical clamp connection	340,00

X5 E53, 2000=>

3.0l 170 kW, 2000=>; 4.4l 210 kW, 2000=>
Not for M sport option!

NW	089200 0582RL	Sport exhaust left with 2 tail pipes Ø 84 mm	420,00
NW	089200 0582RR	Sport exhaust right with 2 tail pipes Ø 84 mm (Sport exhaust L/R only fits as a complete system!)	420,00

X5 E70, 2007=>

3.0l si 200 kW (N52B30A), 2007=>; 4.8l 261 kW, 2007=>
Suitable for standard bumper and M sport option!!

NW	089407 0000	Connection tube for mounting on 3.0l si 200 kW model	156,00
NW	089407 1549	Sport exhaust with L/R each 1 tail pipe 135x75 mm angled	831,00

X6 E71 xDrive, 2008=>

xDrive 50i 4.4l 300 kW (N63B44A), 2008=>
Not for M sport option!

NW	089308 1556	Sport exhaust with L/R each 2 tail pipes Ø 84 mm angled, without homologation	841,00
----	-------------	---	--------

CHEVROLET

Art.Nr.	Description	€ exkl. MwSt.
		€ excl. VAT

Camaro, type LLT, 2009=>

3.6l V6 224 kW			
2)	109011 0000	Cat-Back connection tube, without homologation	191,00
2)	109011 0598CL	Sport exhaust left with 1 tail pipe Ø 98 mm Street Race, without homologation	476,00
2)	109011 0598CR	Sport exhaust right with 1 tail pipe Ø 98 mm Street Race, without homologation (Sport exhaust L/R and connection tube only fits as a complete system!)	476,00
		Cat-back-system: Sport exhaust in connection with RACING tube.	

CHRYSLER / JEEP

Art.Nr.	Description	€ exkl. MwSt.
		€ excl. VAT

Jeep Grand Cherokee, type WH, 2005=>

5.7l V8 240 kW			
°	115405 0502	Sport exhaust with 2 tail pipes 92x78 mm	480,00

Jeep Grand Cherokee 4x4, type WK, 2011=>

5.7l V8 259 kW			
NW	359511 0585SL	Sport exhaust left with 1 tail pipe Ø 127 mm angled	383,00
NW	359511 0585SR	Sport exhaust right with 1 tail pipe Ø 127 mm angled (Sport exhaust L/R only fits as a complete system!)	383,00

CITROËN

Art.Nr.	Description	€ exkl. MwSt.
		€ excl. VAT

ZX, type N2

1.8l 74 kW, JUN1992=>; 1.9l 88 kW, JUL1991=>; 2.0l 89/112 kW, JUN1992=>; & Turbo Diesel			
2)	126091 0505	Sport exhaust with 1 tail pipe Ø 90 mm	329,00

Xantia II, 1998=>

1.9l TD 66 kW; 2.1l TD 80 kW			
2)	126598 0570	Sport exhaust with 1 tail pipe Ø 102 mm	362,00

Xsara VTS, 3 & 5 door, 1998=>

2.0l 120 kW			
2)	126098 0507	Sport exhaust with 1 tail pipe 97x80 mm	330,00

C3 Facelift, 2009=>

1.1l 44 kW; 1.4l VTi 70 kW; 1.6l VTi 88 kW The rear skirt must be trimmed as per the supplied template!			
2)	122510 0556	Sport exhaust with 2 tail pipes Ø 84 mm angled	429,00

C3 Facelift, 2009=>

1.4l HDi 50 kW, 1.6l HDi 68 kW The rear skirt must be trimmed as per the supplied template!			
NW	125110 0556	Sport exhaust with 2 tail pipes Ø 84 mm angled	409,00

DS3, 2010=>

1.4l VTi 70 kW, 1.6l VTi 88 kW The rear skirt must be trimmed as per the supplied template!			
2)	122510 0556	Sport exhaust with 2 tail pipes Ø 84 mm angled	429,00

DS3, 2010=>

1.6l THP 115 kW (5FR); 1.4l HDi 50 kW, 1.6l HDi 68 kW When mounting on 1.4l HDi & 1.6l HDi models, the rear skirt must be trimmed as per the supplied template!			
DS3 Racing, type S, 2011=>			

1.6l 152 kW			
NW	125110 0556	Sport exhaust with 2 tail pipes Ø 84 mm angled	409,00

DS4, type N, 2011=>

1.6l 82 kW (9HR); 1.6l 88 kW (HCB); 1.6l 147 kW (5FU); 1.6l HDi 82 kW (9HR)			
AD0154		Distance tube A7 for mounting on 1.6l 82/88 kW and 1.6l HDi 82 kW	22,00
2)	125011 1504	Sport exhaust with L/R each 2 tail pipes Ø 76 mm	686,00

C5 Sedan, 2001=> until production no. 94-26

2.0l HDi 80 kW Production no. Is found on A or B pillar near the door! Only for models with cone connection!			
°	126001 0588	Sport exhaust with 2 tail pipes Ø 84 mm Edition	393,00

C5 Break, 2001=> until production no. 94-26

2.0l HDi 80 kW Production no. Is found on A or B pillar near the door! Only for models with cone connection!			
2)	126201 3502	Sport exhaust with 2 tail pipes 92x78 mm	385,00

C5 Sedan, 2001=>

2.2l HDI 16V 98 kW Only for models with cone connection!		
2)	126501 0588	Sport exhaust with 2 tail pipes Ø 84 mm Edition
		385,00

DAEWOO / CHEVROLET

Art.Nr.	Description	€ exkl. MwSt. € excl. VAT
---------	-------------	------------------------------

Espero Sedan, 4 doors, 1995=>& Mod. 1997

2.0l 77 kW		
2)	166097 0507	Sport exhaust with 1 tail pipe 97x80 mm
		276,00

Nubira, 4 doors, 1997=>

1.6l 78 kW; 2.0l 98 kW		
o	164597 0507	Sport exhaust with 1 tail pipe 97x80 mm
		359,00

DAIHATSU

Art.Nr.	Description	€ exkl. MwSt. € excl. VAT
---------	-------------	------------------------------

Charade Classic Sedan

1.5i 16V 66 kW		
2)	142595 0501	Sport exhaust with 1 tail pipe 92x78 mm
		314,00

FIAT

Art.Nr.	Description	€ exkl. MwSt. € excl. VAT
---------	-------------	------------------------------

500, type 312, 2007=>

1.2l 51 kW (169A4000)		
NW	182607 0514S	Sport exhaust with 1 tail pipe 142x72 mm angled
NW	182607 0554	Sport exhaust with 2 tail pipes Ø 70 mm staggered
o	184007 1514SS	Sport exhaust with L/R each 1 tail pipe 142x72 mm angled (no homologation for 1.2l 51 kW)
		350,00 420,00 561,00

500, type 312, 2007=>

1.4l 74 kW (169A3000); 1.3l JTD Multijet 55 kW (169A1000)		
o	184007 1514SS	Sport exhaust with L/R each 1 tail pipe 142x72 mm angled
		561,00

500 Abarth, type 312, 2007=>

1.4l 99 kW		
500 Abarth Esseesse, type 312, 2007=>		
1.4l 118 kW (312A1000)		
500 Abarth, type 312, 2013=>		
1.4l 132 kW (312A3000) (without homologation)		
NW	182510 0500	Sport exhaust system L/R consisting of: Sport exhaust centered for L/R system (without tail pipes)
		327,00
NW	0026 70SG	Choose from following tail pipe package: Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection
NW	0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection
NW	0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection
NW	0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection
NW	0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection
		140,00 160,00 370,00 196,00 220,00

Panda, type 169, 2003=>

1.1l 40 kW; 1.2l 44 kW		
NW	182104 0541	Sport exhaust with 1 tail pipe 92x78 mm angled
		314,00

Punto

1.7l TDS 51 kW		
Axle-back-system: 184594 0570 Cat-back-system: 184594 0300 + 184594 0570		
2)	184594 0300	Front silencer
2)	184594 0570	Sport exhaust with 1 tail pipe Ø 102 mm
		199,00 267,00

Punto GT Turbo

1.4l 96 kW, SEP1997=>; 1.4l GT Turbo 98 kW, 1993=>		
Axle-back-system: 185093 0570 Cat-back-system: 185093 0300 + 185093 0570		
2)	185093 0300	Front silencer
2)	185093 0570	Sport exhaust with 1 tail pipe Ø 102 mm
		225,00 290,00

Punto, type 188, 1999=>

1.2l 44 kW, 2002=>; 1.2l 44 kW; 1.2l 59 kW		
o	182099 0584C	Sport exhaust with 2 tail pipes Ø 84 mm Street Race
		399,00

Punto, type 188, 1999=>

1.8l HGT 96 kW; 1.9l JTD 59 kW; 1.9l JTD 63 kW, 2005=>		
o	185099 0540P	Sport exhaust with 1 tail pipe 140x72 mm mat polished
		265,00

Grande Punto Hatchback, 3 and 5 door, 2005=>

Grande Punto Facelift Hatchback, 3 and 5 door, 2009=>

1.2l 48 kW; 1.4l 57 kW		
1) 2)	186505 199	PowerSound Sport exhaust system L/R consisting of: PowerSound sport exhaust with manual valve control system (without tail pipes)
		448,00
Choose from following tail pipe package:		
NW	0010 02	Tail pipe set L/R consisting of 4 tail pipes 92x78 mm
NW	0010 04G	Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm straight
NW	0010 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight
NW	0010 14M	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm
NW	0010 70	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm
NW	0010 78	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm
NW	0010 83C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race
NW	0010 83CS	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Carbon Race
NW	0010 83CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome
NW	0010 84C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race
NW	0010 84CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race
NW	0010 84CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome
NW	0010 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race
NW	0010 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome
		300,00 256,00 146,00 186,00 160,00 278,00 164,00 176,00 188,00 290,00 308,00 340,00 176,00 198,00

Punto Evo Abarth, type 199, 2011=>

1.4l 120 kW		
Axle-back-system: 184011 0500 + tail pipe set! Cat-back-system: 184011 0000 (Racing) + 184011 0500 + tail pipe set!		
NW	184011 0000	RACING tube without homologation, instead of front silencer
		156,00
NW	184011 0500	Sport exhaust system consisting of: Sport exhaust for left-system (without tail pipes)
		347,00
Choose from following tail pipe package:		
NW	0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection
NW	0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection
NW	0026 83CB	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection
NW	0026 55S	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection
		170,00 180,00 194,00 150,00

NW	0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	150,00
----	---------	---	--------

Brava, 1995=> 1.4i 12V 55 kW; 1.4i 12V 59 kW; 1.9l Diesel 48 kW			
	AD0029	Distance tube B for mounting on 1.9l Diesel model	16,00
2)	186096 0532	Sport exhaust with 2 tail pipes 82x67 mm	307,00

124 Spider, 2016=> 1.4i Turbo 103 kW			
Axle-back-system: 185016 1500 + tail pipe set! No vehicle modifications required!			
Cat-back-system: 185016 0000 (Racing) + 185016 1500 + tail pipe set! No vehicle modifications required! Cat-back RACING non resonated front section instead of front silencer Original tube Ø 54 mm, REMUS tube Ø 60 mm			
NW	185016 0000	Sport exhaust system L/R consisting of: Sport exhaust centered for L/R system (without tail pipes) Original tube Ø 54 mm, REMUS tube Ø 60 mm	170,00
NW	185016 1500	Choose from following tail pipe package: Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	360,00
NW	0026 70SS	Tail pipe set L/R consisting of 2 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	160,00
NW	0026 70CSS	Tail pipe set L/R consisting of 2 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	370,00
NW	0026 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	140,00
NW	0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	160,00
NW	0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	370,00
NW	0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	196,00
NW	0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00

FORD	Art.Nr.	Description	€ exkl. MwSt. € excl. VAT
------	---------	-------------	------------------------------

Ka II, type RU8, 2009=> 1.2l Duratec 51 kW (AAA/169A4000)			
NW	182607 0514S	Sport exhaust with 1 tail pipe 142x72 mm angled	350,00
NW	182607 0554	Sport exhaust with 2 tail pipes Ø 70 mm staggered	420,00
°	184007 1514SS	Sport exhaust with L/R each 1 tail pipe 142x72 mm angled (no homologation for 1.2l 51 kW)	561,00

Ka II, type RU8, 2009=> 1.3l TDCi 55 kW			
°	184007 1514SS	Sport exhaust with L/R each 1 tail pipe 142x72 mm angled	561,00

Fusion, type JU2, 2002=> 1.4i TDI 50 kW			
°	202602 0532	Sport exhaust with 2 tail pipes 82x67 mm	374,00

Escort Estate 1.6l 65/66 kW type GAL ab AUG1992=>; 1.6l 65/66 kW type ANL, DEC1995=>; 1.8l 77 kW type GAL, JAN1992=>; 1.8l 85 kW type ANL, OCT1997=>			
2)	205092 2501	Sport exhaust with 1 tail pipe 92x78 mm	309,00

Fiesta ST, VII, type JA8, 2013=> 1.6l 134 kW (JTJA)			
Axle-back-system: 204014 0500 + tail pipe set! The original exhaust must be cut! No rear skirt modifications required!			
Cat-back-system: 204014 0300 + 204014 0500 + tail pipe set! No vehicle modifications required! Resonated cat-back front section (Original tube Ø 55 mm, REMUS tube Ø 65 mm)			
NW	204014 0300	Sport exhaust system consisting of: Sport exhaust for right-system (without tail pipes) (Original tube Ø 55 mm, REMUS tube Ø 65 mm)	235,00
NW	204014 0500	Choose from following tail pipe package: Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	295,00
NW	0026 05	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	150,00
NW	0026 55S	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	150,00
NW	0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	170,00
NW	0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	180,00
NW	0026 83CB	Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	194,00
NW	0026 83CTS		340,00

Focus Fastback, type DAW/DBW, OCT1998=> 1.4i 55 kW; 1.6i 74 kW; 1.8l 85 kW; 2.0i 96 kW; 1.8l TD 66 kW <=OCT2000			
Axle-back-system: AD0053 (1.4i) resp. AD0052 (1.6i) + 206698 0505! Cat-back-system (only for 1.4i/1.6i): 206598 0300 + 206698 0505!			
	AD0053	Distance tube X1 for mounting on 1.4i model	16,00
	AD0052	Distance tube W1 for mounting on 1.6i model	16,00
°	206598 0300	Front silencer, only for 1.4i 55 kW, 1.6i 74 kW	282,00
NW	° 206698 0505	Sport exhaust with 1 tail pipe Ø 90 mm	279,00

Focus II Facelift Hatchback, type DA3, 2008=> 2.0i TDCi 81 kW (EXDA); 2.0i TDCi 100 kW (G6DD/G6DB/G6DG)			
Sport exhaust system consisting of: Sport exhaust (without tail pipes) Connection tube left with 2 tail pipes Ø 76 mm (Sport exhaust and connection tube only fits as a complete system!)			
2)	206508 0500		268,00
2)	206508 0604		222,00

Focus III ST, type DYB, 2012=> 2.0l EcoBoost 184 kW (R9DA)			
Focus III ST Facelift, type DYB, 2015=> 2.0l EcoBoost 184 kW (R9DA)			
Cat-back-system: 205512 0300 + 205512 5500 + tail pipe set! No vehicle modifications required!			
RACING cat-back-system: 205012 0000 resp. 205012 0300 + 205512 5500 + tail pipe set! No vehicle modifications required! Cat-back RACING non-resonated front, without homologation Original tube Ø 55/60 mm - REMUS tube Ø 70 mm			
NW	205012 0000	Cat-back RACING resonated front section, without homologation Original tube Ø 55/60 mm - REMUS tube Ø 70 mm	156,00
NW	2) 205012 0300	Resonated cat-back front section, incl. EEC homologation Original tube Ø 55/60 mm - REMUS tube Ø 70 mm	263,00
NW	205512 0300	Sport exhaust centered (without tail pipes), incl. EEC homologation Original tube Ø 55/60 mm - REMUS tube Ø 70 mm	285,00
NW	205512 5500	Tail pipe set 2 tail pipes Ø 115 mm angled, chromed, with adjustable spherical clamp connection	360,00
NW	0026 80S		180,00

Mondeo 93 & 97 Sedan (right side outlet) 2.0i 16V 97/ 100 kW type BAP, BFP, GBP; 2.0i 16V 96 kW type BAP, BFP, Mod. 1997=>; 2.0i 16V 96 kW type BAP, BFP, AUG1997=>			
2)	205593 0501	Sport exhaust with 1 tail pipe 92x78 mm	309,00

Mondeo 01 Sedan, type B5Y, 2007=> 2.0i TDCi 85 kW The rear skirt must be trimmed as per the supplied template!			
Sport exhaust system consisting of: Sport exhaust (without tail pipes) Choose from following tail pipe package: 2 tail pipes Ø 76 mm 2 tail pipes Ø 84 mm Street Race			
2)	206006 098		294,00
NW	0008 04		125,00
NW	0008 84C		159,00

NW	0008 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	184,00
	1003 05G	2 Diesel tail pipes Ø 90 mm straight with emission exit downwards	175,00
2)	1003 78	2 Diesel tail pipes Ø 84mm with emission exit downwards	175,00

Mondeo 07 Sedan / Fastback / Estate, type BA7, 2007=>

1.8l TDCi 74 kW (FFBA); 2.0l TDCi 96 kW (AZBA); 2.0l TDCi 103 kW (QXBA)

2)	205007 098	<u>Sport exhaust system consisting of:</u> Sport exhaust (without tail pipes) <u>Choose from following tail pipe package:</u> 2 tail pipes Ø 76 mm 2 tail pipes Ø 84 mm Street Race 2 tail pipes Ø 84 mm Street Race Black Chrome 2 Diesel tail pipes Ø 90 mm straight with emission exit downwards 2 Diesel tail pipes Ø 84mm with emission exit downwards	297,00
NW	0008 04	2 tail pipes Ø 76 mm	125,00
NW	0008 84C	2 tail pipes Ø 84 mm Street Race	159,00
NW	0008 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	184,00
	1003 05G	2 Diesel tail pipes Ø 90 mm straight with emission exit downwards	175,00
2)	1003 78	2 Diesel tail pipes Ø 84mm with emission exit downwards	175,00

Galaxy Facelift, type WAG, 2010=>

2.0l TDCi 103 kW (UFWA)

2)	205007 098	<u>Sport exhaust system consisting of:</u> Sport exhaust (without tail pipes) <u>Choose from following tail pipe package:</u> 2 tail pipes Ø 76 mm 2 tail pipes Ø 84 mm Street Race 2 tail pipes Ø 84 mm Street Race Black Chrome 2 Diesel tail pipes Ø 90 mm straight with emission exit downwards 2 Diesel tail pipes Ø 84mm with emission exit downwards	297,00
NW	0008 04	2 tail pipes Ø 76 mm	125,00
NW	0008 84C	2 tail pipes Ø 84 mm Street Race	159,00
NW	0008 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	184,00
	1003 05G	2 Diesel tail pipes Ø 90 mm straight with emission exit downwards	175,00
2)	1003 78	2 Diesel tail pipes Ø 84mm with emission exit downwards	175,00

Puma, SEP1997=>

1.7l 92 kW

2)	204097 0507	Sport exhaust with 1 tail pipe 97x80 mm	305,00
----	-------------	---	--------

Mustang Coupe & Cabrio, 2015=>

2.3l EcoBoost Turbo 231 kW

REMUS Cat-back-systems only fits as a complete system!

NW	206215 0300	<u>REMUS cat-back-system consisting of:</u> <u>(Original tube Ø 57 mm = 2 1/4", REMUS tube Ø 76 mm = 3.0")</u> Front silencer for 2.3l Turbo, incl. EEC homologation	260,00
NW	206215 1300	Optional RACING tube instead of front silencer for 2.3l Turbo, without homologation	90,00
NW	"	Sport exhaust left and sport exhaust right (without tail pipes), incl. 2 connection tubes, with integrated valves, incl. EEC homologation It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve is carried out using the supplied remote control key fob. The sound controller and electrical actuator which allows the valve to be operated in 4 different positions.	1.360,00
NW	206215 1300	<u>Alternative: RACING Cat-back sport exhaust system consisting of:</u> <u>(Original tube Ø 57 mm = 2 1/4", REMUS tube Ø 76 mm = 3.0")</u> RACING tube instead of front silencer for 2.3l Turbo, without homologation	90,00
NW	206815 0500LR	RACING steel sport exhaust left and stainless steel sport exhaust right (without tail pipes), incl. 2 connection tubes, without homologation	660,00
NW	0026 70SG	<u>Choose from following tail pipe package:</u> Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	140,00
NW	0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	160,00
NW	0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	370,00
NW	0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	196,00
NW	0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00

Mustang GT Coupe & Cabrio, 2015=>

5.0l V8 310 kW

REMUS Cat-back-systems only fits as a complete system!

NW	206615 0300	<u>REMUS cat-back-system consisting of:</u> <u>(Original tube Ø 63.5 mm = 2 1/2", REMUS tube Ø 76 mm = 3.0")</u> Front silencer for 5.0l V8, with EEC homologation	290,00
NW	"	Sport exhaust left and sport exhaust right (without tail pipes), incl. 2 connection tubes, with integrated valves, incl. EEC homologation It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve is carried out using the supplied remote control key fob. The sound controller and electrical actuator which allows the valve to be operated in 4 different positions.	1.360,00
NW	206615 1300	<u>Alternative: RACING Cat-back sport exhaust system consisting of:</u> <u>(Original tube Ø 63.5 mm = 2 1/2", REMUS tube Ø 76 mm = 3.0")</u> RACING tube instead of front silencer for 5.0l V8, without homologation	120,00
NW	206815 0500LR	RACING steel sport exhaust left and stainless steel sport exhaust right (without tail pipes), incl. 2 connection tubes, without homologation	660,00
NW	0026 70SG	<u>Choose from following tail pipe package:</u> Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	140,00
NW	0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	160,00
NW	0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	370,00
NW	0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	196,00
NW	0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00

HONDA	€ exkl. MwSt.
Art.Nr.	€ excl. VAT

Civic, 3 door, SEP1991=>

1500 GTI Typ EG4 66 kW; 1500 LSI Typ EG4 66 kW; 1500 VEI Typ EG4 66 kW

Sport exhaust only homologated together with front silencer

2)	253092 0300	Front silencer, only for 1.5l 66kW EG4	224,00
----	-------------	--	--------

Civic, 4 door, SEP1991=>

1500 LSI/AT type EG8 66 kW; 1600 ESI type EH9 92 kW

Civic Coupé

Typ EJ1 1.6l 92 kW, 1994=>; Typ EJ1 / EJ2 1.5l 74kW, 1994=>; Typ EJ6 1.6l 77 kW, 1996=>; Typ EJ9 1.4l 66 kW Mod. 96; Typ EK3 1.5l VTEC 84 kW Mod. 96

When fitting twin tail pipes the rear skirt must be cut!

2)	253094 0502	Sport exhaust with 2 tail pipes 92x78 mm	397,00
----	-------------	--	--------

Civic, type EG9, 4 door, SEP1991=> <=1995			
1.6i VTI 118 kW	2)	255092 0501	Sport exhaust with 1 tail pipe 92x78 mm
			335,00

Civic, Type FK1/FK2, 2006=>			
Type FK1 1.4i i-DSI 61 kW (L13A7); Type FK2 1.8i i-VTEC 103 kW (R18A2) When mounting on 1.4i i-DSI models, the original Honda chrome tail pipes have to be used (part.no. 18310-SMG-E02 & 18320-SMG-E02). Additionally the mounting kit 254006 9999 has to be used!			
Civic type S, Type FN1, 2008=>			
Type FN1 1.8i i-VTEC 103 kW (R18A2)			
		254006 9999	Hardware kit for mounting on 1.4i i-DSI model
NW	1)	254106 199	PowerSound sport exhaust with manual valve control system (without tail pipes)
			38,00
			572,00

Civic Type-R, type FK2, 5 door, 2015=>			
2.0i VTEC Turbo/Turbo GT 228 kW (K20C1)			
Cat-back-system LHD: 256315 0300 + 256315 1500 + tail pipe set! No vehicle modifications are required! Only for left hand drive! NOT SUITABLE FOR RHD MODELS IN FOLLOWING COUNTRIES: Australia, Cyprus, Japan, Hong Kong, India, Isle of Man, Ireland, Malaysia, New Zealand, South Africa, Singapore, Thailand, UK			
Cat-back-system RHD: 256215 0300 + 256315 1500 + tail pipe set! No vehicle modifications are required! Only for right hand drive! ONLY SUITABLE FOR RHD MODELS IN FOLLOWING COUNTRIES: Australia, Cyprus, Japan, Hong Kong, India, Isle of Man, Ireland, Malaysia, New Zealand, South Africa, Singapore, Thailand, UK			
NW	"	256215 0300	Resonated cat-back section RHD, incl. EEC homologation Original tube Ø 60 mm, REMUS tube Ø 70 mm
			340,00
NW	"	256315 0300	Resonated cat-back section LHD, incl. EEC homologation Original tube Ø 60 mm, REMUS tube Ø 70 mm
			340,00
sport exhaust centered for left/right system (without tail pipes) with integrated valves, incl. EEC homologation Original tube Ø 60 mm, REMUS tube Ø 70 mm It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve is carried out using the supplied remote control key fob. The sound controller and electrical actuator which allows the valve to be operated in 4 different positions.			
NW	"	256315 1500	Choose from following tail pipe package:
			930,00
NW		0446 70SG	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, straight cut, chromed, (length 145 mm), with adjustable spherical clamp connection
			280,00
NW		0446 70CS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 102 mm angled (length 145 mm), Titanium internals, with adjustable spherical clamp connection
			740,00

Shuttle, 1995=>			
2.2i ES 110 kW	2)	256395 0549	Sport exhaust with 1 tail pipe 135x75 mm angled
			394,00

Accord, type CG8, 1999=>			
type CG8 1.8i ES 100 kW; type CG9 2.0i ES 108 kW			
		255099 0502	Sport exhaust with 2 tail pipes 92x78 mm
			407,00

CR-Z, type ZF1, 2010=>			
1.5i Hybrid 84 kW (+ 7 kW E-Motor) (LEA1-1002161) Sport exhaust & rear diffusor only fits as a complete system!			
CR-Z, Facelift, type ZF1, 2013=>			
1.5i Hybrid 89 kW (+ 13 kW E-Motor) (LEA3) Sport exhaust & rear diffusor only fits as a complete system!			
NW	"	253111 5584C	Cat-back-system incl. ABS rear diffusor: 253111 5584C + 252301 HES!
			Cat-Back connection tube (instead of front silencer) and sport exhaust centered with 2 tail pipes Ø 84 mm Street Race
			639,00
"		252301 HES	ABS rear diffusor centered, satin black
			191,00

HUMMER	Art.Nr.	Description	€ exkl. MwSt.
			€ excl. VAT

Hummer H2, 2002=>2006 (double flow into front silencer)			
5.9i 237 kW		269506 1515M	Sport exhaust with L/R each 2 tail pipes 142x72 mm with flat, angled rolling, without homologation
			1.375,00

HYUNDAI	Art.Nr.	Description	€ exkl. MwSt.
			€ excl. VAT

Elantra, type XD, 2002=>			
1.6i 66 kW		284102 0502	Sport exhaust with 2 tail pipes 92x78 mm
			386,00

iX35, type EL, FWD & AWD, 2010=>			
2.0i CVT 120 kW (G4KD); 1.6i GDI 99 kW (G4FD); 1.7i CRDI 85 kW (D4FD); 2.0i CRDI 100 kW (D4HA); 2.0i CRDI 135 kW (D4HA)			
NW		286111 1584C	Sport exhaust with L/R each 2 tail pipes Ø 84 mm Street Race
			649,00

Tucson, type TL, 2015=>			
1.6i GDI 97 kW 2WD; 1.6i T-GDI 130 kW 4WD; 1.7i CRDI 85 kW 2WD; 2.0i CRDI 100 2WD/4WD; 2.0i CRDI 136 kW 2WD & 4WD The rear skirt must be trimmed as per the supplied template! Bolt-on Axle-back-system, except for the rear skirt, no vehicle modifications are required!			
NW		286015 1500	Sport exhaust system L/R consisting of: Sport exhaust centered for L/R system (without tail pipes) (Original tube Ø 54 mm, REMUS tube Ø 60 mm)
			330,00
NW		0046 70SS	Choose from following tail pipe package: Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection
			320,00
NW		0046 70CSS	Tail pipe set L/R consisting of 4 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection
			740,00
NW		0046 98C	Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection
			392,00
NW		0046 98CB	Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection
			440,00

Genesis Coupé, type BK20/BK38, 2011=>			
2.0i 156 kW (G4KF); 3.8i V6 224 kW (G6DA)			
Cat-back-system 2.0i: 287111 0000 + 289111 1584C! Cat-back-system 3.8i V6: 289111 0000 + 289111 1584C!			
NW		287111 0000	Cat-Back connection tube for mounting on 2.0i 156 kW
			152,00
NW		289111 0000	Cat-Back connection tube for mounting on 3.8i V6 224 kW
			152,00
NW		289111 1584C	Sport exhaust with L/R each 2 tail pipes Ø 84/98 mm Street Race
			595,00

KIA	Description	€ exkl. MwSt.
		€ excl. VAT

Rio, type UB, 2012=>			
1.2i 62.5 kW (G4LA); 1.4i 80 kW (G4FA); 1.1i CRDI 55 kW (D3FA); 1.4i CRDI (D4FC) The rear skirt has to be trimmed according to the enclosed template!			
NW		362111 5584C	Sport exhaust with 2 tail pipes Ø 84 mm Street Race (tail pipe position in the middle of the rear skirt)
			497,00

Cee'd, Hatchback, type ED, 2007=>			
1.6i CRDI 66 kW (D4FB)	2)	365207 0533	Sport exhaust with connection tube with 1 tail pipe 102x68 mm
			375,00

Sportage, type SL, FWD & 4WD, 2010=>			
2.0i CVT 120 kW (G4KD); 1.6i GDI 99 kW (G4FD); 1.7i CRDI 85 kW (D4FD); 2.0i CRDI 100 kW (D4HA); 2.0i CRDI 135 kW (D4HA)			

NW	286111 1584C	Sport exhaust with L/R each 2 tail pipes Ø 84 mm Street Race	649,00
----	--------------	--	--------

Sportage, type QL, 2015=>
1.6i GDI 97 kW 2WD; 1.6i T-GDI 130 kW 4WD; 1.7i CRDI 85 kW 2WD; 2.0i CRDI 100 2WD/4WD; 2.0i CRDI 136 kW 2WD & 4WD
The rear skirt must be trimmed as per the supplied template!
Bolt-on Axle-back-system, except for the rear skirt, no vehicle modifications are required!

Sport exhaust system L/R consisting of:
Sport exhaust centered for L/R system (without tail pipes) (Original tube Ø 54 mm, REMUS tube Ø 60 mm)
Choose from following tail pipe package:
Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection
Tail pipe set L/R consisting of 4 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection
Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection
Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection

NW	286015 1500	Sport exhaust centered for L/R system (without tail pipes) (Original tube Ø 54 mm, REMUS tube Ø 60 mm)	330,00
NW	0046 70SS	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	320,00
NW	0046 70CSS	Tail pipe set L/R consisting of 4 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	740,00
NW	0046 98C	Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	392,00
NW	0046 98CB	Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	440,00

Sportage GT-Line, type QLE, 2015=>
1.6i T-GDI 130 kW 4WD; 2.0i CRDI 100 2WD/4WD; 2.0i CRDI 136 kW 4WD
Bolt-on Axle-back-system - no other vehicle modifications are required for the GT-Line!

Sport exhaust system L/R consisting of:
Sport exhaust centered for L/R system (without tail pipes) (Original tube Ø 54 mm, REMUS tube Ø 60 mm)
Choose from following tail pipe package:
Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection
Tail pipe set L/R consisting of 4 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection
Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection
Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection
Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection
Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection

NW	286015 1500	Sport exhaust centered for L/R system (without tail pipes) (Original tube Ø 54 mm, REMUS tube Ø 60 mm)	330,00
NW	0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	300,00
NW	0046 05	Tail pipe set L/R consisting of 4 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	300,00
NW	0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	340,00
NW	0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	360,00
NW	0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	388,00
NW	0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	680,00

LAND ROVER			€ exkl. MwSt.
Art.Nr.		Description	€ excl. VAT

Range Rover Sport V8 Supercharged, type LW, 2013=>
5.0i V8 375 kW

Axle-back-system: 709013 0500LR + tail pipe set!
Cat-back-system: 709013 0300 + 709013 0500LR + tail pipe set!
Front silencer
Sport exhaust system L/R consisting of:
Sport exhaust left and sport exhaust right (without tail pipes)
Choose from following tail pipe package:
Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection
Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection
Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection
Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection
Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection

LOTUS			€ exkl. MwSt.
Art.Nr.		Description	€ excl. VAT

Esprit 300 Sport, 1994=>
2.2i Turbo 225 kW

2) 416094 0509R Sport exhaust electro-polished with L/R each 1 tail pipe 135x75 mm, without homologation 2.059,00

MASERATI			€ exkl. MwSt.
Art.Nr.		Description	€ excl. VAT

Ghibli III, type 157M, 2013=>
3.0i 243 kW
Ghibli III S, type 157M, 2013=>
3.0i 301 kW
Ghibli III S Q4, type 157M, 2013=>
3.0i 301 kW
The sport exhaust can only be installed using the above mentioned tip sets as axle-back or as cat-back configuration. No cutting required!

Axle-back-system: 428014 0500LR + tail pipe set! No vehicle modifications required!
Cat-back-system: 428014 0300 resp. 428514 0300 + 428014 0500LR + tail pipe set! No vehicle modifications required!
Resonated front section for MASERATI Ghibli III S Q4, Type M157, 2013=> 3.0i 301 kW, without homologation
Resonated front section for MASERATI Ghibli III, Type M157, 2013=> 3.0i 243 kW and MASERATI Ghibli III S, Type M157, 2013=> 3.0i 301 kW, without homologation
Sport exhaust system L/R consisting of:
Left / Right RACING axle-back sport exhaust system (without tail pipes), incl. 2 vacuum operated valves, without homologation
The valve position is vacuum controlled via the onboard electronics.
Choose from following tail pipe package:
Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection
Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection
Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection

MAZDA			€ exkl. MwSt.
Art.Nr.		Description	€ excl. VAT

Demio
1.3i 46/53 kW, 1998=>; 1.5i 75 kW, 2000=>

2) 453000 0504 Sport exhaust with 2 tail pipes Ø 76 mm 337,00

323C, 3 door, 1994=>
1.8i 84 kW

2) 456095 0501 Sport exhaust with 1 tail pipe 92x78 mm 360,00

323F, type BJ, 1998=>
1.3i 54 kW; 1.3i 16V 53 kW, 2001=>; 1.5i 65 kW; 1.6i 16V 70/72/73,5 kW, 2001=>; 1.8i 84 kW; 2.0i DITD 66 kW, 1999=>; 2.0i 96 kW; 2.0i DITD 74 kW, 2001=>

2) 453098 0502 Sport exhaust with 2 tail pipes 92x78 mm 395,00

323 Sedan, 1998=>, type BJ, 1999=>
1.3i 54 kW; 1.3i 16V 53 kW, 2001=>; 1.5i 65 kW; 1.6i 16V 70/72/73,5 kW, 2001=>; 1.8i 84 kW type BJ; 2.0i DITD 66 kW type BJ, 1999=>; 2.0i DITD 74 kW, 2001=>

2) 453598 3502 Sport exhaust with 2 tail pipes 92x78 mm 390,00

3, type BK, (3/4/5 door), 2003=>
1.3i 62 kW (ZJ); 1.4i 59 kW; 1.6i 77 kW (Z6); 2.0i 110 kW (LF)

NW 456103 0570 Sport exhaust with 1 tail pipe Ø 102 mm, for original bumper 435,00

3 Sport, Hatchback, 5 door, type BM, 2013=>
1.5i 74 kW (P5); 2.0i 88/121 kW (PE); 2.2i CD 110 kW (SH)
Bolt-on Axle-back-system, no vehicle modifications required!

Sport exhaust system L/R consisting of:
Sport exhaust centered for L/R system (without tail pipes)
Tail pipe set L/R consisting of 2 tail pipes 120x74 mm angled (Sport exhaust and tip set only fits as complete system!)

NW 456513 1500 271,00
456513 1613S 252,00

Premacy
1.8i 74 kW, 1999=>; 1.8i 84 kW, 1999=>; Facelift 1.8i 74 kW, 2001=>; Facelift 2.0i DITD 74 kW, 2001=>

2)	453098 0502	Sport exhaust with 2 tail pipes 92x78 mm	395,00
----	-------------	--	--------

5, 2006=> 2.0l CD 81 kW			
2)	456006 0501	Sport exhaust with 1 tail pipe 92x78 mm	355,00

6 Sedan & Sport Combi, type GJ, 2013=> 2.0l 107 kW; 2.0l 121 kW; 2.5l 141 kW			
NW	456113 1513S	Sport exhaust with L/R each 1 tail pipe 120x74 angled	524,00

6 Sedan & Sport Combi, type GJ, 2013=> 2.2l CD 110 kW (SH), 2.2l CD 129 kW (SH)			
	456213 0500	<u>Sport exhaust system L/R consisting of:</u> Sport exhaust centered for L/R system (without tail pipes)	271,00
	456213 1613S	Tail pipe set L/R consisting of 2 tail pipes 120x74 mm angled (Sport exhaust and tip set only fits as complete system!)	252,00

MX-5, type NB, 1998=> 1.6l 81 kW; 1.8l 103 kW; 1.8l 107 kW			
NW	455198 0507	Sport exhaust with 1 tail pipe 97x80 mm	449,00

MX-5, type NC1, 2005=> 1.8l 93 kW (L8); 2.0l 118 kW (LF) When fitting tail pipes 0010 14M the rear skirt must be trimmed as per the supplied template!				
<u>PowerSound Sport exhaust system L/R consisting of:</u>				
NW	1)	456105 199	PowerSound sport exhaust with manual valve control system (without tail pipes)	374,00
<u>Choose from following tail pipe package:</u>				
NW		0010 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	146,00
NW		0010 14M	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm	186,00
NW		0010 83C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race	164,00
NW		0010 83CS	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Carbon Race	176,00
NW		0010 83CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome	188,00

MX-5, type ND, 2015=>				
1.5l Skyactive G-130/G131 96 kW; 2.0l Skyactive G-160 (iELOOP) 118 kW				
Axle-back-system: 456016 1500 + tail pipe set! No cutting of the original exhaust system required! The right side skirt outlet must be trimmed as per the enclosed template!				
Cat-back-system: 456016 0300 + 456016 1500 + tail pipe set! The original exhaust must be cut! The right side skirt outlet must be trimmed as per the enclosed template!				
RACING cat-back-system: 456016 1200 + 456016 0300 + 456016 1500 + tail pipe set! No cutting of the original exhaust system required! The right side skirt outlet must be trimmed as per the enclosed template!				
NW	4)	456016 1200	RACING secondary catalyst replacement tube, without homologation Original tube Ø 54 mm, REMUS tube Ø 60 mm	130,00
NW		456016 0300	Resonated cat-back front section Original tube Ø 54 mm, REMUS tube Ø 60 mm	240,00
NW		456016 1500	Sport exhaust centered for L/R system (without tail pipes) Original tube Ø 54 mm, REMUS tube Ø 60 mm	360,00
Choose from following tail pipe package:				
NW		0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	300,00
NW		0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	340,00
NW		0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	360,00
NW		0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	388,00
NW		0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	680,00

RX8, 2003=>				
1.3l 170 kW				
NW	°	452103 1598C	Sport exhaust with L/R each 1 tail pipe Ø 98 mm Street Race	653,00

CX-3, 2WD / AWD, type DK, 2015=> 2.0l 88 kW; 2.0l 110 kW; 1.5l Diesel 77 kW				
NW	454015	1500	<u>Sport exhaust system L/R consisting of:</u> Sport exhaust centered for L/R system (without tail pipes)	373,00
NW	0026 70SG		<u>Choose from following tail pipe package:</u> Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	140,00
NW	0026 70S		Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	160,00
NW	0026 70CS		Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	370,00
NW	0026 98C		Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	196,00
NW	0026 98CB		Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00

CX-5, FWD / AWD, type KE, 2013=> 2.2l CD 110 kW (SH), 2.2l CD 129 kW (SH)			
	456213 0500	<u>Sport exhaust system L/R consisting of:</u> Sport exhaust centered for L/R system (without tail pipes)	271,00
	456513 1613S	Tail pipe set L/R consisting of 2 tail pipes 120x74 mm angled (Sport exhaust and tip set only fits as complete system!)	252,00

MERCEDES			€ exkl. MwSt.
	Art.Nr.	Description	€ excl. VAT

A-Class W176, 2012=> A200 1.6l 90 kW (270910); A200 1.6l 115 kW (270910); A250 2.0l 155 kW (270920); A200CDI 1.8l 80 kW (651901); A200CDI 1.8l 100 kW (651901); A180CDI 1.5l 80 kW (K9K) Only for cars with AMG styling package!			
NW	506112 1585S	Sport exhaust with L/R each 1 tail pipe Ø 127 mm angled	610,00

CLA 250 (260) FWD & 4matic, C117, 2013=> 2.0l 155 kW			
		<u>RACING cat-back-sytem:</u> 503513 1300 respectively 503613 1300 + 503513 1500 + tail pipe set only fits as a complete system! No rear skirt modifications required! No cutting of the original exhaust system required except for cars with the underbody catalytic converter.	
NW	503513 1300	non resonated RACING cat-back front section for MB CLA 250 (260) 4matic, without homologation (original tube Ø 60 mm, REMUS tube Ø 65 mm)	180,00
NW	503613 1300	non resonated RACING cat-back front section for MB CLA 250 (260) FWD, without homologation (original tube Ø 60 mm, REMUS tube Ø 65 mm)	180,00
NW	503513 1500	RACING sport exhaust centered for L/R system (without tail pipes), without homologation (original tube Ø 60 mm, REMUS tube Ø 65 mm)	280,00
NW	0046 03SSG	Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm angled/angled, straight cut, chromed, with adjustable spherical clamp connection	360,00

A 45 AMG 4matic, W176 and 245G, 2013=> CLA 45 AMG 4matic, C117 and 245G, 2014=> 2.0l 265 kW			
A 45 AMG Facelift 4matic, W176 and 245G, 2015=> CLA 45 AMG Facelift 4matic, C117 and 245G, 2015=> 2.0l 280 kW			
Cat-back-system can only be installed using the required outlet tubes!			
		<u>REMUS cat-back-system consisting of:</u>	

NW	"	504013 1500	cat-back-system centered including non resonated front section with integrated valve, incl. EEC homologation The supplied actuator activates the valve to factory preset positions via the vehicle onboard electronics	1.199,00
NW	"	504013 1600	<u>choose from following outlet tubes:</u> Outlet tubes for A 45 AMG/A 45 AMG Facelift incl. installation kit, suitable for the original exhaust outlets	112,00

NW	"	504513 1600	Outlet tubes for CLA 45 AMG / CLA 45 AMG Facelift incl. installation kit, suitable for the original exhaust outlets	112,00
NW	"	STE 0002	Optional: REMUS Sound Controller Sound Controller consisting of: Electronic module incl. remote control for individual sound in 4 levels, no homologation	296,00

B-Class W245 B180CDI 2.0l CDI 80 kW, 2005=>; B200CDI 2.0l CDI 103 kW, 2005=>				
2)	506105 0607		Connection tube with 1 tail pipe 97x80 mm	187,00

190E W201 2.0l 90 kW, DEC1990=>; 2.3l 100 kW, DEC1990=>; from Chassis no. 1A611777 oder 1F815882; 2.6l 118 kW, JUL1986=>; 2.6l 122 kW, JUL1986=>; 2.5l TD 93 kW, NOV1987=>				
NW	°	506191 0502	Sport exhaust with 2 tail pipes 92x78 mm	433,00

C-Class W202 Sedan & Estate, MAR1993=> incl. Mod. 98 C180 89/90 kW; C200 100/120 kW; C220 110 kW; C200 Diesel 55 kW; C220 Diesel 70 kW; C250 Diesel 83/110 kW; C230 110 kW; C230 compressor 142 kW; C240 V6 2.4l 125 kW, JUN1997=>; C280 6 Zyl. 142 kW; C280 2.8l 145 kW, JUN1997=> Use AD0047 when mounting on C180/C200/C200D/C220D, JUN1997=>				
	AD0047		Distance tube R1 for mounting on C180/C200/C200D/C220D models from 06/1997	22,00
NW		509197 0548	Sport exhaust with 2 tail pipes 74x65 mm angled	465,00
NW		509197 0540P	Sport exhaust with 1 tail pipe 140x72 mm mat polished	353,00

C-Class W204 Sedan, 2007=> C-Class W204 facelift Sedan, 2010=> C200K 1.8l compressor 135 kW; C180 CDI 2.2l 88 kW; C200 CDI 2.2l 100 kW; C220CDI 2.2l CDI 125 kW; C250 CDI 2.2l 150 kW;				
NW		506607 0517	Sport exhaust with 1 tail pipe 138x90 angled, rolled	397,00

C-Class W204 Sedan, 2007=> C-Class W204 facelift Sedan, 2010=> C230 2.5l 150 kW; C230 4matic 2.5l 150 kW; C280/C300 3.0l 170 kW; C280/C300 4matic 3.0l 170 kW; C350 3.5l 200 kW; C350 4matic 3.5l 200 kW; C350 CGI 3.5l 215 kW; C320 CDI 3.0l 165 kW; C320 CDI 4matic 3.0l 165 kW; C350 CDI 4matic 3.0l 170 kW				
NW		509107 0517L	Sport exhaust left with 1 tail pipe 138x90 mm angled	352,00
NW		509107 0517R	Sport exhaust right with 1 tail pipe 138x90 mm angled (Sport exhaust L/R only fits as a complete system!)	352,00

C-Class C63 AMG W204 Sedan & S204 T-model, 6/2011=> C63 AMG 6.3l V8 336 kW No vehicle modifications are required!				
			RACING cat-back system L/R consisting of:	
NW		509511 0500LR	RACING cat-back-system consisting of: Resonated cat-back section, left & right sport exhausts, without homologation (Original tube Ø 65 mm, REMUS tube Ø 70 mm) Choose from following tail pipe package:	1.490,00
NW		0446 70SG	Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, straight cut, chromed, (length 145 mm), with adjustable spherical clamp connection	280,00
NW		0446 70CS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 102 mm angled (length 145 mm), Titanium internals, with adjustable spherical clamp connection	740,00

E-Class W211 Sedan & S211 Estate E200 compressor 1.8l 120 kW, NOV2001=>; E240 2.6l 120/130 kW, 2002=>; E240 4matic 2.6l 120/130 kW, NOV2001=>; E280 3.0l 170 kW, 2005=>; E320 3.2l 165 kW, 2002=>; E320 4matic 3.2l 165 kW, NOV2001=>; E350 3.5l 200 kW, 2005=>; E500 5.0l 225 kW, 2002=>; E500 4matic 5.0l 225 kW, NOV2001=>; E270CDI 2.7l CDI 120 / 130 kW, 2002=>; E280 CDI 3.2l 130 kW, NOV2001=>; E280 CDI 3.0l CDI 140 kW, 2005=>; E320 CDI 3.2l CDI 150 kW, 2002=>; E320 CDI 3.0l CDI 165 kW, 2005=>; E400 CDI 4.0l 191 kW, NOV2001=>				
			Sport exhaust system L/R consisting of:	
NW		509502 0500LR	Sport exhaust left and sport exhaust right (without tail pipes)	583,00
NW		0026 18	Tail pipe set L/R consisting of 2 tail pipes 133x85 mm angled/angled, chromed, with adjustable spherical clamp connection	196,00

S-Class W221, 2005=> S350 3.5l V6 200 kW; S500 5.5l V8 285 kW				
2)	509405 0504L		Sport exhaust left with 2 tail pipes Ø 76 mm	499,00
2)	509405 0504R		Sport exhaust right with 2 tail pipes Ø 76 mm (Sport exhaust L/R only fits as a complete system!)	499,00

S-Class W222, 2013=> S500 4.7l 335 kW (M278 929) If mounting only sport exhaust left/right without REMUS front silencer the serial exhaust system has to be cut!				
	509013 0300		Front silencer Sport exhaust left with 2 tail pipes Ø 84 mm angled	367,00
	509013 0556L		with vacuum operated valve, incl. EEC homologation The valve position is vacuum controlled via the onboard electronics.	735,00
	509013 0556R		Sport exhaust right with 2 tail pipes Ø 84 mm angled with vacuum operated valve, incl. EEC homologation The valve position is vacuum controlled via the onboard electronics. (Sport exhaust L/R only fits as a complete system!)	735,00
			Cat-back-system: Sport exhaust in connection with front silencer.	

S-Class S63 AMG Coupe, type 217, 2015=> S63 AMG Coupe / S63 AMG 4matic Coupe 5.5l V8 430 kW No vehicle modifications required! Suitable for the original exhaust outlets!				
NW	"	509515 0500LR	Performance cat-back-system consisting of: Resonated cat-back section, left & right sport exhausts, suitable for the original exhaust outlets with integrated valves, incl. EEC homologation Original tube Ø 70 mm, REMUS tube Ø 76 mm The supplied actuator activates the valve to factory preset positions via the vehicle onboard electronics.	2.850,00

CLK W208 Coupé & Cabrio CLK200 2.0l 100/120 kW, 1997=>; CLK230 compressor 2.3l 142 kW; CLK 280 2.8l 145 kW; CLK320 3.2l 160 kW, 1997=> When mounting on CLK models the rear skirt has to be slightly cut!				
NW		509197 0548	Sport exhaust with 2 tail pipes 74x65 mm angled	465,00
NW		509197 0540P	Sport exhaust with 1 tail pipe 140x72 mm mat polished	353,00

SLK R170 SLK200 2.0l 100 kW, SEP1996=>; SLK230 compressor. 2.3l 142 kW, SEP1996=>; SLK200 compressor. 2.0l 141 kW, SEP1996=>; SLK200 compressor. 2.0l 120 kW, 2001=>				
NW		507696 0300	Front silencer	192,00
NW		507696 0506	Sport exhaust with 2 tail pipes Ø 90 mm (Front silencer & sport exhaust only fits as a complete system!)	483,00
			Cat-back-system: Sport exhaust in connection with front silencer.	

SLK R171 SLK280 3.0l 170 kW, 2004=>; SLK350 3.5l 200 kW, 2004=>				
	°	509004 0554L	Sport exhaust left with 2 tail pipes Ø 70 mm	420,00
	°	509004 0554R	Sport exhaust right with 2 tail pipes Ø 70 mm	420,00

SLK R172 SLK200 1.8l 135 kW (271861); SLK250 1.8l 150 kW (271861); SLK350 3.5l 225 kW (276956)				
NW		509111 0504L	Sport exhaust left with 2 tail pipes Ø 76 mm	435,00
NW		509111 0504R	Sport exhaust right with 2 tail pipes Ø 76 mm (Sport exhaust L/R only fits as a complete system!)	435,00

SL R129 280SL 142 kW; 280SL 2.8l 150 kW; 300SL 170 kW; 300SL 140 kW; 300SL 24V 170 kW; 320SL 3.2l 165/170 kW; 500SL 5.0l 235 kW; 500SL 240 kW				
---	--	--	--	--

From September 1995 (Facelift R129) use 507096 0000! (slide connection instead of flange connection)		
NW	507096 0000	Connection tube for mounting on Facelift models up from Sept. 1995
NW	507293 0510	Sport exhaust with 2 tail pipes 135x75 mm

M-Class W164, 2005=>		
ML 500 5.0l V8 225 kW; ML 280 Cdi 140 kW; ML 320 Cdi 165 kW		
	509305 0554L	Sport exhaust left with 2 tail pipes Ø 70 mm
	509305 0554R	Sport exhaust right with 2 tail pipes Ø 70 mm

MINI	Art.Nr.	Description	€ exkl. MwSt. € excl. VAT
------	---------	-------------	------------------------------

One & One Cabrio R50, 2001=> / 2002=> / 2004=>			
1.6l 66 kW (W10B16A)			
Cooper & Cooper Cabrio R52, 2001=> / 2002=> / 2004=>			
1.6l 85 kW (W10B16A)			
Cooper R56, 2006=>			
1.6l 88 kW (N12B16A)			
One R56 N12, 2007=>			
1.4l 70 kW (N12B14A)			
When mounting to 2001 models, use original BMW bracket (part no. 18 20 7 521 427) of the 2002 model!			
	AD0009	Distance tube F for mounting on 1.4l 70 kW model	22,00
NW	754106 0598C	Sport exhaust with 1 tail ppe Ø 98 mm Street Race	463,00

One R50, 2004=>			
1.4l Diesel 55 kW			
	1) 2)	<u>PowerSound sport exhaust system consisting of:</u> PowerSound sport exhaust with manual valve control system (without tail pipes) 2 tail pipes Ø 76 mm	336,00 122,00

Cooper S R50, 2002=>			
1.6l 120 kW			
Cooper S R53 & Cooper S Cabrio R53, 2004=>			
1.6l 16V 125 kW (no homologation)			
NW	754602 5584C	Sport exhaust left and sport exhaust right with centered 2 tail pipes Ø 84 mm Street Race (tail pipe position in the middle of the rear skirt)	736,00

Cooper S R56, 2007=>			
1.6l 16V 128 kW			
		<u>PowerSound sport exhaust system centered consisting of:</u> PowerSound sport exhaust with manual valve control system (without tail pipes)	374,00
NW	1)	<u>Choose from following tail pipe package:</u> Tail pipe set 2 tail pipes Ø 102 mm	160,00
NW		Tail pipe set 2 tail pipes Ø 98 mm Street Race	176,00
NW		Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome	198,00

Cooper S R56, 2012=>			
1.6l 135 kW (N18B16A)			
Cooper S Cabrio R57, 2009=>			
1.6l 128 kW (N14B16A); 1.6l 135 kW (N18B16A)			
Cooper S Coupe R58, 2011=>			
1.6l 135 kW (N18B16A)			
John Cooper Works "JCW", R56, R57, R58			
1.6l Turbo 155 kW (N14B16C)			
		<u>PowerSound sport exhaust system centered consisting of:</u> PowerSound sport exhaust with manual valve control system (without tail pipes) (Original tube Ø 55 mm, REMUS tube Ø 65 mm)	360,00
NW	1) *	<u>Choose from following tail pipe package:</u> Tail pipe set 2 tail pipes Ø 102 mm	160,00
NW		Tail pipe set 2 tail pipes Ø 98 mm Street Race	176,00
NW		Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome	198,00

One F55 (5 door), 2014=>			
1.2l 75 kW			
Cooper F55 (5 door), 2014=>			
1.5l 100 kW			
		Axle-back-system: 754514 0500 + tail pipe set! The original exhaust must be cut! No rear skirt modifications required!	
		Cat-back-system: AD0190 + AD0194 + 755014 0300 resp. 755014 0000 (Racing) + 754514 0500 + tail pipe set! No vehicle modifications required!	
NW	AD0190	Distance tube A8 for mounting of 755014 0000 respectively 755014 0300 onto the original catalytic converter	22,00
NW	AD0194	Distance tube E8 (length compensation) for mounting of 755014 0000 respectively 755014 0300 onto F55 (5 door) models	18,00
NW	755014 0000	RACING section without homologation, instead of front silencer, pipe Ø 70 mm	153,00
NW	755014 0300	resonated front section, pipe Ø 70 mm	245,00
		<u>Sport exhaust system consisting of:</u> Sport exhaust for left-system (without tail pipes), pipe Ø 70 mm	353,00
NW	754514 0500	<u>Choose from following tail pipe package:</u> 1 tail pipe Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	70,00
NW	0006 70SG	1 tail pipe Ø 102 mm angled, chromed, with adjustable spherical clamp connection	80,00
NW	0006 70S	1 Carbon tail pipe Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	185,00
NW	0006 70CS	1 tail pipe Ø 98 mm Street Race, with adjustable spherical clamp connection	98,00
NW	0006 98C	1 tail pipe Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	110,00
NW	0006 98CB		

One F56 (3 door), 2014=>			
1.2l 75 kW			
Cooper F56 (3 door), 2014=>			
1.5l 100 kW			
		Axle-back-system: 754014 0500 + tail pipe set! The original exhaust must be cut! No rear skirt modifications required!	
		Cat-back-system: AD0190 + 755014 0300 resp. 755014 0000 (Racing) + 754014 0500 + tail pipe set! No vehicle modifications required!	
NW	AD0190	Distance tube A8 for mounting of 755014 0000 respectively 755014 0300 onto the original catalytic converter	22,00
NW	755014 0000	RACING section without homologation, instead of front silencer, pipe Ø 70 mm	153,00
NW	755014 0300	resonated front section, pipe Ø 70 mm	245,00
		<u>Sport exhaust system consisting of:</u> Sport exhaust for left-system (without tail pipes), pipe Ø 70 mm	353,00
NW	754014 0500	<u>Choose from following tail pipe package:</u> 1 tail pipe Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	70,00
NW	0006 70SG	1 tail pipe Ø 102 mm angled, chromed, with adjustable spherical clamp connection	80,00
NW	0006 70S	1 Carbon tail pipe Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	185,00
NW	0006 70CS	1 tail pipe Ø 98 mm Street Race, with adjustable spherical clamp connection	98,00
NW	0006 98C	1 tail pipe Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	110,00
NW	0006 98CB		

Cooper S F55 (5 door), 2014=>			
2.0l Turbo 141 kW			
Axle-back: when installing 755514 097, the original exhaust must be cut!			
Cat-back-system: sport exhaust 755514 097 in connection with length compensation AD0194 (Only for F55) and resonated section 755014 0300 respectively Racing section 755014 0000 and optional adaptor AD0181 can be installed witho			
NW	AD0181	Distance tube U7 for mounting of 755014 0000 respectively 755014 0300 on China/USA/Korea models	15,00
NW	AD0194	Distance tube E8 (length compensation) for mounting of 755014 0000 respectively 755014 0300 onto F55 (5 door) models	18,00
NW	755014 0000	RACING section without homologation, instead of front silencer, pipe Ø 70 mm	153,00
NW	755014 0300	resonated front section, pipe Ø 70 mm	245,00
		<u>Sport exhaust system consisting of:</u>	

NW	"	755514 097	Sport exhaust centered (without tail pipes) with integrated valve, incl. EEC homologation REMUS tube Ø 70 mm It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve is carried out using the supplied remote control key fob. The sound controller and electrical actuator which allows the valve to be operated in 4 different positions.	675,00
			<u>Choose from following tail pipe package:</u> Tail pipe set 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	
			Tail pipe set 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	
			Tail pipe set 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	
			Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	
NW	"	0026 70SG	Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
NW	"	0026 70S		140,00
NW	"	0026 70CS		160,00
NW	"	0026 98C		370,00
NW	"	0026 98CB		196,00
NW	"	0026 98CB		220,00

Cooper S F56 (3 door), 2014=>				
Cooper S F57 (Cabrio 3door), 2015=>				
2.0i Turbo 141 kW				
Axle-back: when installing 755014 097, the original exhaust must be cut!				
Cat-back-system: sport exhaust 755014 097 in connection with resonated section 755014 0300 respectively Racing section 755014 0000 and optional adaptor AD0181 can be installed without any vehicle modifications.				
NW	"	AD0181	Distance tube U7 for mounting of 755014 0000 respectively 755014 0300 on China/USA/Korea models	15,00
			RACING section without homologation, instead of front silencer, pipe Ø 70 mm	
			resonated front section, pipe Ø 70 mm	
NW	"	755014 0000	<u>Sport exhaust system consisting of:</u>	245,00
NW	"	755014 0300		675,00
NW	"	0026 70SG	Tail pipe set 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	140,00
			Tail pipe set 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	
			Tail pipe set 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	
NW	"	0026 70S	Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	160,00
			Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	
NW	"	0026 70CS		370,00
NW	"	0026 98C		196,00
NW	"	0026 98CB		220,00

Cooper S Clubman R55, 2008=>				
1.6i 128 kW (N14B16A)				
NW	"	754108 0598CLR	Sport exhaust left and sport exhaust right with each 1 tail pipe Ø 98 mm Street Race	643,00
Cooper S Clubman F54 (5 door), 2016=>				
2.0i Turbo 141 kW				
NW	"	756016 1500	Cat-back-system: 756016 1500 + tail pipe set ! No vehicle modifications required! Cat-back-system L/R (without tail pipes) with integrated valves, incl. EEC homologation Original tube Ø 65 mm, REMUS tube Ø 70 mm It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve is carried out using the supplied remote control key fob. The sound controller and electrical actuator which allows the valve to be operated in 4 different positions.	835,00
NW	"	0026 70SG	Choose from following tail pipe package: Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	140,00
NW	"	0026 70SS	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	160,00
NW	"	0026 70CSS	Tail pipe set L/R consisting of 2 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection	370,00
NW	"	0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	196,00
NW	"	0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
Cooper S Countryman R60 ALL4, type UKL/X, 2010=>				
1.6i Turbo 135 kW (N18B16A)				
Cooper SD Countryman R60 LCI ALL4, 2011=>				
2.0i SD 105 kW				
Cooper S Countryman R60 LCI ALL4, 7/2014=>				
1.6i Turbo 140 kW				
NW	"	754011 0500	Axle-back-system: The original exhaust must be cut! No rear skirt modifications required! <u>Sport exhaust system L/R consisting of:</u> Sport exhaust for L/R system (without tail pipes) Original tube Ø 55 mm, REMUS tube Ø 55 mm	407,00
NW	"	0026 70SG	Choose from following tail pipe package: Tail pipe set 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	140,00
NW	"	0026 70S	Tail pipe set 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	160,00
NW	"	0026 70CS	Tail pipe set 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	370,00
NW	"	0026 98C	Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	196,00
NW	"	0026 98CB	Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00

Cooper S Countryman R60 ALL4, type UKL/X, 2010=>				
1.6i Turbo 135 kW (N18B16A)				
Cooper SD Countryman R60 LCI ALL4, 2011=>				
2.0i SD 105 kW				
Cooper S Countryman R60 LCI ALL4, 7/2014=>				
1.6i Turbo 140 kW				
Axle-back-system: The original exhaust must be cut! No rear skirt modifications required!				
<u>Sport exhaust system L/R consisting of:</u>				
NW	"	754011 0500	Sport exhaust for L/R system (without tail pipes) Original tube Ø 55 mm, REMUS tube Ø 55 mm	407,00
			<u>Choose from following tail pipe package:</u> Tail pipe set 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	
			Tail pipe set 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	
NW	"	0026 70SG	Tail pipe set 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	140,00
			Tail pipe set 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	
			Tail pipe set 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	
NW	"	0026 70S	Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	160,00
			Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	
NW	"	0026 70CS		370,00
NW	"	0026 98C		196,00
NW	"	0026 98CB		220,00

2.0i SD 105 kW Cooper S Paceman R61 ALL4, 7/2014=> 1.6i Turbo 140 kW			
		Axle-back-system: 754011 0500 + tail pipe set! The original exhaust must be cut! No rear skirt modifications required! Sport exhaust for L/R system (without tail pipes) Original tube Ø 55 mm, REMUS tube Ø 55 mm Choose from following tail pipe package: Tail pipe set 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection Tail pipe set 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	
NW	754011 0500		407,00
NW	0026 70SG		140,00
NW	0026 70S		160,00
NW	0026 70CS		370,00
NW	0026 98C		196,00
NW	0026 98CB		220,00

John Cooper Works "JCW", R56, R57, R58 1.6i Turbo 155 kW (N14B16C)			
		PowerSound sport exhaust system centered consisting of: PowerSound sport exhaust with manual valve control system (without tail pipes) (Original tube Ø 55 mm, REMUS tube Ø 65 mm) Choose from following tail pipe package: Tail pipe set 2 tail pipes Ø 102 mm Tail pipe set 2 tail pipes Ø 98 mm Street Race Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome	
NW	1) ° 755109 099		360,00
NW	0010 70		160,00
NW	0010 98C		176,00
NW	0010 98CB		198,00

John Cooper Works "JCW" F56 (3 door), 2015=> John Cooper Works "JCW" F57 (Cabrio 3 door), 2015=> 2.0i Turbo 170 kW			
		Cat-back sport exhaust system: Distance tube U7 for mounting of 756015 397 on China/USA/Korea models Cat-back-system consisting of 1 front silencer replacement tube, 1 connection tube and sport exhaust centered (without tail pipes) with integrated valve, incl. EEC homologation REMUS tube Ø 70 mm It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve is carried out using the supplied remote control key fob. The sound controller and electrical actuator which allows the valve to be operated in 4 different positions. Choose from following tail pipe package: Tail pipe set 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection Tail pipe set 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	
NW	AD0181		15,00
NW	" 756015 397		790,00
NW	0026 70SG		140,00
NW	0026 70S		160,00
NW	0026 70CS		370,00
NW	0026 98C		196,00
NW	0026 98CB		220,00

MITSUBISHI

Art.Nr. Description € exkl. MwSt.
€ excl. VAT

Lancer Evolution VII, 2001=> 2.0i Turbo 206 kW			
2)	556001 0580TD	Sport exhaust with 1 tail pipe Ø 115 mm Turbo Design	411,00

Carisma, 2001=> 1.9i DiD 75 kW			
°	555001 0502	Sport exhaust with 2 tail pipes 92x78 mm	420,00

Space Wagon Allrad 2.0i 98 kW			
2)	557593 0500	Sport exhaust (without tail pipes)	205,00
2)	557593 0601	Connection tube with 1 tail pipe 92x78 mm (Sport exhaust and connection tube only fits as a complete system!)	105,00

Space Star, 2001=>, 2003=> 1.9i Di-D 75/85 kW			
2)	555502 0501	Sport exhaust with 1 tail pipe 92x78 mm	370,00

NISSAN

Art.Nr. Description € exkl. MwSt.
€ excl. VAT

Micra, type K11, 2002=> 1.5i Diesel 42 kW			
°	601102 0501	Sport exhaust with 1 tail pipe 92x78 mm	250,00

Micra, type K12, MAI2005=> 1.2i 48 kW			
2)	602005 0588	Sport exhaust with 2 tail pipes Ø 84 mm Edition	370,00

Micra C+C Cabrio, 2006=> 1.4i 16V 65 kW			
°	602505 0532	Sport exhaust with 2 tail pipes 82x67 mm	378,00

Almera Fastback, 5 door, 2000=> 2.2i 16V TD 81 kW			
2)	606200 0501	Sport exhaust with 1 tail pipe 92x78 mm	337,00

Primera Sedan, type P12, DEZ2001=> <=MAI2002 1.8i 16V 85 kW			
2)	605002 0501	Sport exhaust with 1 tail pipe 92x78 mm	343,00

Primera Sedan, type P12, 2002=> 2.2i TDI 93 kW			
°	606302 0501	Sport exhaust with 1 tail pipe 92x78 mm	350,00

Primera Touring, type P12, 2002=> 2.2i TDI 93 kW			
2)	606302 3501	Sport exhaust with 1 tail pipe 92x78 mm	343,00

Juke, type F15, 2WD, 2010=> 1.6i 86 kW (HR16); 1.6i 140 kW (MR16); 1.5i dCi 81 kW (K9K) Juke Facelift, type F15, 2WD, 2014=> 1.6i 140 kW (MR16)			
		Axle-back-system: 604111 0500 + tail pipe set! The skirt outlet must be trimmed as per the enclosed template! No cutting of original exhaust required! Sport exhaust system consisting of: Sport exhaust for left-system (without tail pipes) Original tube Ø 50 mm, REMUS tube Ø 54 mm Choose from following tail pipe package: Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	
NW	604111 0500		270,00
NW	0026 55S		150,00
NW	0026 83C		170,00
NW	0026 83CS		180,00
NW	0026 83CB		194,00
NW	0026 83CTS		340,00

Qashqai, type J11, 2WD, 2013=> 1.2i DIG-T 85 kW; 1.6i 120 kW; 1.5i dCi 81 kW, 1.6i dCi 96 kW		
Qashqai, type J11, 4WD, 2013=> 1.6i 120 kW; 1.6i dCi 96 kW		
NW	604014 0000	Connection tube for mounting on 1.2i DIG-T 85 kW, 1.5i dCi 81 kW, 1.6i dCi 96 kW 2WD Sport exhaust system L/R consisting of: Sport exhaust centered for L/R system (without tail pipes) Tail pipe set L/R consisting of 2 tail pipes 142x72 mm angled/angled, chromed, with adjustable spherical clamp connection
NW	604114 0500	
NW	0026 14SS	

350Z, 2003=> 3.5i V6 206 kW, 2003=>; 3.5i V6 221 kW type Z33, 2006=>		
NW	609103 1570S	Sport exhaust with L/R each 1 tail pipe Ø 102 mm angled

370Z Coupé & Cabrio, type Z34, 2010=> 3.7i 241/243 kW (VQ37)		
NW	608609 1585S	Sport exhaust centered with L/R each 1 tail pipe Ø 127 mm angled

GT-R, type R35, 2009=> 3.8i 357 kW (VR38)		
4)	609009 1100	Cat. replacement tube, without homologation

OPEL			€ exkl. MwSt.
Art.Nr.		Description	€ excl. VAT

Corsa C 1.0i 12V 43 kW, 2000=>; 1.0i 16V 44 kW, 2003=>; 1.2i 16V 55 kW, 2000=>; 1.2i 59 kW, 2005=>; 1.4i 16V 66 kW, 2000=>; 1.8i 16V 92 kW, 2000=> 1.3i CDTi 51 kW, 2003=>; 1.7i DI 16V 48 kW, 2000=>; 1.7i DI 16V 55 kW, 2000=>; 1.7i CDTi 74 kW, 2003=>		
	AD0045	Distance tube O1 for mounting of sport exhaust on original front silencer at 1.0i model
NW	622603 0512	Sport exhaust with 1 tail pipe 120x74 mm

Corsa D, with original rear skirt, 2006=> 1.0i 44 kW (Z10XEP); 1.2i 59 kW (Z12XEP); 1.4i 66 kW (Z14XEP) When fitting L/R system, the rear skirt must be trimmed as per the supplied template!		
	AD0096	Distance tube I6 for mounting on 1.0i 44 kW model with 625006 1570
	AD0009	Distance tube F for mounting on 1.2i 59 kW model with 625006 1570
2)	625006 1570	Sport exhaust with L/R each 1 tail pipe Ø 102 mm

Corsa D, with original sport rear skirt, 2006=> 1.0i 44 kW (Z10XEP); 1.2i 59 kW (Z12XEP); 1.4i 66 kW (Z14XEP); 1.0i 48 kW (A10XEP), 2010=>; 1.2i 51 kW (A12XER/A12XEL), 2010=>; 1.2i 63 kW (A12XER), 2010=>; 1.4i 74 kW (A14XER), 2010=> When fitting L/R system, the rear skirt must be trimmed as per the supplied template!		
	AD0096	Distance tube I6 for mounting on 1.0i 44 kW model with 625106 1570
	AD0009	Distance tube F for mounting on 1.2i 59 kW model with 625106 1570
2)	625106 1570	Sport exhaust with L/R each 1 tail pipe Ø 102 mm

Corsa D, with original rear skirt, 2006=> 1.3i CDTi 55 kW (Z13DTJ); 1.3i CDTi 66 kW (Z13DTH); 1.7i CDTi 92 kW (Z17DTR) When fitting L/R system, the rear skirt must be trimmed as per the supplied template!		
2)	625006 1570	Sport exhaust with L/R each 1 tail pipe Ø 102 mm

Corsa D, with original sport rear skirt, 2006=> 1.3i CDTi 55 kW (Z13DTJ); 1.3i CDTi 66 kW (Z13DTH); 1.7i CDTi 92 kW (Z17DTR) When fitting L/R system, the rear skirt must be trimmed as per the supplied template!		
2)	625106 098	Sport exhaust system consisting of: Sport exhaust left (without tail pipes) Choose from following tail pipe package:
NW	0007 05G	1 tail pipe Ø 90 mm straight
NW	0007 70	1 tail pipe Ø 102 mm
NW	0007 83C	1 tail pipe Ø 84 mm Street Race
NW	0007 83CS	1 tail pipe Ø 84 mm Carbon Race
NW	0007 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome
NW	0007 98C	1 tail pipe Ø 98 mm Street Race
NW	0007 98CB	1 tail pipe Ø 98 mm Street Race Black Chrome
		Alternative: Sport exhaust system L/R
2)	625106 1570	Sport exhaust with L/R each 1 tail pipe Ø 102 mm

Tigra A Coupé, Type S93, 1994=> 1.4i 66 kW; 1.6i 78 kW		
2)	622594 0532	Sport exhaust with 2 tail pipes 82x67 mm

Tigra Coupé & Cabrio, Type X-C, 2004=> 1.4i 66 kW (Z14XEP); 1.8i 92 kW (Z18XE)		
NW	622603 0512	Sport exhaust with 1 tail pipe 120x74 mm

Astra F-CC Fastback, <=Chassis no. T ... 1.8i 66 kW; 2.0i GSi 85 kW		
	622001R	Cat. replacement tube for 1.8i 66 kW, 2.0i 85 kW, without homologation

Astra F Caravan, Chassis no. T ... => 3-point-mounting 1.8i 16V 85 kW; 2.0i 16V 100 kW (not for automatic)		
2)	626095 2502	Sport exhaust with 2 tail pipes 92x78 mm

Astra F Sedan, Chassis no. T ... => 3-point-mounting 1.4i 44/55/60 kW; 1.6i 55/74 kW; 1.8i 66 kW; 1.7i Diesel 42/50 kW; 1.7i TD 60 kW		
2)	622596 2504	Sport exhaust with 2 tail pipes Ø 76 mm

Astra F Sedan, Chassis no. T ... => 3-point-mounting 1.8i 16V 85 kW; 2.0i 16V 100 kW (not for automatic)		
2)	622096 2502	Sport exhaust with 2 tail pipes 92x78 mm
2)	622096 2504	Sport exhaust with 2 tail pipes Ø 76 mm

Astra G Caravan (flange connection), Type T98/Kombi 2.0i Turbo 141/147 kW & OPC (Z20LET); 2.0i DTI 74 kW (Y20DTH), JUL2002=> <=Chassis no. 3600000; 2.2i DTI 92 kW (Y22DTR), JUL2002=> <=Chassis no. 3600000		
	626102 3502	Sport exhaust with 2 tail pipes 92x78 mm, not suitable in combination with a towbar!

Astra G-CC Hatchback, typ T98, 3 & 5 door (slip connection) 2.0i DTI 74 kW (Y20DTH) 2003=>.Chassis no. 3500001=>; 2.2i DTI 92 kW (Y22DTR) 2003=>.Chassis no. 3500001=>		
	626103 0502	Sport exhaust with 2 tail pipes 92x78 mm, not suitable in combination with a towbar!
2)	626103 0506	Sport exhaust with 2 tail pipes Ø 90 mm, not suitable in combination with a towbar!

Astra G-Sedan (slip connection), type T98/NB 1.6i 55/62 kW (Z16SE), 2003=>.Chassis no. Y2230813=>; 1.6i 76 kW (Z16XEP), 2003=>.Chassis no. Y2230813=>; 1.6i 74 kW (Z16XE), 2003=>.Chassis no. Y2230813=>; 1.8i 85/92 kW (Z18XE), 2003=>.Chassis no. Y2230813=>		
2)	624503 2502	Sport exhaust with 2 tail pipes 92x78 mm, not suitable in combination with a towbar!

Astra G Sedan (slip connection), type T98/NB 2.0i DTI 74 kW (Y20DTH), 2003=>.Chassis no. 3200001=>; 2.2i DTI 92 kW (Y22DTR), 2003=>.Chassis no. 3200001=>		
---	--	--

2)	626103 2502	Sport exhaust with 2 tail pipes 92x78 mm, not suitable in combination with a towbar!	382,00
----	-------------	--	--------

Astra G Caravan (slip connection), type T98/Kombi			
2.0i DTI 74 kW (Y20DTH), 2003=>,Chassis no. 3600001=>; 2.2i DTI 92 kW (Y22DTR), 2003=>,Chassis no. 3600001=>			
o	626103 3502	Sport exhaust with 2 tail pipes 92x78 mm, not suitable in combination with a towbar!	376,00

Astra G-Coupé (slip connection), Type T98C			
2.0i DTI 74 kW (Y20DTH), 2003=>,Chassis no. 3800001=>; 2.2i DTI 92 kW (Y22DTR), 2003=>,Chassis no. 3800001=>			
2)	625503 0502	Sport exhaust with 2 tail pipes 92x78 mm	370,00

Astra H Hatchback, 2004=>			
2.0i Turbo 125 kW (Z20LEL)			
If using on cars with sport rear bumper this must be trimmed as per the supplied template when fitting on models with sport rear skirt!			
1) °	626204 099	PowerSound sport exhaust system consisting of: PowerSound sport exhaust with manual valve control system (without tail pipes) Choose from following tail pipe package: 2 tail pipes Ø 76 mm 2 tail pipes Ø 84 mm Street Race 2 tail pipes Ø 84 mm Street Race Black Chrome Alternative: PowerSound Sport exhaust system L/R consisting of: PowerSound sport exhaust with manual valve control system (without tail pipes) Choose from following tail pipe package: Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm Rallye-Design Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm straight	322,00
NW	0008 04		125,00
NW	0008 84C		159,00
NW	0008 84CB		184,00
1) °	626204 199		350,00
	0112 66		388,00
	0112 04G		330,00

Astra H 3 & 5 door Hatchback, 2005=>			
Astra H GTC Coupé 3 door, 2005=>			
2.0i Turbo 147 kW (Z20LER)			
2)	626005 0502	Sport exhaust with 2 tail pipes 92x78 mm	395,00

Astra H Hatchback, 2004=>			
Astra H GTC Coupé, 2005=>			
1.7i CDTi 59 kW (Z17DTL); 1.7i CDTi 74 kW (Z17DTH); 1.9i CDTi 88 kW (Z19DTH); 1.9i CDTi 110 kW (Z19DTH)			
If using on cars with sport rear bumper this must be trimmed as per the supplied template when fitting on models with sport rear skirt!			
2)	626404 198	Sport exhaust system L/R consisting of: Sport exhaust for L/R system (without tail pipes)	269,00
	0112 04G	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm straight	330,00

Astra H Twin Top, 2006=>			
1.6i 77 kW (Z16XEP); 1.6i 85 kW (Z16XER); 1.8i 103 kW (Z18XER)			
2)	624006 098	Sport exhaust system consisting of: Sport exhaust left (without tail pipes) Choose from following tail pipe package: 1 tail pipe Ø 90 mm straight 1 tail pipe Ø 102 mm 1 tail pipe Ø 84 mm Street Race 1 tail pipe Ø 84 mm Carbon Race 1 tail pipe Ø 84 mm Street Race Black Chrome 1 tail pipe Ø 98 mm Street Race 1 tail pipe Ø 98 mm Street Race Black Chrome	286,00
NW	0007 05G		73,00
NW	0007 70		80,00
NW	0007 83C		82,00
NW	0007 83CS		88,00
NW	0007 83CB		94,00
NW	0007 98C		88,00
NW	0007 98CB		99,00

Astra J Hatchback, type P-J, 2009=>			
1.4i 64 kW (A14XER/A14XEL), 1.4i 74 kW (A14XER); 1.4i Turbo Ecotec 103 kW (A14NET); 1.6i Ecotec 85 kW (A16XER)			
The rear skirt must be trimmed as per the supplied template!			
2)	625009 1584C	Sport exhaust with L/R each 2 tail pipes Ø 84 mm Street Race (not for Astra J GTC)	770,00

Vectra A 4x4, JAN1989=>			
2.0i 16V 110 kW			
2)	627001R	Cat. replacement tube for Calibra 4x4/Vectra 4x4 2.0i 110 kW, without homologation	185,00

Vectra B Fastback / Sedan / Caravan, Type J96, Type J96/KOMBI, 1996=>			
Vectra B Facelift Sedan / Fastback / Caravan, Type J96, Type J96/KOMBI, 1999=>			
1.6i 16V 74 kW, 1996=>; 1.8i 16V 85 kW, 1996=>; 1.8i 16V 92 kW, 2001=>; 2.0i 16V 100 kW, 1996=>; 2.2i 16V 108 kW, 2001=>; 2.5i V6 125 kW, 1996=>; 2.6i V6 125 kW, 2001=>			
I500 2.5i V6 143 kW, 1998=>; 2.0i DI 16V 60 kW, OCT1996=>; 2.0i TDI 16V 74 kW, OCT1997=>; 2.0i DTI 16V 74 kW, 1999=>; 2.2i DTI 16V 88 kW, 2001=>; 2.2i DTI 16V 92 kW, 2001=>			
	625099 0000	RACING tube without homologation, instead of front silencer, only for 1.8i 85 kW, 2.0i 100 kW, 2.5i V6 125 kW	121,00
2)	625099 0504	Sport exhaust with 2 tail pipes Ø 76 mm, suitable in combination with a towbar! Cat-back-system: Sport exhaust in connection with RACING tube.	429,00

Insignia Sedan & Fastback, type 0G-A, 2008=>			
2.0i CDTi 81 kW (A20DTC); 2.0i CDTi 96 kW (A20DTH); 2.0i CDTi 118 kW (A20DTH)			
Left system - when fitting on "SELECTION" models the rear bumper must be trimmed as per the enclosed template.			
Mounting of the L/R-system is only possible in combination with the Y-pipe. The rear bumper must be trimmed as per the enclosed template, alternatively use the original rear bumper of the OPEL Insignia 2.8i V6 (part no GM 13269546).			
	626008 0598CL	Diesel-Sound-System sport exhaust left with 1 tail pipe Ø 98 mm Street Race	319,00
	626008 0000	Alternative: Sport exhaust system L/R Y-tube for mounting of the sport exhaust L/R	112,00
	626008 0598CL	Diesel-Sound-System sport exhaust left with 1 tail pipe Ø 98 mm Street Race	319,00
	626008 0598CR	Diesel-Sound-System sport exhaust right with 1 tail pipe Ø 98 mm Street Race (Sport exhaust L/R only fits as a complete system!)	334,00

Insignia 4x4 Turbo Sedan & Fastback, type 0G-A, 2008=>			
2.0i Turbo 162 kW (A20NHT)			
	AD0145	Distance tube U6 for mounting necessary (2x)!	22,00
	626008 0598CL	Sport exhaust left with 1 tail pipe Ø 98 mm Street Race	319,00
	626008 0598CR	Sport exhaust right with 1 tail pipe Ø 98 mm Street Race (Sport exhaust L/R only fits as a complete system!)	334,00

Calibra 4x4, FEB1990=>			
2.0i 16V 110 kW			
2)	627001R	Cat. replacement tube for Calibra 4x4/Vectra 4x4 2.0i 110 kW, without homologation	185,00

Calibra 16V & V6, 1993=>			
16V 110 kW , Mod. 1993=>; V6 125 kW Mod. 93; 16V 100 kW, 1994=>; 16V 100 kW (X20XEV)			
o	626093 0300	Front silencer	396,00

Omega B Caravan, 1994=>			
2.0i 85/100 kW			
o	626094 3548	Sport exhaust with 2 tail pipes 74x65 mm angled	420,00

GT, 2007=>			
2.0i Turbo 194 kW			
NW	626108 1556	Sport exhaust centered with L/R each 2 tail pipes Ø 84 mm angled	844,00

Antara, 2WD & 4WD, type L-A, 2007=>			
2.4i 103 kW (Z24SED); 2.0i CDTi 110 kW (Z20S); 3.2i V6 167 kW (Z32SE)			
The rear skirt must be trimmed as per the supplied template!			
o	626007 198	Sport exhaust system L/R consisting of: Sport exhaust for L/R system (without tail pipes) Choose from following tail pipe package: Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	440,00
NW	0411 05G		146,00

REMUS sport exhausts only fit in combination with the original rear skirt if nothing else is mentioned!

Errors & omissions excepted!

empf. VK €
RRP €

NW	0411 70	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm	160,00
NW	0411 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race	170,00

PEUGEOT

Art.Nr.	Description	€ exkl. MwSt. € excl. VAT
205 GTI, 1984=> type 741B, 741C, 20C, 20D; 1.6l 76/83 kW		
205 GTI, CTI cat., 1987=> 1.9l 75/88 kW, RX up to 1988		
2) 662084 0562	Sport exhaust with 2 tail pipes Ø 70 mm RACING Look	395,00
2) 662084 0511	Sport exhaust with 1 tail pipe 135x75 mm Rallye-Design	411,00
205 GTI, type 20C, 1988=> 1.9l 88 kW with cat.		
205 CTI, type 20D 1.9l 75 kW with cat., 205 GT		
2) 665088 0511	Sport exhaust with 1 tail pipe 135x75 mm Rallye-Design	411,00
206, type 2, 1998=> 1.1l 40 kW (HFY), 1.1l 44 kW (HFZ/HFX); 1.4l 55 kW (KFX/KFW); 1.6l 65 kW (NFZ); 1.6l 16V 80 kW (NFU) 2001=>		
NW 662698 0595P	Sport exhaust with 1 tail pipe Ø 90 mm mat polished	263,00
206 GTI, Type 2, 1999=> 2.0l GTI 16V 99 kW (RFR)		
206 CC, Type 2, 2001=> 2.0l 100 kW (RFN)		
NW 666199 0570	Sport exhaust with 1 tail pipe Ø 102 mm	327,00
207, 3 & 5 door, 2006=> 1.4l 54/65 kW		
1) 2) 662506 199	PowerSound Sport exhaust system L/R consisting of: PowerSound sport exhaust with manual valve control system (without tail pipes)	455,00
	Choose from following tail pipe package:	
0010 02	Tail pipe set L/R consisting of 4 tail pipes 92x78 mm	300,00
NW 0010 04G	Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm straight	256,00
NW 0010 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	146,00
NW 0010 14M	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm	186,00
NW 0010 78	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm	278,00
NW 0010 83C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race	164,00
NW 0010 83CS	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Carbon Race	176,00
NW 0010 83CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome	188,00
NW 0010 84C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race	290,00
NW 0010 84CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race	308,00
NW 0010 84CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome	340,00
207, 3 & 5 door, 2006=> 1.4l HDI 50 kW; 1.6l HDI 66/80 kW		
2) 664006 198	Sport exhaust system L/R consisting of: Sport exhaust for L/R system (without tail pipes)	420,00
	Choose from following tail pipe package:	
0010 02	Tail pipe set L/R consisting of 4 tail pipes 92x78 mm	300,00
NW 0010 04G	Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm straight	256,00
NW 0010 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	146,00
NW 0010 14M	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm	186,00
NW 0010 78	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm	278,00
NW 0010 83C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race	164,00
NW 0010 83CS	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Carbon Race	176,00
NW 0010 83CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome	188,00
NW 0010 84C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race	290,00
NW 0010 84CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race	308,00
NW 0010 84CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome	340,00
207 "Active" & "Active Pro", 3 & 5 door, 2006=> 1.6l HDI 66/80 kW		
2) 664506 098	Sport exhaust system consisting of: Sport exhaust left (without tail pipes)	238,00
	Choose from following tail pipe package:	
NW 0007 05G	1 tail pipe Ø 90 mm straight	73,00
NW 0007 70	1 tail pipe Ø 102 mm	80,00
NW 0007 83C	1 tail pipe Ø 84 mm Street Race	82,00
NW 0007 83CS	1 tail pipe Ø 84 mm Carbon Race	88,00
NW 0007 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome	94,00
NW 0007 98C	1 tail pipe Ø 98 mm Street Race	88,00
NW 0007 98CB	1 tail pipe Ø 98 mm Street Race Black Chrome	99,00
306 Sedan, <=1997 1.8l 74 kW; 1.9l Diesel 66 kW; 2.0l 89 kW		
2) 665096 0570	Sport exhaust with 1 tail pipe Ø 102 mm	327,00
306 Sedan, 1997=> 1.9l Diesel 50 kW		
2) 665598 0508	Sport exhaust with 2 tail pipes 80x65 mm	343,00
306 Sedan, 1997=> 1.9l TD 66 kW		
2) 666598 0508	Sport exhaust with 2 tail pipes 80x65 mm	343,00
307 3 & 5 door, 2001=> 307 SW, 2002=> 1.6l 16V 80 kW		
2) 664002 0584C	Sport exhaust with 2 tail pipes Ø 84 mm Street Race	395,00
308 Hatchback, 2007=> 1.6l VTI 88 kW (5FW)		
2) 665007 0588	Sport exhaust with 2 tail pipes Ø 84 mm Edition	385,00
308 GTI, type T9, 2015=> 1.6l Turbo 200 kW		
	Cat-back-system: 665015 1500! No cutting of original exhaust required!	
NW " 665015 1500	Cat-back sport exhaust system, fits into the original skirt using integrated tail pipes, with integrated valves, incl. EEC homologation Original tube Ø 60 mm, REMUS tube Ø 65 mm It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve is carried out using the supplied remote control key fob. The sound controller and electrical actuator allow the valve to be operated in 4 different positions	1.230,00
407 SW, 2004=> (not for 2008 model) 1.6l HDI 80 kW; 2.0l HDI 100 kW; 2.2l HDI 125 kW; 2.7l HDI 150 kW		
2) 667506 0504	Sport exhaust with 2 tail pipes Ø 76 mm	407,00

RCZ, Type 4J, 2010=>

RCZ Facelift, Type 4J, 2013=>

1.6i THP 115 kW (5FV); 1.6i THP 147 kW (5FU)

When fitting L/R system, the right side of the rear skirt must be trimmed as per enclosed template!

Axle-back-system: 666110 1584C. The right side skirt outlet must be trimmed as per the enclosed template!

NW	3)	666110 1584C	Sport exhaust with L/R each 2 tail pipes Ø 84 mm Street Race	663,00
----	----	--------------	--	--------

Porsche

Art.Nr.

Description

€ exkl. MwSt.

€ exkl. VAT

Boxster Type 987, 2006-2009

2.7i 176 kW; 2.7i 180 kW

Boxster S Type 987, 2006-2009

3.2i 206 kW; 3.4i 217 kW

NW	3)	686106 1500	RACING stainless steel sport exhaust system L/R (without tail pipes), no catalytic convertor, without homologation	1.045,00
Choose from following tail pipe package:				
NW		0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	150,00
NW		0026 98C	Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	196,00
NW		0026 98CB	Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00

Cayman Type 987, 2006-2009

2.7i 180kW

Cayman S Type 987, 2006-2009

3.4i 217 kW

NW	3)	686106 1500	RACING stainless steel sport exhaust system L/R (without tail pipes), no catalytic convertor, without homologation	1.045,00
Choose from following tail pipe package:				
NW		0026 05	Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection	150,00
NW		0026 98C	Tail pipe set 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	196,00
NW		0026 98CB	Tail pipe set 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00

Cayman Facelift Type 987, 2009=>

2.9i 195 kW

Cayman S Facelift Type 987, 2009=>

3.4i 235 kW

Sport exhaust system L/R consisting of:

NW	3)	689109 0500LR	RACING stainless steel sport exhaust system L/R (without tail pipes), cat-back from front catalytic converters, no secondary catalytic converters, without homologation	855,00
Choose from following tail pipe package:				
NW		689109 1698C	Tail pipe set 2 stainless steel tail pipes Ø 98 mm Street Race	350,00
NW		689109 1698CB	Tail pipe set 2 stainless steel tail pipes Ø 98 mm Street Race Race Black Chrome	390,00

Boxster Facelift Type 987, 2009=>

2.9i 188 kW (MA120)

Boxster S Facelift Type 987, 2009=>

3.4i 228 kW

Boxster S Black Edition Type 987, 2011=>

3.4i 235 kW

3)	689308 1798C	RACING stainless steel sport exhaust system L/R, cat-back from front catalytic converters, no secondary catalytic converters, 2 stainless steel Street Race tips Ø 98 mm, without homologation	1.195,00
3)	689308 1798CB	RACING stainless steel sport exhaust system L/R, cat-back from front catalytic converters, no secondary catalytic converters, 2 satin black chromed stainless steel Street Race Black Chrome tips Ø 98 mm, without homologation	1.245,00

Boxster S Type 981, 2012=>

3.4i 232 kW (MA123)

Boxster Type 981, 2012=>

2.7i 195 kW (MA122)

Sport exhaust system L/R consisting of:

NW		689012 0500LR	Stainless steel sport exhaust L/R, cat-back, EU approved for road usage	1.320,00
Choose from following tail pipe package:				
NW		0027 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, short, with adjustable spherical clamp connection	190,00
NW		0027 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, short, with adjustable spherical clamp connection	214,00
NW		0426 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, (length 145 mm), with adjustable spherical clamp connection	140,00

Cayman, type 981C, 2012=>

2.7i 202 kW

Cayman S, type 981C, 2012=>

3.4i 239 kW

Sport exhaust system L/R consisting of:

NW		689012 0500LR	RACING Stainless steel sport exhaust L/R, cat-back, without homologation	1.320,00
Choose from following tail pipe package:				
NW		0027 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, short, with adjustable spherical clamp connection	190,00
NW		0027 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, short, with adjustable spherical clamp connection	214,00
NW		0426 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, (length 145 mm), with adjustable spherical clamp connection	140,00

911 Turbo Type 996, 2000-2006

3.6i 309 kW (M9670)

911 Turbo S Type 996, 2004-2006

3.6i Turbo 331kW (M96/70E)

911 GT2 Type 996, 2004-2006

3.6i 355kW (M96/70SL); 3.6i 340kW (M96/70S)

NW	4)	689103 1506	RACING stainless steel sport exhaust L/R incl. race specification catalytic convertor, 4 chromed stainless steel tips Ø 76/90 mm, without homologation	2.120,00
----	----	-------------	--	----------

911 Carrera / Carrera Cabrio Type 997/1, May2004-2008

3.6i 239 kW

911 Carrera S / Carrera S Cabrio Type 997/1, May2004-2008

3.8i 261 kW

NW	4)	689305 1200	RACING cat replacement tube left/right, without homologation	350,00
Sport exhaust system L/R consisting of:				
NW		689405 0500LR	Stainless steel sport exhaust L/R, fits onto the REMUS or original front system, EU approved for road usage	1.260,00
NW		689405 0606SLR	Tail pipe set L/R consisting of 4 chromed stainless steel tips Ø 90 mm angled (Sport exhaust and tip set only fits as complete system!)	495,00

911 Turbo Type 997, 2006-2008

3.6i Turbo 353 kW (M97/70)

When using the sports exhaust system an adaptation of the engine electronics is recommended.

NW		688107 1574	Stainless steel sport exhaust L/R, with catalytic convertor, 4 chromed stainless steel tips Ø 76/84 mm, EU approved for road usage	2.565,00
Alternative: RACING stainless steel sport exhaust system without homologation				
NW	4)	688307 1574	RACING stainless steel sport exhaust L/R, with race specification catalytic convertor, 4 chromed stainless steel tips Ø 76/84 mm, without homologation	2.225,00

911 Carrera 4 Type 991, 2013 =>

3.4i 257 kW (MA104)

NW	3)	689612 1584CS	RACING stainless steel sport exhaust system L/R cat-back, 4 stainless steel Carbon Race tips Ø 84 mm, with 2 integrated vacuum operated valves, without homologation The valve position is vacuum controlled via the onboard electronics.	1.995,00
----	----	---------------	--	----------

911 Carrera S Type 991, 2011 => 3.8l 294 kW				
NW	3)	689612 1584CS	Stainless steel cat-back sport exhaust system L/R, 4 stainless steel Carbon Race tips Ø 84 mm, with 2 vacuum operated valves, incl. EEC homologation The valve position is vacuum controlled via the onboard electronics.	1.995,00
Panamera S/4S Type 970, (without factory valve option), 2009 => 4.8l 294 kW				
Panamera / Panamera 4 Type 970, 2010=> 3.6l 220 kW				
Panamera Facelift / Panamera 4 Facelift Type 970, 2013=> 3.6l 228 kW				
Panamera Diesel Type 970, 2011=> 3.0l 184 kW				
NW		688009 0500LR	<u>Sport exhaust system L/R consisting of:</u> L/R stainless steel sport exhaust system, with EEC homologation	995,00
NW		0046 70QSS	<u>Choose from following tail pipe package:</u> Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled/angled, chrome, with adjustable spherical clamp connection	420,00
NW		0046 70QBSS	Tail pipe set L/R consisting of 4 tail pipe Ø 102 mm angled/angled Black Chrome, with adjustable spherical clamp connection	472,00
Panamera Turbo Type 970, 2009=> 4.8l V8 Turbo 368 kW (M4870)				
Panamera Turbo Facelift Type 970, 2013=> 4.8l V8 Turbo 382 kW				
Panamera S/4S Type 970, (with factory valve option), 2009 => 4.8l 294 kW				
Panamera S Facelift/4S Facelift Type 970, 2013 => 4.8l 309 kW				
NW		689409 0300	Stainless steel front section with sport silencer, cat-back, EU approved for road usage, not for Panamera S/4S 4.8l 294 kW	495,00
NW		689409 0500LR	<u>Sport exhaust system L/R consisting of:</u> L/R stainless steel sport exhaust system, with integrated vacuum operated valves, incl. EEC homologation The valve position is vacuum controlled via the onboard electronics.	1.470,00
NW		0046 70QSS	<u>Choose from following tail pipe package:</u> Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	420,00
NW		0046 70QBSS	Tail pipe set L/R consisting of 4 tail pipe Ø 102 mm angled/angled Black Chrome, with adjustable spherical clamp connection Cat-back-system: Sport exhaust in connection with front silencer.	472,00
Macan S, type 95 B, 2014=> 3.0l 250 kW (CTM)				
Macan Turbo, type 95 B, 2014=> 3.6l Turbo 294 kW (CTL)				
NW	"	689014 0100	L/R stainless steel Cat-Back front tubes with flexible joints, with EEC homologation (Original tube Ø 65 mm, REMUS tube Ø 70 mm)	315,00
NW	"	689014 0000	Dual stainless steel connection tubes with crossover tube, with EEC homologation (Original tube Ø 65 mm, REMUS tube Ø 70 mm) <u>Sport exhaust system L/R consisting of:</u>	285,00
NW	"	689014 0500LR	L/R stainless steel sport exhaust system (without tail pipes), with integrated valves, incl. EEC homologation Original tube Ø 65 mm, REMUS tube Ø 70 mm The supplied actuator activates the valve to factory preset positions via the vehicle onboard electronics	1.390,00
NW		0046 70SS	<u>Choose from following tail pipe package:</u> Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled/angled, chromed, with adjustable spherical clamp connection	320,00
NW		0046 70CSS	Tail pipe set L/R consisting of 4 Carbon tail pipe Ø 102 mm angled/angled, Titanium internals, with adjustable spherical clamp connection Cat-back-system: Sport exhaust in connection with front silencer or RACING tube.	740,00
Cayenne I Turbo Type 955, 2002-2006 4.5l Turbo 331 kW				
NW		689303 1598C	Stainless steel sport exhaust system L/R, 4 stainless steel Street Race tips Ø 98 mm, EU approved for road usage	950,00
Cayenne I Facelift Type 957, 2007-2010 4.8l V8 Turbo 368 kW				
NW		689307 1506S	Stainless steel sport exhaust system L/R, 4 chromed stainless steel tips Ø 90mm angled, EU approved for road usage	1.030,00
Cayenne II S Hybrid Type 958, 2010=> 3.0l 245 kW (M06EC)				
Cayenne II Turbo Type 958, 2010=> 4.8l V8 Turbo 368 kW				
NW		688010 1598C	Stainless steel sport exhaust system L/R, 4 stainless steel Street Race tips Ø 98 mm, EU approved for road usage	950,00
Cayenne II S V8 Type 958, 2010=> 4.8l V8 294 kW (M4802)				
NW		689110 1598C	Stainless steel sport exhaust system L/R, 4 stainless steel Street Race tail pipes Ø 98 mm, EU approved for road usage	1.020,00
NW		688010 1598C	RACING stainless steel sport exhaust system L/R, 4 stainless steel Street Race tips Ø 98 mm, without homologation	950,00
RENAULT				
Art.Nr.		Description		€ exkl. MwSt. € excl. VAT
Twingo II, 2007=> 1.5l dCi 47 kW (K9K17)				
	2)	733007 0533	Sport exhaust with 1 tail pipe 102x68 mm	306,00
Twingo III, type AH, 2014=> 0.9l 66 kW; 1.0l 52 kW				
NW		731014 5504	Axle-back-system: 731014 5504. The skirt outlet must be trimmed as per the enclosed template! Sport exhaust with 2 tail pipes Ø 76 mm centered	506,00
Clio II, 1998=> 1.2l 40 / 43 / 55 kW; 1.4l 55 kW; 1.4l 55 kW, 2001=>; 1.4l 72 kW, 2001=>; 1.4l 16V 72 kW, 2000=>; 1.4l 16V 72 kW, 2001=>; 1.6l 66 kW; 1.6l 16V 79 kW, 1999=>; 1.9l Diesel 47 kW type: B, 1999=> 1.5l dCi 48 kW; 1.9l dTi 59 kW, 2001=>				
	1) °	734098 199	<u>PowerSound Sport exhaust system L/R consisting of:</u> PowerSound sport exhaust with manual valve control system (without tail pipes)	420,00
		0010 02	<u>Choose from following tail pipe package:</u> Tail pipe set L/R consisting of 4 tail pipes 92x78 mm	300,00
NW		0010 04G	Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm straight	256,00
NW		0010 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	146,00
NW		0010 14M	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm	186,00
NW		0010 70	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm	160,00
NW		0010 78	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm	278,00
NW		0010 83C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race	164,00
NW		0010 83CS	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Carbon Race	176,00
NW		0010 83CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome	188,00
NW		0010 84C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race	290,00
NW		0010 84CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race	308,00
NW		0010 84CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome	340,00
NW		0010 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race	176,00
NW		0010 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome	198,00
Clio II Sport, 2000=> & 2001=> 2.0l 16V 124 kW				
	2)	736000 0568	Sport exhaust with 2 tail pipes Ø 84 mm Rallye-Design	411,00

Clio IV RS, type X98, 2013=> 1.6i EDC 147 kW (MR16DDT)			
		Axle-back-system: 735013 0700 Cat-back-system: 735013 0300 + 735013 0700 Front silencer, pipe Ø 65 mm, only mountable together with 735013 0700 Sport exhaust centered, pipe Ø 65 mm, fits to original tail pipe, fits on original front silencer	
2)	735013 0300		196,00
2)	735013 0700		524,00

Megane III RS Coupé, type Z, 2010=> 2.0i TCE 184 kW (F4RM8) Megane III RS Coupé, type Z, 2012 2.0i 191 kW (F4RM8); 2.0i 195 kW (F4RM8)			
		Cat-back-system: 736110 0700 resp. 736010 0700TI	
NW	736110 0700	REMUS cat-back-system, sport exhaust centered, cat-back, incl. front silencer, fits in combination with the original rear skirt integrated tail pipe Alternative: REMUS Titanium2 cat-back-system Titanium2 sport exhaust centered, cat-back, incl. front silencer, fits in combination with the original rear skirt integrated tail pipe	653,00 2.050,00
	736010 0700TI		

Laguna II Grand Tour, 2001=> 2.2i 16V dCi 110 kW; 2.0i Turbo 120 kW, 2004=>; 2.0i Turbo 125 kW, 2004=>; 2.0i Turbo 150 kW, 2005=>			
2)	736202 3588	Sport exhaust with 2 tail pipes Ø 84 mm Edition	411,00

Espace IV, type JK, 2002=> 1.9i dCi 88 kW, 2003=>; 2.2i dCi 110 kW, 2002=>			
o	736302 0502	Sport exhaust with 2 tail pipes 92x78 mm	420,00

Grand Espace IV, type JK, 2002=> 2.2i dCi 110 kW			
o	736402 3502	Sport exhaust with 2 tail pipes 92x78 mm	420,00

Safrane, 1997=> 2.2i TD 83 kW			
2)	736597 0509	Sport exhaust with 1 tail pipe 135x75 mm	411,00

ROVER			€ exkl. MwSt.
Art.Nr.	Description		€ excl. VAT

416 Si Hatchback, 1996=> 1.6i 82 kW			
o	704096 0501	Sport exhaust with 1 tail pipe 92x78 mm	314,00

SEAT			€ exkl. MwSt.
Art.Nr.	Description		€ excl. VAT

Mii GT, type AA, 2012=> 1.0i 44 kW (CHYA); 1.0i 55 kW (CHYB) Connection tube inclusive adjustable bracket to integrate the tail pipes in the rear skirt! The required trimming template and instructions are included!			
	791013 1613S	Connection tube withL/R eacht 1 tail pipe 120x74 mm angled	261,00

Ibiza, type 6K, APR1993=> 1.0i 33kW; 1.3i 40kW; 1.4i 44kW; 1.6i 55 kW =>1995; 1.9i Diesel 47 / 50 kW; connection Ø 42mm			
2)	790596 0507	Sport exhaust with 1 tail pipe 97x80 mm	295,00

Ibiza Cupra, type 6K, 1997=> 2.0i GTi 16V 110 kW; 1.9i TDI 66 / 81 kW			
2)	796097 9999	Connection tube for mounting of the exchanged serial front silencer	45,00
2)	796097 0548	Sport exhaust with 2 tail pipes 74x65 mm angled	382,00

Ibiza Cupra, type 6J, 2016=> 1.8i TSI 141 kW (DAJ)			
		Cat-back-system: 954513 0300 + 795015 5504S! No vehicle modifications required!	
		RACING cat-back-system wihtout homologation: 954513 0000 + 795015 5504S! No vehicle modifications required!	
NW	954513 0300	resonated cat-back front section, incl. EEC homologation Original tube Ø 55 mm, REMUS tube Ø 60 mm	190,00
NW	954513 0000	alternative: non resonated RACING cat-back front section, without homologation Original tube Ø 55 mm, REMUS tube Ø 60 mm	95,00
NW	" 795015 5504S	Sport exhaust centered with 2 tail pipes Ø 76 mm angled, chromed, centered with integrated valve, incl. EEC homologation Original tube Ø 55 mm, REMUS tube Ø 60 mm It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve is carried out using the supplied remote control key fob. The sound controller and electrical actuator which allows the valve to be operated in 4 different positions.	980,00

Altea, type 5P, 2004=> 1.4i 63 kW, 2006=>; 1.6i 75 kW; 2.0i FSI 110 kW; 2.0i TFSI 147 kW; 1.9i TDI 77 kW; 2.0i TDI 100 / 103 / 125 kW			
	AD0092	Distance tube G6 for mounting on 1.4i 63 kW model	25,00
	AD0032	Distance tube C1 for mounting on 2.0i TDI 125 kW with connection Ø 60 mm	25,00
	AD0079	Distance tube T5 for mounting on 1.6i 75 kW and 1.9i TDI 77kW models	22,00
	AD0080	Distance tube U5 for mounting on 2.0i FSI 110 kW and 2.0i TDI 100/103/125 kW models	22,00
NW	796105 098	Sport exhaust system consisting of: Sport exhaust left (without tail pipes) Choose from following tail pipe package:	337,00
NW	0007 04G	2 tail pipes Ø 76 mm straight	128,00
NW	0007 14M	1 tail pipe 142x72 mm	93,00
NW	0007 78	2 tail pipes Ø 84 mm	139,00
NW	0007 83C	1 tail pipe Ø 84 mm Street Race	82,00
NW	0007 83CS	1 tail pipe Ø 84 mm Carbon Race	88,00
NW	0007 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome	94,00
NW	0007 84C	2 tail pipes Ø 84 mm Street Race	145,00
NW	0007 84CS	2 tail pipes Ø 84 mm Carbon Race	154,00
NW	0007 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	170,00

Altea XL, type 5P, 2007=> 1.8i TSI 118 kW (BYT)			
2)	796007 0504	Sport exhaust with 2 tail pipes Ø 76 mm	452,00

Leon, type 1P, 2005=> 1.4i 63 kW; 1.6i 75 kW; 2.0i FSI 110 kW; 2.0i TFSI 136 / 147 kW; 2.0i TFSI 147 kW "FR"; 2.0i TFSI 177 kW "Cupra"; 1.9i TDI 77 kW; 2.0i TDI 100 / 103 / 125 kW; 2.0i TDI 125 kW "FR"			
	AD0092	Distance tube G6 for mounting on 1.4i 63 kW model	25,00
	AD0079	Distance tube T5 for mounting on 1.6i 75 kW and 1.9i TDI 77kW models	22,00
	AD0080	Distance tube U5 for mounting on 2.0i FSI 110 kW and 2.0i TDI 100/103/125 kW models	22,00
NW	796105 098	Sport exhaust system consisting of: Sport exhaust left (without tail pipes) Choose from following tail pipe package:	337,00
NW	0007 04G	2 tail pipes Ø 76 mm straight	128,00
NW	0007 14M	1 tail pipe 142x72 mm	93,00
NW	0007 78	2 tail pipes Ø 84 mm	139,00
NW	0007 83C	1 tail pipe Ø 84 mm Street Race	82,00

NW	0007 83CS	1 tail pipe Ø 84 mm Carbon Race	88,00
NW	0007 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome	94,00
NW	0007 84C	2 tail pipes Ø 84 mm Street Race	145,00
NW	0007 84CS	2 tail pipes Ø 84 mm Carbon Race	154,00
NW	0007 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	170,00

Leon Cupra, type 1P, 2010=> 2.0i TFSI 195 kW (CDLA); Leon FR, type 1P, 2010=> 2.0i 155 kW (CCZB)			
2)	796010 0584CS	Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race	513,00

Leon, type 5F, 2013=> Leon SC, type 5F, 2013=> Leon FR, type 5F, 2013=> Leon SC FR, type 5F, 2013=> 1.2i TSI 63 kW (CJZB) [7593/AHJ]; 1.2i TSI 77 kW (CJZA) [7593/AHK]; 1.4i TSI 90 kW (CMPA/CXSA) [7593/AHH]; 1.4i TSI 103 kW (CHPA) [7593/AHI]; 1.4i TSI 110 kW (not for engines with active cylinder deactivation); 1.8i TSI 132 kW (C 1.6i TDI 66 kW (CLHB) [7593/AHF]; 1.6i TDI 77 kW (CLHA) [7592/AHG]; 2.0i TDI 110 kW (CKFC) [7593/AHM]; 2.0i TDI 135 kW (CUPA) [7593/AHN] The sport exhausts respectively non-resonated RACING section L/R are only mountable with connection tubes! When fitting left system the rear skirt must be trimmed as per the supplied template! Sport exhaust centered & rear skirt centeret only fits as a complete system! The rear diffusers left/right are only mountable together with the L/R systems respectively non-resonated RACING section L/R. Alternatively also the original rear skirt can be used but it has to be trimmed according to enclosed instructions!			
NW	953612 0000	Connection tube (twist beam axle) for mounting on 1.2i TSI, 1.4i TSI, 1.6i TDI	56,00
NW	954112 0000	Connection tube (multi-link axle) for mounting on 1.8i TSI, 2.0i TDI	56,00

Sport exhaust system left: Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race, only for 1.2i TSI, 1.4i TSI, 1.8i TSI Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race, only for 1.6i TDI, 2.0i TDI			
NW	953112 0584CS		408,00
NW	954112 0584CS		408,00
Alternative: Sport exhaust system L/R consisting of: Sport exhaust centered for L/R system (without tail pipes), pipe Ø 70 mm Alternative: Non resonated RACING section L/R consisting of: non resonated RACING section L/R (without tail pipes), without homologation Choose from following tail pipe package: Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection			
NW	955113 1500		286,00
NW	954112 1600		123,00
NW	0046 83C		340,00
NW	0046 83CS		360,00
NW	0046 83CB		388,00
NW	0046 83CTS		680,00
NW	0046 55S		300,00
"	792304 HES	ABS rear diffusor left/right, satin black, for SEAT Leon/Leon SC	191,00
"	792303 HES	ABS rear diffusor left/right, satin black, for SEAT Leon FR/Leon SC FR	191,00
Alternative: Sport exhaust system centered consisting of: Sport exhaust centered (without tail pipes) Choose from following tail pipe package: Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection			
NW	794112 0500		322,00
NW	0026 83C		170,00
NW	0026 83CS		180,00
NW	0026 83CB		194,00
NW	0026 83CTS		340,00
NW	0026 55S		150,00
NW	0026 05		150,00
"	791302 HES	ABS rear diffusor centered, carbon optic, for SEAT Leon/Leon SC	191,00
"	791301 HES	ABS rear diffusor centered, carbon optic, for SEAT Leon FR/Leon FR SC	191,00

Leon Cupra, type 5F, 2014=> Leon Cupra SC, type 5F, 2014=> 2.0i TSI 195 kW (CJXE); 2.0i TSI 206 kW (CJXA); 2.0i TSI 213 kW (CJXH)			
Axle-back-system: 955213 0000 + 796014 1500 resp. 796014 1600 + tail pipe set! The original exhaust must be cut! No rear skirt modifications required! Cat-back-system: 796014 0400 resp. 955113 0300 + 955213 0000 + 796014 1500 resp. 796014 1600 + tail pipe set! No vehicle modifications required! Turbo-back-system: 955113 1100 + 796014 0400 resp. 955113 0300 + 955213 0000 + 796014 1500 resp. 796014 1600 + tail pipe set! No vehicle modifications required!			

NW	4)	955113 1100	RACING downpipe, tube Ø 70 mm, with sport catalytic convertor (200 CPSI), without homologation, can only be fitted in combination with the REMUS front silencer REMUS tube Ø 70 mm	874,00
NW		796014 0400	Resonated front and resonated middle cat-back section: resonated front and resonated middle cat-back section Original tube Ø 65 mm / REMUS tube Ø 70 mm	355,00
NW		955113 0300	Alternative: Resonated front and non-resonated middle cat-back section: Resonated front and non-resonated middle cat-back section, without homologation for the SEAT Leon Cupra / Cupra SC type 5F Original tube Ø 65 mm / REMUS tube Ø 70 mm	263,00
NW		955213 0300	Resonated front and non-resonated middle cat-back section, without homologation for the SEAT Leon Cupra / Cupra SC type 5F Original tube Ø 65 mm / REMUS tube Ø 70 mm	263,00
NW		955213 0000	Connection tube for mounting the L/R sport exhaust or the non-resonated L/R RACING axle-back-systems	56,00
NW		796014 1500	Sport exhaust system L/R suitable for the original rear skirt: Sport exhaust centered for L/R system (without tail pipes), suitable for the original rear skirt, pipe Ø 70 mm Original tube Ø 65 mm / REMUS tube Ø 70 mm	240,00
NW		796014 1600	Alternative: Non-resonated L/R RACING axle-back system suitable for the original rear skirt: Non resonated L/R RACING axle-back-system (without tail pipes, without connecting tube), suitable for the original rear skirt, without homologation Original tube Ø 65 mm / REMUS tube Ø 70 mm	105,00
NW		0026 14SS	Choose from following tail pipe package: Tail pipe set L/R consisting of 2 tail pipes 142x72 mm angled/angled, chromed, with adjustable spherical clamp connection	190,00
NW		0026 04G	Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm straight cut, chromed, with adjustable spherical clamp connection	300,00

Leon Cupra ST, type 5F, 2014=>				
2.0i TSI 195 kW (CJXE); 2.0i TSI 206 kW (CJXA); 2.0i TSI 213 kW (CJXH)				
Axle-back-system: 796515 0500LR + tail pipe set! The original exhaust will need to be cut at the manufacturer marked cutting point! No rear skirt modifications required!				
Cat-back-system: 796515 0300 + 796515 0500LR + tail pipe set! No vehicle modifications required!				
Turbo-back-system: 955113 1100 + 796515 0300 + 796515 0500LR + tail pipe set! No vehicle modifications required!				
NW	4)	955113 1100	RACING downpipe, with sport catalytic convertor (200 CPSI), without homologation, can only be installed in combination with the REMUS cat-back section REMUS tube Ø 70 mm	874,00
NW		796515 0300	resonated cat-back front section, can only be installed in combination with the REMUS sport exhaust Original tube Ø 60 mm / REMUS tube Ø 65 mm	260,00
NW		796515 0500LR	Sport exhaust left and sport exhaust right (without tail pipes) Original tube Ø 60 mm / REMUS tube Ø 65 mm	525,00
<u>Choose from following tail pipe package:</u>				
NW		0026 14SS	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm angled/angled, chromed, with adjustable spherical clamp connection	190,00
NW		0026 04G	Tail pipe set L/R consisting of 4 tail pipes Ø 76 mm straight cut, chromed, with adjustable spherical clamp connection	300,00

Toledo, type 1L 1.6i 52 / 54 kW, MAY1991=> <=1995; 1.9i Diesel 50 / 55 kW			
2)	792591 0502	Sport exhaust with 2 tail pipes 92x78 mm	387,00

Toledo, type 5P, 2005=>			
-------------------------	--	--	--

1.6l 75 kW			
	1) 2)	796204 099	PowerSound sport exhaust system consisting of: PowerSound sport exhaust with manual valve control system (without tail pipes) Choose from following tail pipe package: 2 tail pipes 92x78 mm 2 tail pipes Ø 76 mm straight 1 tail pipe 142x72 mm 1 tail pipe Ø 102 mm 2 tail pipes Ø 84 mm 1 tail pipe Ø 84 mm Street Race 1 tail pipe Ø 84 mm Carbon Race 1 tail pipe Ø 84 mm Street Race Black Chrome 2 tail pipes Ø 84 mm Street Race 2 tail pipes Ø 84 mm Carbon Race 2 tail pipes Ø 84 mm Street Race Black Chrome 1 tail pipe Ø 98 mm Street Race 1 tail pipe Ø 98 mm Street Race Black Chrome
			336,00
		0000 02	150,00
NW		0007 04G	128,00
NW		0007 14M	93,00
NW		0007 70	80,00
NW		0007 78	139,00
NW		0007 83C	82,00
NW		0007 83CS	88,00
NW		0007 83CB	94,00
NW		0007 84C	145,00
NW		0007 84CS	154,00
NW		0007 84CB	170,00
NW		0007 98C	88,00
NW		0007 98CB	99,00

Toledo, type 5P, 2005=>

1.9l TDI 77 kW; 2.0l TDI 100 / 103 kW; 2.0l FSI 110 kW

	1) 2)	796504 099	PowerSound sport exhaust system consisting of: PowerSound sport exhaust with manual valve control system (without tail pipes) Choose from following tail pipe package: 2 tail pipes 92x78 mm 2 tail pipes Ø 76 mm straight 1 tail pipe 142x72 mm 1 tail pipe Ø 102 mm 2 tail pipes Ø 84 mm 1 tail pipe Ø 84 mm Street Race 1 tail pipe Ø 84 mm Carbon Race 1 tail pipe Ø 84 mm Street Race Black Chrome 2 tail pipes Ø 84 mm Street Race 2 tail pipes Ø 84 mm Carbon Race 2 tail pipes Ø 84 mm Street Race Black Chrome 1 tail pipe Ø 98 mm Street Race 1 tail pipe Ø 98 mm Street Race Black Chrome
			336,00
		0000 02	150,00
NW		0007 04G	128,00
NW		0007 14M	93,00
NW		0007 70	80,00
NW		0007 78	139,00
NW		0007 83C	82,00
NW		0007 83CS	88,00
NW		0007 83CB	94,00
NW		0007 84C	145,00
NW		0007 84CS	154,00
NW		0007 84CB	170,00
NW		0007 98C	88,00
NW		0007 98CB	99,00

SKODA	Art.Nr.	Description	€ exkl. MwSt. € excl. VAT
-------	---------	-------------	------------------------------

CitiGo, type AA, 2012=>

1.0l 44 kW (CHYA); 1.0l 55 kW (CHYB)

Connection tube inclusive adjustable bracket to integrate the tail pipes in the rear skirt! The required trimming template and instructions are included! 791013 1613S Connection tube with L/R each 1 tail pipe 120x74 mm angled			261,00
--	--	--	--------

Fabia, type 6Y (not for station wagon), JAN2000=>

1.9l TDI 74 kW

Fabia, type 5J (not for station wagon), 2007=> (not for Facelift 2010!)

1.4l TDI 51 / 59 kW; 1.9l TDI 77 kW

	2)	806007 0504	Sport exhaust with 2 tail pipes Ø 76 mm	341,00
--	----	-------------	---	--------

Fabia RS, type 5J, 2011=>

1.4l 132 kW (CAVE)

	2)	804010 0504	Sport exhaust with 2 tail pipes Ø 76 mm	460,00
--	----	-------------	---	--------

Octavia sedan & station wagon, type 1Z, 2004=>

1.6l 75 kW; 1.6l FSI 85 kW; 1.8l TSI 118 kW (BZB); 2.0l FSI 110 kW; 1.9l TDI 77 kW; 2.0l TDI 103 kW

Axle-back-system: The original exhaust must be cut! The original rear skirt has to be trimmed!			
<u>PowerSound sport exhaust system consisting of:</u>			
PowerSound Main silencer with manual valve control system			
<u>Choose from following tail pipe package:</u>			
NW	805104 099	Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	320,00
NW	0026 55S	Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	150,00
NW	0026 83C	Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	170,00
NW	0026 83CS	Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	180,00
NW	0026 83CB	Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	194,00
NW	0026 83CTS		340,00

Octavia III RS/vRS Sedan & Station Wagon, type 5E, 2013=>

2.0l TSI 162/169 kW

			Cat-back-system incl. EEC homologation: 806515 0300 + 806515 0500LR! No cutting of original exhaust required! RACING Cat-back-system without homologation: 806015 1300 + 806015 0500LR! No cutting of original exhaust required!	
			RACING Turbo-back-system without homologation: 955113 1100 + 806015 1300 + 806015 0500LR! No cutting of original exhaust required!	
NW	4)	955113 1100	RACING downpipe, tube Ø 70 mm, with sport catalytic converter (200 CPSI), without homologation, can only be fitted in combination with the REMUS front silencer	874,00
NW	"	806015 1300	RACING cat-back system without homologation: RACING cat-back section, replaces front silencer, without homologation REMUS tube Ø 70 mm	190,00
NW	"	806015 0500LR	RACING sport exhaust left and RACING sport exhaust right, fits into the original skirt using integrated tail pipes, with integrated electrical valves, without homologation The activation of the valve is carried out using the supplied remote control key fob. The sound controller and electrical actuator allow the valve to be operated in 4 different positions.	1.190,00
NW	"	806515 0300	RACING cat-back system incl. EEC homologation: Resonated cat-back section, with EEC homologation	260,00
NW	"	806515 0500LR	Sport exhaust left and right, fits into the original skirt using integrated tail pipes, with integrated valves, incl. EEC homologation in combination with the REMUS resonated cat-back section section It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve is carried out using the supplied remote control key fob. The sound controller and electrical actuator allow the valve to be operated in 4 different positions	1.230,00

SMART	Art.Nr.	Description	€ exkl. MwSt. € excl. VAT
-------	---------	-------------	------------------------------

ForFour, type C453, 2014=>

0.9l 66 kW; 1.0l 52 kW

The rear skirt must be trimmed according to the enclosed template!

Not for ForFour with sport package – only if the original rear skirt (part no A4538800240) will be organised and cut according to enclosed template!

	NW	731014 5504	Sport exhaust with 2 tail pipes Ø 76 mm centered	506,00
--	----	-------------	--	--------

SUBARU

Art.Nr.	Description	€ exkl. MwSt. € excl. VAT
Impreza WRX 4WD, 2000=> & 2002=> 2.0l 160 kW; 2.0l 165 kW type EJ 20, SEP2002=> Impreza WRX STI, 2002=> 2.0l 195 kW		
NW 846200 8598	RACING cat-back system incl. EEC homologation: Sport exhaust polished with 1 tail pipe Ø 98 mm angled incl. resonated front section	525,00
Impreza Hatchback WRX Sti, type G3, 2008=> 2.5l 221 kW (EJ25) REMUS is not liable for consequential damages due to the power increase of this Racing system!		
	Axle-back-system: 847008 1557 Cat-back-system: 847008 0000 (Racing) + 847008 1557	
2) 847008 0000	RACING tube without homologation, instead of front silencer	242,00
847008 1557	Sport exhaust with L/R each 1 tail pipe 185x85 mm	621,00
BRZ, 2012=> 2.0l 147 kW		
	Axle-back-system: 906112 1585S Cat-back-system: 906112 0000 (Racing) + 906112 1585S	
NW 906112 0000	RACING tube without homologation, instead of front silencer	145,00
NW 906112 1585S	Sport exhaust with L/R each 1 tail pipe Ø 127 mm angled	630,00

SUZUKI

Art.Nr.	Description	€ exkl. MwSt. € excl. VAT
Swift Hatchback 3 & 5 door, type MZ, 2005=> 1.3l 68 kW (M13A); 1.5l 74 kW (M15A)		
NW 852105 0000	Axle-back-system: 852105 099 + tail pipe set! Cat-back-system: 852005 0300 resp. 852105 0000 (Racing) + 852105 099 + tail pipe set! RACING tube without homologation, instead of front silencer	125,00
852005 0300	Front silencer, only for 1.3l 68 kW	190,00
NW 1) 852105 099	<u>PowerSound sport exhaust system consisting of:</u> PowerSound sport exhaust with manual valve control system (without tail pipes)	268,00
NW 0407 05G	<u>Choose from following tail pipe package:</u> 1 tail pipe Ø 90 mm straight	73,00
0400 07	1 tail pipe 97x80 mm	76,00
Swift Sport, type MZ, 2006=> 1.6l 16V 92 kW (M16A)		
NW 852105 0000	Axle-back-system: 856107 199 + tail pipe set! Cat-back-system: 852105 0000 (Racing) + 856107 199 + tail pipe set! RACING tube without homologation, instead of front silencer	125,00
NW 1) 856107 199	<u>PowerSound Sport exhaust system L/R consisting of:</u> PowerSound sport exhaust with manual valve control system (without tail pipes)	370,00
NW 0411 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	146,00

Swift, type NZ, 2010=> 1.2l 69 kW (K12B) The rear skirt must be trimmed as per the supplied template!		
NW 852110 1583C	Sport exhaust with L/R each 1 tail pipe Ø 84 mm Street Race	579,00
Swift Sport, type NZ, 2012=> 1.6l 100 kW (M16A)		
NW 855111 0000	Axle-back-system: 855111 198 + tail pipe set! Cat-back-system: 855111 0000 (Racing) + 855111 198 + tail pipe set! RACING tube without homologation, instead of front silencer	125,00
NW 855111 198	<u>Sport exhaust system L/R consisting of:</u> Sport exhaust for L/R system (without tail pipes)	359,00
NW 0411 05G	<u>Choose from following tail pipe package:</u> Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	146,00
NW 0411 70	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm	160,00
NW 0411 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race	170,00

SX4 S-Cross, 2WD & 4WD, type JY, 2013=> 1.6l 88 kW; 1.6l Diesel 88 kW		
NW 854015 1513S	Sport exhaust with L/R each 1 tail pipe 120x74 angled	524,00

Vitara, 2WD & 4WD, 2015=> 1.6l 88 kW; 1.6l Diesel 88 kW		
NW 854015 1513S	Sport exhaust with L/R each 1 tail pipe 120x74 angled	524,00

SSANG YONG

Art.Nr.	Description	€ exkl. MwSt. € excl. VAT
Kyron 4x4, M200, 2004=> 2.0l Xdi 104 kW		
2) 866004 1617	Connection tube with L/R each 1 tail pipe 138x90 mm angled rolled	553,00

TOYOTA

Art.Nr.	Description	€ exkl. MwSt. € excl. VAT
Yaris, 2006=> 1.4l D-4D 66 kW		
2) 903006 0504	Sport exhaust with 2 tail pipes Ø 76 mm	354,00
Corolla Hatchback, type E11, 1997=> 1.4l 63 kW; 1.4l 71 kW, 1999=>; 1.6l 79 / 81 kW; 1.6l 81 kW G6-R type E11, 1999=>; 2.0l Diesel 53 kW		
2) 902597 0501	Sport exhaust with 1 tail pipe 92x78 mm	332,00
Auris, type E15UT(A), 2007=> 2.0l D-4D 93 kW		
2) 906007 098	<u>Sport exhaust system consisting of:</u> sport exhaust (without tail pipes)	284,00
NW 0008 04	<u>Choose from following tail pipe package:</u> 2 tail pipes Ø 76 mm	125,00
NW 0008 84C	2 tail pipes Ø 84 mm Street Race	159,00
NW 0008 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome	184,00
2) 1003 78	2 Diesel tail pipes Ø 84mm with emission exit downwards	175,00
Avensis Sedan & Liftback, type T25, 2003=> 2.0l VVT-i 108 kW, 2003=>; 2.0l D-4D 85 kW, 2003=>		
2) 906003 0502	Sport exhaust with 2 tail pipes 92x78 mm	406,00
Avensis Verso, AUG2001=> 2.0l VVT-i 110 kW; 2.0l D-4D 85 kW		
850002 0500	Sport exhaust (without tail pipes)	294,00

◦	906002 0601	Connection tube with 1 tail pipe 92x78 mm (Sport exhaust and connection tube only fits as a complete system!)	143,00
---	-------------	--	--------

MR-2, type W2, 1989=> 2.0l 115 kW with cat.; 2.0l 129 kW, 1994=>; 2.0l 16V 125 kW type W20, 1997=> NW 907189 1501 Sport exhaust with L/R each 1 tail pipe 92x78 mm560,00			
--	--	--	--

MR-2, type W3, 2000=> 1.8l VTI 103 kW NW 905100 1505 Sport exhaust with L/R each 1 tail pipe Ø 90 mm672,00			
--	--	--	--

GT86, type FT20, 2012=> 2.0l 147 kW			
		Axle-back-system: 906112 1585S Cat-back-system: 906112 0000 (Racing) + 906112 1585S RACING tube without homologation, instead of front silencer Sport exhaust with L/R each 1 tail pipe Ø 127 mm angled	145,00 630,00
NW	906112 0000		
NW	906112 1585S		

RAV4, 4WD, type XA3, 2013=> 2.0l D-4D 91 kW (1AD); 2.2l D-4D 110 kW			
		Axle-back-system: 905014 0000 (2.0l D-4D) resp. 906014 0000 (2.2l D-4D) + 905014 1518! Connection tube for mounting on 2.0l D-4D 91 kW Connection tube for mounting on 2.2l D-4D 110 kW Sport exhaust with L/R each 1 tail pipe 133x85 mm angled/angled	118,00 118,00 337,00
NW	905014 0000		
NW	906014 0000		
NW	905014 1518		

VOLKSWAGEN		€ exkl. MwSt.
Art.Nr.	Description	€ excl. VAT

Fox, 3 door, type 5Z, 2005=> 1.4l TDI 51 kW			
◦	955005 098	Sport exhaust system consisting of: Sport exhaust left (without tail pipes) Choose from following tail pipe package: 2 tail pipes 92x78 mm	218,00 150,00
	0000 02	2 tail pipes Ø 76 mm straight	128,00
NW	0007 04G	1 tail pipe Ø 90 mm straight	73,00
NW	0007 05G	1 tail pipe 142x72 mm	93,00
NW	0007 14M	2 tail pipes Ø 84 mm	139,00
NW	0007 78	1 tail pipe Ø 84 mm Street Race	82,00
NW	0007 83C	1 tail pipe Ø 84 mm Carbon Race	88,00
NW	0007 83CS	1 tail pipe Ø 84 mm Street Race Black Chrome	94,00
NW	0007 83CB	2 tail pipes Ø 84 mm Street Race	145,00
NW	0007 84C	2 tail pipes Ø 84 mm Carbon Race	154,00
NW	0007 84CS	2 tail pipes Ø 84 mm Street Race Black Chrome	170,00
NW	0007 84CB		

upl, type AA, 2012=> 1.0l 44 kW (CHYA); 1.0l 55 kW (CHYB) Connection tube inclusive adjustable bracket to integrate the tail pipes in the rear skirt! The required trimming template and instructions are included! 791013 1613S Connection tube with L/R eacht 1 tail pipe 120x74 mm angled261,00			
---	--	--	--

Polo 2, type 86C, 1985=> 33 / 40 / 47 / 55 / 57 kW Polo G40 Coupé 1.3l G40 83/85 kW			
	AD0003	Distance tube M for mounting on 33/40 kW models	16,00
2)	953091 0505	Sport exhaust with 1 tail pipe Ø 90 mm	314,00

Polo 5, type 6R, 2010=> 1.2l 44 kW (CGPB); 1.2l 51 kW (CGPA); 1.4l 63 kW (CGGB) When fitting on 1.2l 44/51 kW models the rear skirt must be trimmed as per the supplied template! NW 952610 0598C Sport exhaust with 1 tail pipe Ø 98 mm Street Race372,00			
---	--	--	--

Polo 5 GTI Facelift, type 6R, 2014=> 1.8l TSI 141 kW (DAJ)			
		Cat-back-system: 954513 0300 resp. 954513 0000 (Racing) + 954513 0500 + tail pipe set! No vehicle modifications required! resonated cat-back front section, incl. EEC homologation Original tube Ø 55 mm, REMUS tube Ø 60 mm alternative: non resonated cat-back front section, without homologation Original tube Ø 55 mm, REMUS tube Ø 60 mm	190,00 95,00
NW	954513 0300		
NW	954513 0000		
		Sport exhaust for left-system (without tail pipes) with integrated valve, incl. EEC homologation Original tube Ø 55 mm, REMUS tube Ø 60 mm It is not permissible to activate the valve on public roads as per the EU transport authority. The activation of the valve is carried out using the supplied remote control key fob. The sound controller and electrical actuator which allows the valve to be operated in 4 different positions. Choose from following tail pipe package: Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	710,00 150,00 150,00 170,00 180,00 194,00 340,00
NW	" 954513 0500		
NW	0026 05		
NW	0026 55S		
NW	0026 83C		
NW	0026 83CS		
NW	0026 83CB		
NW	0026 83CTS		

Golf I Cabrio, type 155 1.8l 70 kW, AUG1985=>; 1.8l 72 kW, JUL1989=> NW 955189 0595P Sport exhaust with 1 tail pipe Ø 90 mm296,00			
---	--	--	--

Golf II, Type 19E, AUG1985=> All models with cat, from chassis no. 19-6-18001 onwards; 1.3l 37 / 40 kW Golf II, Type 19E, AUG1987=> From chassis no JB 000001 onwards; 1.6l 62 / 66 / 79 / 82 kW			
	AD0008	Distance tube O for mounting necessary	16,00
NW	955183 0400	Central silencer	152,00
NW	955183 0504	Sport exhaust with 2 tail pipes Ø 76 mm	362,00

Golf II, Type 19E, with & without cat., 1985=> 1.8l 62 kW Golf II, type 19E, with & without cat. & Edition (connection Ø 50 mm) 1.8l 66 kW (& Edition connection Ø 50 mm) Golf II, Type 19E, with cat & Edition (connection Ø 50 mm) 1.8l 79 kW Golf GTI II, Type 19E, SEP1983=> 1.8l GTI 8V 82 kW			
	AD0006	Distance tube T for mounting on models with cat. and central silencer	16,00
NW	955183 0400	Central silencer	152,00
NW	955183 0504	Sport exhaust with 2 tail pipes Ø 76 mm Cat-back-system: Sport exhaust in connection with central silencer.	362,00

Golf III, typ 1HX0, JUL1991=>			
-------------------------------	--	--	--

Golf III Cabrio, type 1HXO, JUL1991=> Golf III Cabrio Facelift, type 1EXO (Golf IV Cabrio), 1998=> 1.4i 40 / 44 kW; 1.6i 55 kW; 1.8i 55kW		
NW	954198 0540P	Sport exhaust with 1 tail pipe 140x72 mm mat polished
		250,00

Golf III, typ 1HXO, JUL1991=> Golf III Cabrio, type 1HXO, JUL1991=> Golf III Cabrio Facelift, type 1EXO (Golf IV Cabrio), 1998=> 1.6i 74 kW (only rear silencer); 1.8i 66 kW; 2.0i GTI 85 kW; 1.9i SDI 47 kW; 1.9i TD 55 kW; 1.9i TDI 66 kW; 1.9i TDI 81 kW		
NW	955692 0400	Central silencer, only for SDI 47 kW, 2.0i GTI 85 kW
NW	955692 0504	Sport exhaust with 2 tail pipes Ø 76 mm
		353,00
Cat-back-system: Sport exhaust in connection with central silencer.		

Golf III VR6, type 1HXO, JUL1991=> 2.8i VR6 128 kW Golf III GTI 16V, type 1HXO 2.0i 16V 110 kW		
2)	959092 0300	Front silencer
		132,00

Golf III Syncro, type 1HXO, 1995=> 1.8i 66 kW; 2.9i VR6 140 kW; 1.9i TDI 66 kW		
2)	959096 0542	Sport exhaust with 2 tail pipes 92x78 mm angled
		411,00

Golf IV, type 1J, OCT1997=> 1.4i 55 kW, 1998=>; 1.6i 74/75/77 kW; 1.6i FSI 81 kW, 2002=>; 1.8i 92 kW; 1.8i Turbo 110 kW; 2.0i 85 kW, 1999=>; 2.3i VR5 110 kW 1998=>; 2.3i V5 125 kW, 2001=>; 1.9i SDI 50 kW; 1.9i TDI 66 kW; 1.9i TDI 74/81/85/96/110 kW (inkl. P When mounting on 1.4, 1.6, 1.9i SDI, use distance tube AD0016! When mounting on 1.4, 1.6, 1.9i SDI models, use original VW bracket part no 1J0 253 144!		
	AD0016	Distance tube H for mounting on 1.4i, 1.6i and 1.9i SDI models
NW	045096 0000	
	046097 0000	RACING tube without homologation, instead of front silencer, only for 1.4i 55 kW, 1998=>; 1.6i 74/75/77 kW; 1.8i 92 kW; 2.0i 85 kW, 1999=>; 2.3i V5 125 kW, 2001=>;
	045096 0300	Front silencer, only for 1.4i 55 kW, 1.6i 74/75/77 kW models
		140,00
PowerSound Sport exhaust system consisting of: PowerSound sport exhaust with manual valve control system (without tail pipes) Choose from following tail pipe package:		
NW	1) 046397 099	
	0000 02	2 tail pipes 92x78 mm
NW	0007 04G	2 tail pipes Ø 76 mm straight
NW	0007 05G	1 tail pipe Ø 90 mm straight
NW	0007 14M	1 tail pipe 142x72 mm
NW	0007 78	2 tail pipes Ø 84 mm
NW	0007 83C	1 tail pipe Ø 84 mm Street Race
NW	0007 83CS	1 tail pipe Ø 84 mm Carbon Race
NW	0007 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome
NW	0007 84C	2 tail pipes Ø 84 mm Street Race
NW	0007 84CS	2 tail pipes Ø 84 mm Carbon Race
NW	0007 84CB	2 tail pipes Ø 84 mm Street Race Black Chrome
		170,00
Cat-back-system: Sport exhaust in connection with RACING tube.		

Golf V, type 1K, 2003=> 1.4i 55/59 kW; 1.4i FSI 66 kW; 1.6i 75 kW; 1.6i FSI 85 kW; 2.0i FSI 110 kW; 1.9i TDI 66/77 kW; 2.0i TDI 100/103 kW The rear skirt must be trimmed as per the supplied template!		
2)	956003 0000	RACING tube without homologation, instead of front silencer, only for 2.0i TDI 100/103 kW
NW	956108 5598C	Sport exhaust with 2 tail pipes Ø 98 mm Street Race centered in „R-Look“
		448,00

Golf V Variant, type 1KM, 2007=> 1.6i 75 kW; 1.9i TDI 77 kW; 2.0i TDI 103 kW		
1) °	955505 099	PowerSound sport exhaust with manual valve control system (without tail pipes)
	0303 04	2 tail pipes Ø 76 mm
		122,00

Golf V GTI, type 1K, 2004=> 2.0i TSI 147/155 kW Golf V GTI Edition 30, type 1K, 2007=> 2.0i TSI 169 kW (BYD) When fitting L/R system, the rear skirt must be trimmed as per the supplied template!		
NW	957204 0000	RACING tube without homologation, instead of front silencer, not for Diesel
NW	957204 0300	Front silencer
NW	954008 0584C	Sport exhaust with 2 tail pipes Ø 84 mm Street Race
		460,00
Cat-back-system: Sport exhaust in connection with front silencer or RACING tube.		
Alternative: Cat-back sport exhaust system L/R consisting of:		
NW	955108 0300	Front silencer
NW	955108 1584C	Sport exhaust with L/R each 2 tail pipes Ø 84 mm Street Race (also for "Rieger" rear skirt)
NW	955108 1584CS	Sport exhaust with L/R each 2 tail pipes Ø 84 mm Carbon Race (also for "Rieger" rear skirt)
		658,00
(Only fits as a complete system with front silencer!)		

Golf VI, type 1K, 2011=> 1.2i 77 kW When fitting left or L/R system, the rear skirt must be trimmed as per the supplied template! Golf VI Cabrio, type 1K, 2011=> 1.2i TSI 77 kW (CBZ) When fitting left or L/R system, the rear skirt must be trimmed as per the supplied template!		
NW	952608 0584CS	Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race
		499,00
Alternative: Sport exhaust system L/R consisting of:		
NW	952608 1500	Sport exhaust centered for L/R system (without tail pipes)
		310,00
Choose from following tail pipe package:		
NW	0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection
NW	0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection
NW	0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection
NW	0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection
NW	0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection
		300,00

Golf VI, type 1K, 2008=> Golf VI Plus, type 1KP, 2009=> 1.4i 55 kW (BCA); 1.4i 59 kW; 1.4i TSI 90 kW (CAXA); 1.4i TSI 118 kW (CAVD); 2.0i TDI 81 kW (CBD); 2.0i TDI 103 kW (CBA) Sport exhaust centered & rear diffusor only fits as a complete system!		
NW	954008 0584C	Sport exhaust with 2 tail pipes Ø 84 mm Street Race, not for 1.4i 55 kW, not for 2.0i TDI
		460,00
Alternative: Sport exhaust system centered consisting of:		
NW	956108 5598C	Sport exhaust with 2 tail pipes Ø 98 mm Street Race centered in „R-Look“, not for 1.4i 59 kW, not for Golf VI Plus
"	951302 HES	ABS rear diffusor centered, carbon optic, not for 1.4i 59 kW, not for Golf V Plus
		191,00

Golf VI GTI, type 1K, 2009=> 2.0i TSI 155 kW (CCZ) Golf VI GTI Edition 35, type 1K, 2011=> 2.0i TSI 173 kW (CDLG) Golf VI GTD, type 1K, 2009=> 2.0i GTD 125 kW (BMN/CBB/CFG)		
Axle-back-systemleft/right: 956008 0500 + tail pipe set!		

		Cat-back-system left/right: 957204 0000 bzw 957204 0300 + 956008 0500 + tail pipe set! Axle-back-system centered in "R-Look": 956108 5598C + 951303 HES! Cat-back-system centered in "R-Look": 957204 0000 resp. 957204 0300 + 956108 5598C + 951303 HES!	
NW	957204 0000	RACING tube without homologation, instead of front silencer, not for Diesel	125,00
NW	957204 0300	Front silencer, not for Diesel models	306,00
NW	956008 0500	Sport exhaust system L/R consisting of: Sport exhaust for L/R system (without tail pipes), not for GTD	372,00
		Choose from following tail pipe package:	
NW	0026 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	140,00
NW	0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	160,00
NW	0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	370,00
NW	0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	196,00
NW	0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00
NW	956108 5598C	Alternative: Sport exhaust system centered consisting of: Sport exhaust with 2 tail pipes Ø 98 mm Street Race centered in „R-Look“	448,00
"	951303 HES	ABS rear diffuser centered, carbon optic	191,00

Golf VI R, type 1K, 2010=>

2.0l TSI 199 kW (CDLF)

NW	956110 0000	RACING tube Ø 70 mm without homologation, instead of front silencer, original pipe must be cut	91,00
NW	956110 5598C	Sport exhaust Ø 70 mm centered with 2 tail pipes Ø 98 mm Street Race incl. connection tube Ø 70 mm (fits on original front silencer with adaptor)	817,00
2)	956010 5598TI	Titanium2 sport exhaust Ø 70 mm centered with 2 tail pipes Ø 98 mm incl. connection tube Ø 70 mm (fits with adapter onto original front silencer)	1.850,00
		Cat-back-system: Sport exhaust in connection with RACING tube.	

Golf VII, type AU, 2012=>

Golf VII GTD, type AU, not for cars with sport & sound package, 2012=>

1.2l TSI 63 kW (CJZB); 1.2l TSI 77 kW (CJJA); 1.4l TSI 90 kW (CMBA/CPVA/CXSA); 1.4l TSI 103 kW (CHPA/CPTA); 1.4l TSI 110 kW;
1.6l TDI 66 kW (CLHB); 1.6l TDI 77 kW (CLHA); 2.0l TDI 81 kW (CRVA); 2.0l TDI 110 kW (CRBC); 2.0l GTD 135 kW (CUN)

The sport exhausts respectively non-resonated RACING section L/R are only mountable with connection tubes!

The rear diffusers left/right are only mountable together with the L/R systems respectively non-resonated RACING section L/R.

Alternatively also the original rear skirt can be used but it has to be trimmed according to enclosed instructions!

NW	954312 0000	RACING tube without homologation, instead of front silencer, only for 1.4l TSI, only fits as a complete system with the REMUS sport exhaust	158,00
NW	953612 0000	Connection tube (twist beam axle) for mounting on 1.2l TSI 63/77 kW, 1.6l TDI 66/77 kW, 2.0l TDI 81 kW	56,00
NW	954112 0000	Connection tube (multi-link axle) for mounting on 1.4l TSI, 2.0l TDI 110 kW, 2.0l GTD 135 kW	56,00
		Sport exhaust system left:	
NW	953112 0584CS	Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race, only for 1.2l TSI 63/77 kW, 1.4l TSI	408,00
NW	954112 0584CS	Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race, only for 1.6l TDI 66/77 kW, 2.0l TDI 81/110 kW, 2.0l GTD 135 kW	408,00
		Alternative: Sport exhaust system L/R consisting of: Sport exhaust centered for L/R system (without tail pipes), pipe Ø 70 mm	286,00
NW	955113 1500	Alternative: Non-resonated RACING section L/R consisting of: Non-resonated RACING section L/R (without tail pipes), without homologation	123,00
NW	954112 1600	Choose from following tail pipe package:	
NW	0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	340,00
NW	0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	360,00
NW	0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	388,00
NW	0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	680,00
NW	0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	300,00
"	951401 HES	ABS rear diffuser left/right, carbon optic	191,00
"	952401 HES	ABS rear diffuser left/right, satin black	191,00
		Cat-back-system: Sport exhaust in connection with RACING tube.	

Golf VII GTD, type AU, for cars with sport & sound package, 2012=>

2.0l GTD 135 kW (CUN)

The rear diffusers are only mountable together with the non-resonated section left/right with tail pipes.

The exhaust respectively non-resonated section can only be installed using the original VW bracket 5Q0 253 144D! Please purchase before installing the exhaust from your local VW Dealership!

Alternatively also the original rear skirt can be used but it has to be trimmed according to enclosed instructions!

NW	954212 0000	Connection tube for mounting on 2.0l GTD 135 kW	56,00
NW	954112 1600	Non-resonated section L/R consisting of: Non-resonated section L/R (without tail pipes)	123,00
"	951401 HES	ABS rear diffuser left/right, carbon optic	191,00
"	952401 HES	ABS rear diffuser left/right, satin black	191,00
		Choose from following tail pipe package:	
NW	0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	340,00
NW	0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	360,00
NW	0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	388,00
NW	0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	680,00
NW	0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	300,00

Golf VII GTI / GTI Performance, type AU, 2013=>

2.0l TSI 162 kW (CHH); 2.0l TSI 169 kW (CHH)

		Axle-back-system with REMUS rear diffuser: 955213 0000 + 955113 1500 bzw 954112 1600 + tail pipe set + 951401 HES resp. 952401 HES! The original exhaust must be cut!	
		Cat-back-system with REMUS rear diffuser: 955113 0300 + 955213 0000 + 955113 1500 resp. 954112 1600 + tail pipe set + 951401 HES resp. 952401 HES! No cutting of original exhaust required!	
		Turbo-back-system with REMUS rear diffuser: 955113 1100 + 955113 0300 + 955213 0000 + 955113 1500 resp. 954112 1600 + tail pipe set + 951401 HES resp. 952401 HES! No cutting of original exhaust required!	
NW	4)	RACING downpipe, tube Ø 70 mm, with sport catalytic converter (200 CPSI), without homologation, can only be fitted in combination with the REMUS front silencer (Original tube Ø 65 mm / REMUS tube Ø 70 mm)	874,00
NW	955113 0300	Resonated cat-back section, with homologation for the VW Golf VII GTI/GTI Performance type AU (Original tube Ø 65 mm / REMUS tube Ø 70 mm)	263,00
NW	955213 0300	Resonated cat-back section, with homologation for the VW Golf VII GTI/GTI Performance type AU (Original tube Ø 65 mm / REMUS tube Ø 70 mm)	263,00
NW	955213 0000	Connection tube for mounting the L/R sport exhaust or the non-resonated L/R RACING axle-back-systems	56,00
		Sport exhaust system L/R consisting of: Sport exhaust centered for L/R system (without tail pipes), pipe Ø 70 mm	286,00
NW	955113 1500	Alternative: Non-resonated RACING section L/R consisting of: Non-resonated RACING section L/R (without tail pipes), without homologation	123,00
NW	954112 1600	Choose from following tail pipe package:	
NW	0046 83C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection	340,00
NW	0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection	360,00
NW	0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	388,00
NW	0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	680,00
NW	0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	300,00
		Choose from following rear diffusers:	
"	951401 HES	ABS rear diffuser left/right, carbon optic	191,00
"	952401 HES	ABS rear diffuser left/right, satin black	191,00

		Axle-back-system for original rear skirt: 955113 0300 + 955213 0000 + 796014 1500 resp. 796014 1600 + tail pipe set! The original exhaust must be cut! No rear skirt modifications required!	
		Cat-back-system for original rear skirt: 955113 0300 + 955213 0000 + 796014 1500 resp. 796014 1600 + tail pipe set! No vehicle modifications required!	
		Turbo-back-system for original rear skirt: 955113 1100 + 955113 0300 + 955213 0000 + 796014 1500 resp. 796014 1600 + tail pipe set! No vehicle modifications required!	

NW	4)	955113 1100	RACING downpipe, tube Ø 70 mm, with sport catalytic converter (200 CPSI), without homologation, can only be fitted in combination with the REMUS front silencer (Original tube Ø 65 mm / REMUS tube Ø 70 mm)	874,00
NW		955113 0300	Resonated cat-back section, with homologation for the VW Golf VII GTI/GTI Performance type AU (Original tube Ø 65 mm / REMUS tube Ø 70 mm)	263,00
NW		955213 0300	Resonated cat-back section, with homologation for the VW Golf VII GTI/GTI Performance type AU (Original tube Ø 65 mm / REMUS tube Ø 70 mm)	263,00
NW		955213 0000	Connection tube for mounting the L/R sport exhaust or the non-resonated L/R RACING axle-back-systems <u>Sport exhaust system L/R suitable for the original rear skirt:</u>	56,00
NW		796014 1500	Sport exhaust centered for L/R system (without tail pipes), suitable for the original rear skirt, pipe Ø 70 mm (Original tube Ø 65 mm / REMUS tube Ø 70 mm) <u>Alternative: Non-resonated L/R RACING axle-back system suitable for the original rear skirt:</u>	240,00
NW		796014 1600	Non resonated L/R RACING axle-back-system (without tail pipes, without connecting tube), suitable for the original rear skirt, without homologation (Original tube Ø 65 mm / REMUS tube Ø 70 mm) <u>Choose from following tail pipe package:</u>	105,00
NW		0026 70SG	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	140,00
NW		0026 70S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection	160,00
NW		0026 70CS	Tail pipe set L/R consisting of 2 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	370,00
NW		0026 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection	196,00
NW		0026 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	220,00

RACING cat-back-system with remote controlled valves, without homologation: 955113 1500 + tail pipe set + 951401 HES resp. 952401 HES! No cutting of original exhaust required! RACING turbo-back-system with remote controlled valves, without homologation: 955113 1100 + 955113 1500 + tail pipe set + 951401 HES resp. 952401 HES! No cutting of original exhaust required! RACING downpipe, tube Ø 70 mm, with sport catalytic converter (200 CPSI), without homologation, can only be fitted in combination with the REMUS front silencer (Original tube Ø 65 mm / REMUS tube Ø 70 mm)					874,00
NW	4)	955113 1100	RACING tube instead of front silencer, connection tube and sport exhaust centered for L/R system (without tail pipes), fits in combination with original and REMUS downpipe using the supplied adapters, REMUS tube Ø 76 mm with 2 integrated electrical valves, without homologation The activation of the valve is carried out using the supplied remote control key fob. The sound controller and electrical actuator allow the valve to be operated in 4 different positions.		1.299,00
NW	" 3)	955113 1500			
NW		0046 83C	<u>Choose from following tail pipe package:</u> Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection		340,00
NW		0046 83CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection		360,00
NW		0046 83CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection		388,00
NW		0046 83CTS	Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection		680,00
NW		0046 55S	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection <u>Choose from following rear diffusers:</u>		300,00
"		951401 HES	ABS rear diffuser left/right, carbon optic		191,00
"		952401 HES	ABS rear diffuser left/right, satin black		191,00

Golf VII R 4motion, type AU, 2014=>

2.0i TSI 221 kW (CJX)

Axle-back-system: 956014 0500 + tail pipe set! The original exhaust must be cut! No rear skirt modifications required!					
Cat-back-system: 956014 0300 resp. 956014 0000 (Racing!) + 956014 0500 + tail pipe set! No vehicle modifications required!					
Turbo-back-system: 956014 1100 (Racing!) + 956014 0300 resp. 956014 0000 (Racing!) + 956014 0500 + tail pipe set! No vehicle modifications required! RACING downpipe with sport catalytic converter (200 CPSI), pipe Ø 76 mm, without homologation (only mountable together with REMUS front silencer respectively RACING tube) Front silencer (only mountable together with REMUS sport exhaust), pipe Ø 76 mm RACING tube without homologation, instead of front silencer (only mountable together with REMUS sport exhaust), pipe Ø 76 mm <u>Sport exhaust system L/R consisting of:</u> Sport exhaust centered for L/R system (without tail pipes), REMUS tube Ø 76 mm, with 2 integrated valves, incl. EEC homologation The activation of the valve is carried out using the original actuator via the vehicle onboard electronics. <u>Choose from following tail pipe package:</u> Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection Tail pipe set L/R consisting of 4 tail pipes Ø 102 mm angled, chromed, with adjustable spherical clamp connection Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race, with adjustable spherical clamp connection Tail pipe set L/R consisting of 4 tail pipes Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection					
NW	4)	956014 1100			937,00
NW		956014 0300			241,00
NW		956014 0000			87,00
NW		956014 0500			787,00
NW		0046 70SG			280,00
NW		0046 70S			320,00
NW		0046 70CS			740,00
NW		0046 98C			392,00
NW		0046 98CB			440,00

Jetta Sedan, type 1 KM, 2005=>

1.6i 75 kW; 1.6i FSI 85 kW; 2.0i FSI 110 kW; 1.9i TDI 77 kW; 2.0i TDI 103 kW

1)	°	955505 099	PowerSound sport exhaust with manual valve control system (without tail pipes)	306,00
		0303 04	2 tail pipes Ø 76 mm	122,00

Scirocco III, type 13, 2008=>

1.4i TSI 90 kW (CAXA); 1.4i TSI 118 kW (CAV/CTHD)

When fitting L/R system, the rear skirt must be trimmed as per the supplied template!

NW		952608 0584CS	Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race	499,00
NW		952608 1500	<u>Alternative: Sport exhaust system L/R consisting of:</u> Sport exhaust centered for L/R system (without tail pipes) <u>Choose from following tail pipe package:</u> Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection Tail pipe set L/R consisting of 4 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection	310,00
NW		0046 83C		340,00
NW		0046 83CS		360,00
NW		0046 83CB		388,00
NW		0046 83CTS		680,00
NW		0046 55S		300,00

Scirocco III, type 13, 2008=>

1.4i TSI 90 kW; 1.4i TSI 118 kW; 2.0i TSI 147 kW; 2.0i TSI 155 kW; 2.0i TDI 103 kW

Scirocco III Facelift, only suitable for R-Line, type 13, 2015=>

1.4i TSI 92 kW; 2.0i TSI 132 kW

Axle-back-system left and left/right: 952608 0584CS resp. 955108 1584C(S) resp. 955508 1584TI. The original exhaust will need to be cut at the manufacturer marked cutting point! The right side skirt outlet must be trimmed as per the enclosed template! L/R-system also suitable for "Rieger" rear diffuser! Axle-back-system left/right with REMUS rear diffuser: 955108 1584C(S) resp. 955508 1584TI + 951401 HES. The original exhaust will need to be cut at the manufacturer marked cutting point! Cat-back-system left and left/right (only for 2.0i TSI 147 kW): 955108 0300 resp. 955008 0300TI + 952608 0584CS resp. 955108 1584C(S) resp. 955508 1584TI. No cutting of the original exhaust system required! The right side skirt outlet must be trimmed as per the enclosed template! L/R-system also suitable for "Rieger" rear diffuser! Cat-back-system left/right with REMUS rear diffuser (only for 2.0i TSI 147 kW): 955108 0300 resp. 955008 0300TI + 955108 1584C(S) resp. 955508 1584TI + 952401 HES. No cutting of the original exhaust system and skirt required! Resonated front section, only for 2.0TSI 147 kW, incl. EEC homologation Titanium2 resonated front section, only for 2.0TSI 147 kW, incl. EEC homologation Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race (Not for Facelift models! Not for 1.4i TSI models!) Sport exhaust with 2 tail pipes Ø 84 mm Carbon Race Sport exhaust with L/R each 2 tail pipes Ø 84 mm Street Race Sport exhaust with L/R each 2 tail pipes Ø 84 mm Carbon Race Titanium2 sport exhaust with left/right each 2 tail pipes Ø 84 mm ABS rear diffuser left/right, carbon optic					
NW		955108 0300			263,00
		955008 0300TI			482,00
	2)	955008 0584CS			488,00
NW		952608 0584CS			499,00
NW		955108 1584C			637,00
NW		955108 1584CS			658,00
		955508 1584TI			1.990,00
"		951404 HES			191,00

Scirocco III R, type 13, 2010=>

2.0i TSI 195 kW (CDL)

Cat-back-system: 956610 0000 resp. 956610 0300 + 956610 1580! RACING tube Ø 70 mm without homologation, instead of front silencer Front silencer Ø 70 mm Sport exhaust Ø 70 mm centered with L/R each 1 tail pipe Ø 115 mm					
NW		956610 0000			107,00
NW		956610 0300			232,00
NW		956610 1580			608,00

Beetle II, Type 16, 2011=> 1.2l TSI 77 kW (CBZB); 1.4l TSI 118 kW (CAVD/CTHD); 2.0l TSI 147 kW (CCZA); 2.0l TSI 155 kW (CPLA) The sport exhausts are only mountable with connection tubes! When fitting on 1.2l TSI 77 kW, the rear skirt must be trimmed as per the supplied template! When fitting the L/R-system onto 1.4l TSI, the rear diffuser of the 2.0l TSI model must be used!			
NW	955111 0000	Connection tube (multi link axle) for mounting on 1.2l TSI 77 kW up from MY 2013, 1.4l TSI 118 kW, 2.0l TSI 147/155 kW	74,00
NW	954111 0000	Connection tube (twist beam axle) for mounting on 1.2l TSI 77 kW until MY 2013	60,00
Sport exhaust system L/R consisting of:			
NW	955111 0500	Sport exhaust centered for L/R system (without tail pipes)	291,00
NW	954111 1670S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, for 1.2l TSI 77 kW	215,00
NW	955111 1670S	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm angled, for 1.4l TSI 118 kW, 2.0l TSI 147/155 kW	215,00

Passat B4, type 35i, Sedan & Estate, OCT1993=> 16V 115 kW			
2)	956093 0504	Sport exhaust with 2 tail pipes Ø 76 mm, without homologation	411,00

Transporter T5, 2003=> 1.9l TDI 63/77 kW; 2.5l TDI 120 kW 2.5l TDI 96/128 kW			
Transporter T5 Facelift, tipo 7J0, AUG2009=> 2.0 TDI 62/75/100/103/132 kW			
NW	957103 0556	Sport exhaust with 2 tail pipes Ø 84 mm angled	437,00

Touareg II Facelift, type 7L, 2007=> 2011 (not for models 2012) 2.5l TDI 128 kW (BAC); 3.0l TDI 165 kW (BKS); 3.2l TDI 162 kW (AZZ)			
Sport exhaust system L/R consisting of:			
o	958003 0500	Sport exhaust left/right (without tail pipes)	429,00
o	958008 1678	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm, for Facelift model up from 07	393,00

Amarok, type 2H, 2010=>			
Amarok 4motion, type 2H, 2010=> 2.0l TDI 90 kW (CNFA/CDBA); 2.0l TDI 103 kW (CNFB); 2.0l TDI 120 kW (CDCA); 2.0l TDI 132 kW (CSHA/CNEA)			
NW	956013 1557	Sport exhaust with L/R each 1 tail pipe 185x85 mm	612,00

VOLVO	Art.Nr.	Description	€ exkl. MwSt.
			€ excl. VAT

S80 V8 Sedan, 2006=> 4.4l V8 232 kW			
2)	979206 098L	Sport exhaust system L/R consisting of: Sport exhaust left (without tail pipes)	290,00
2)	979206 098R	Sport exhaust right (without tail pipes) (Sport exhaust L/R only fits as a complete system!)	290,00
Choose from following tail pipe package:			
	0010 02	Tail pipe set L/R consisting of 4 tail pipes 92x78 mm	300,00
NW	0010 04G	Tail pipe set L/R consisting of 2 tail pipes Ø 76 mm straight	256,00
NW	0010 05G	Tail pipe set L/R consisting of 2 tail pipes Ø 90 mm straight	146,00
NW	0010 14M	Tail pipe set L/R consisting of 2 tail pipes 142x72 mm	186,00
NW	0010 70	Tail pipe set L/R consisting of 2 tail pipes Ø 102 mm	160,00
NW	0010 78	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm	278,00
NW	0010 83C	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race	164,00
NW	0010 83CS	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Carbon Race	176,00
NW	0010 83CB	Tail pipe set L/R consisting of 2 tail pipes Ø 84 mm Street Race Black Chrome	188,00
NW	0010 84C	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race	290,00
NW	0010 84CS	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Carbon Race	308,00
NW	0010 84CB	Tail pipe set L/R consisting of 4 tail pipes Ø 84 mm Street Race Black Chrome	340,00
NW	0010 98C	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race	176,00
NW	0010 98CB	Tail pipe set L/R consisting of 2 tail pipes Ø 98 mm Street Race Black Chrome	198,00

Weld-on tail pipes	Art.Nr.	Description	€ exkl. MwSt.
			€ excl. VAT

not embossed, inner connection Ø 54 mm length = 360 mm			
2)	006097 0505	Tail pipe Ø 90 mm, not embossed	94,00
2)	006097 0503	Tail pipe Ø 76 mm, not embossed	76,00

UNIVERSAL sport exhausts 30-150 kW	Art.Nr.	Description	€ exkl. MwSt.
			€ excl. VAT

without homologation suitable for models from 30 - 150 kW outer measurements: 190x120x380, connection inner Ø 51 mm, incl. clamp			
2)	001090 0505	Sport exhaust with 1 tail pipe Ø 90 mm	211,00
2)	001090 0595P	Sport exhaust with 1 tail pipe Ø 90 mm mat polished	192,00

without homologation suitable for models from 30 - 150 kW outer measurements: 190x120x380, connection inner Ø 51 mm, incl. clamp Sport exhaust can only be installed using the mentioned tip.			
NW	001115 0500	Sport exhaust system consisting of: Sport exhaust (without tail pipes)	133,00
Choose from following tail pipe package:			
NW	0006 70SG	1 tail pipe Ø 102 mm angled, straight cut, chromed, with adjustable spherical clamp connection	70,00
NW	0006 70S	1 tail pipe Ø 102 mm angled, chromed, with adjustable spherical clamp connection	80,00
NW	0006 70CS	1 Carbon tail pipe Ø 102 mm angled, Titanium internals, with adjustable spherical clamp connection	185,00
NW	0006 98C	1 tail pipe Ø 98 mm Street Race, with adjustable spherical clamp connection	98,00
NW	0006 98CB	1 tail pipe Ø 98 mm Street Race Black Chrome, with adjustable spherical clamp connection	110,00
NW	0006 05	1 tail pipe Ø 90 mm, chromed, with adjustable spherical clamp connection	75,00
NW	0006 55S	1 tail pipe Ø 84 mm angled, chromed, with adjustable spherical clamp connection	75,00
NW	0006 83C	1 tail pipe Ø 84 mm Street Race, with adjustable spherical clamp connection	85,00
NW	0006 83CS	1 tail pipe Ø 84 mm Carbon Race, with adjustable spherical clamp connection	90,00
NW	0006 83CB	1 tail pipe Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection	97,00
NW	0006 83CTS	1 Carbon tail pipe Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection	170,00

without homologation suitable for models from 30 - 150 kW outer measurements: Ø 133x390 mm, connection inner Ø 51 mm, incl. clamp			
2)	002090 0505	Sport exhaust with 1 tail pipe Ø 90 mm	192,00

without homologation suitable for models from 30 - 150 kW outer measurements: 210x150x430 mm, connection inner Ø 51 mm, incl. clamp			
2)	003092 0570	Sport exhaust with 1 tail pipe Ø 102 mm	235,00

UNIVERSAL sport exhausts 30-200 kW	Art.Nr.	Description	€ exkl. MwSt.
			€ excl. VAT

without homologation suitable for models from 30 - 200 kW outer measurements: Ø 145 mm, silencer length 350 mm; with step connection Ø 65 mm / Ø 60 mm / Ø 55 mm			
NW	003005 8598	Sport exhaust polished with 1 tail pipe Ø 98 mm angled	162,00
NW	003005 8598B	Sport exhaust polished with 1 tail pipe Ø 98 mm angled "burned"	174,00
NW	SH14002	Body clamp Ø 145 mm	17,00
NW	00 98	Sound insert	32,00

without homologation suitable for models from 30 - 200 kW			
outer measurements: 210x150x430 mm; step connection outsideØ 51 / 57 / 63,5 mm; silencer inner pipe Ø 65 x 1,5 mm; incl. clamp			
Sport exhaust can only be installed using the mentioned tip set.			
NW	003115	0500	Sport exhaust system consisting of: Sport exhaust (without tail pipes) Choose from following tail pipe package: Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection
			164,00
NW	0026	83C	170,00
NW	0026	83CS	180,00
NW	0026	83CB	194,00
NW	0026	83CTS	340,00
NW	0026	55S	150,00
NW	0026	05	150,00

UNIVERSAL sport exhausts with integrated electronic valve and remote control. 30-200 kW

€ exkl. MwSt.
€ excl. VAT

UNIVERSAL sport exhausts, with integrated electronic valve and remote control			
outer measurements: 190x120x260 mm; step connection Ø 51 / 57 / 63,5 mm (2 / 2,25 / 2,5 Zoll); without body clamp			
Sport exhaust, remote control unit and tail pipe sets only fit as a complete system!			
NW	"	004513	Sport exhaust system consisting of: Sport exhaust (without tail pipes), with integrated electrical valves, without homologation The sport exhaust can be turned 180° and can therefore be used on left OR right side of the car. The outlet pipe with the valve is clamped-on and can also be turned. Attention: Order 2x 004513 0500 and 2x tail pipe package for left/right-system! The activation of the valve is carried out using the supplied remote control key fob, sound controller and electrical actuator which allows the valve to be operated in 4 different positions. Choose from following tail pipe package for 1x 004513 0500: Tail pipe set 2 tail pipes Ø 84 mm Street Race, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 84 mm Carbon Race, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 84 mm Street Race Black Chrome, with adjustable spherical clamp connection Tail pipe set 2 Carbon tail pipes Ø 84 mm angled, Titanium internals, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 84 mm angled, chromed, with adjustable spherical clamp connection Tail pipe set 2 tail pipes Ø 90 mm, chromed, with adjustable spherical clamp connection Choose following control unit for 1x 004513 0500: Sound Controller for 004513 0500 for one sided system (left OR right) consisting of: Electronic module incl. remote control for individual sound in 4 levels, no homologation Choose following control unit for 2x 004513 0500: Sound Controller for 004513 0500 for both sided system (left AND right) consisting of: Electronic module incl. remote control for individual sound in 4 levels, no homologation
			407,00
NW	0026	83C	170,00
NW	0026	83CS	180,00
NW	0026	83CB	194,00
NW	0026	83CTS	340,00
NW	0026	55S	150,00
NW	0026	05	150,00
NW	"	STE 0003	260,00
NW	"	STE 0004	290,00

LEGENDE

- 1) = It is not allowed to change the valve setting as per public traffic regulations! If the valve setting is changed, the exhaust is no longer EC-homologated & no longer street legal. Only for race purposes!
- 2) = As long as stock lasts!
- 3) When installing REMUS axle-back and cat-back-system on vehicles which are used for closed road driving, it is advisable to tune the ECU for a maximum gain in performance and to ensure that the CEL does not come on.
- 4) When installing REMUS down-pipes with and without the racing catalytic converters, which are only suitable for closed road driving, it is important to note that ECU tuning is required to ensure that the engine runs and performs eff

=> from
<= until

Errors & omissions excepted!